

Inventory IRG-21-187

Lot 1 - Various Fittings, Flanges, Elbows, Supports, etc.

| Mfg | Qty | Size (") | Material Description |
|-----------|-----|----------|--|
| - | 92 | 0.75 | .75" thrd hex plug a105 |
| - | 92 | 0.75 | .75" thrd hex plug a105 |
| - | 5 | 1.5 | 1.5" thrd 3m 90 el lf2 |
| - | 5 | 1.5 | 1.5" thrd 3m 90 el lf2 |
| - | 5 | 1.5 | 1.5" thrd union 3m lf2 |
| - | 5 | 1.5 | 1.5" thrd union 3m lf2 |
| - | 1 | 10 | 10" 150 STD WELD NECK RAISED FACE FLANGE |
| - | 1 | 10 | 10" 150 STD WELD NECK RAISED FACE FLANGE |
| - | 1 | 10 | 10" LR 90 ELBOW; SCH 10; SA403WP/ 316L MAH P4 WR FLOOR DRAIN JOB |
| - | 1 | 10 | 10" LR 90 ELBOW; SCH 10; SA403WP/ 316L MAH P4 WR FLOOR DRAIN JOB |
| - | 1 | 10 | 10" STAINLESS SPOOL; grease nipple ring |
| - | 1 | 10 | 10" STAINLESS SPOOL; grease nipple ring |
| - | 1 | 10 | 10" X 8" REDUCING TEE; A403 WP/ 316L MAH P4 WR FLOOR DRAIN JOB |
| - | 1 | 10 | 10" X 8" REDUCING TEE; A403 WP/ 316L MAH P4 WR FLOOR DRAIN JOB |
| - | 1 | 10 | 10"; FLANGE; RFWN 150; SCH 40; DUPLEX SA182/F51 MAH P4 WR FLOOR DRAIN JOB |
| - | 1 | 10 | 10"; FLANGE; RFWN 150; SCH 40; DUPLEX SA182/F51 MAH P4 WR FLOOR DRAIN JOB |
| - | 1 | 10 | 10"; FLANGE; RFWN; 150; SCH 10; DUPLEX SA182/F51 MAH P4 WR FLOOR DRAIN JOB |
| - | 1 | 10 | 10"; FLANGE; RFWN; 150; SCH 10; DUPLEX SA182/F51 MAH P4 WR FLOOR DRAIN JOB |
| - | 1 | 1.5 | 1-1/2" PE X 1" Threaded; SWAGE; SCH 40; WP/316L |
| - | 1 | 1.5 | 1-1/2" PE X 1" Threaded; SWAGE; SCH 40; WP/316L |
| - | 2 | 1.5 | 1-1/2"; FLANGE; 150; RFWN; SCH 10; A182 |
| - | 2 | 1.5 | 1-1/2"; FLANGE; 150; RFWN; SCH 10; A182 |
| VICTAULIC | 12 | 12 | 12" VICTAULIC CLAMPS |
| VICTAULIC | 12 | 12 | 12" VICTAULIC CLAMPS |
| VICTAULIC | 12 | 12 | 12" VICTAULIC CLAMPS |
| VICTAULIC | 12 | 12 | 12" VICTAULIC CLAMPS |
| - | 6 | 12 | 12"; PIPE CLAMP |
| - | 6 | 12 | 12"; PIPE CLAMP |
| - | 3 | 12 | 12"; PIPE SHOE; S2B |
| - | 3 | 12 | 12"; PIPE SHOE; S2B |
| - | 8 | 16 | 16"; LINE STOPPER; DDH3 |
| - | 8 | 16 | 16"; LINE STOPPER; DDH3 |
| - | 4 | 16 | 16"; PIPE CLAMP |
| - | 4 | 16 | 16"; PIPE CLAMP |
| - | 4 | 16 | 16"; PIPE CLAMP |
| - | 4 | 16 | 16"; PIPE CLAMP |
| - | 2 | 16 | 16"; PIPE SUPPORT; S4HL |
| - | 2 | 16 | 16"; PIPE SUPPORT; S4HL |
| - | 4 | 16 | 16"; PIPE SUPPORT; S7A |
| - | 4 | 16 | 16"; PIPE SUPPORT; S7A |
| - | 10 | 16 | 16"; PIPE SUPPORT; S7A |
| - | 4 | 16 | 16"; PIPE SUPPORT; S7A |
| - | 4 | 16 | 16"; PIPE SUPPORT; S7A |
| - | 10 | 16 | 16"; PIPE SUPPORT; S7A |
| - | 1 | 2 | 2" 150 RAISED FACE FLANGE SA/ A105N |
| - | 1 | 2 | 2" 150 RAISED FACE FLANGE SA/ A105N |
| AWAIL | 1 | 2 | 2" 90 DEGREE SCH: 160 NPS. Elbow |
| AWAIL | 1 | 2 | 2" 90 DEGREE SCH: 160 NPS. Elbow |
| - | 1 | 2 | 2"; BLIND FLANGE; 150; 3/4" TAPPED; WP/316L |
| - | 1 | 2 | 2"; BLIND FLANGE; 150; 3/4" TAPPED; WP/316L |
| - | 3 | 2 | 2"; FLANGE; 150; RFWN; SCH 10; WP/316L |
| - | 3 | 2 | 2"; FLANGE; 150; RFWN; SCH 10; WP/316L |
| - | 8 | 2 | 2"; FLANGE; 300; RFWN; SCH 40; WP/316L |
| - | 8 | 2 | 2"; FLANGE; 300; RFWN; SCH 40; WP/316L |
| - | 1 | 2 | 2"; WELDOLET; 2" ON 10"; WP/316L |

Inventory IRG-21-187

Lot 1 - Various Fittings, Flanges, Elbows, Supports, etc.

| Mfg | Qty | Size (") | Material Description |
|----------|-----|------------------|--|
| - | 1 | 2 | 2"; WELDOLET; 2" ON 10"; WP/316L |
| - | 1 | 3 | 3"; BW ELBOW; LR 90; SCH 10; A815 DUPLEX |
| - | 1 | 3 | 3"; BW ELBOW; LR 90; SCH 10; A815 DUPLEX |
| - | 5 | 3 | 3"; FLANGE; 150; RFWN; SCH 10; WP/316L |
| - | 5 | 3 | 3"; FLANGE; 150; RFWN; SCH 10; WP/316L |
| - | 2 | 3 | 3"; FLANGE; 300; RFWN; SCH 10; WP/316L |
| - | 2 | 3 | 3"; FLANGE; 300; RFWN; SCH 10; WP/316L |
| - | 1 | 3 | 3"; FLANGE; FF THREADED; WP/316L |
| - | 1 | 3 | 3"; FLANGE; FF THREADED; WP/316L |
| - | 1 | 0.75 | 3/4"; 3000 SOCKOLET; 1-1/2" ON 36"; WP/316L |
| - | 1 | 0.75 | 3/4"; 3000 SOCKOLET; 1-1/2" ON 36"; WP/316L |
| - | 1 | 0.75 | 3/4"; 3000 WELDOLET; 3/4" ON 6"; WP/316L |
| - | 1 | 0.75 | 3/4"; 3000 WELDOLET; 3/4" ON 6"; WP/316L |
| - | 56 | 4 | 4" 150 316 GRAF IR GASKET |
| - | 56 | 4 | 4" 150 316 GRAF IR GASKET |
| - | 1 | 4 | 4" 45 DEGREE THREADED FEMALE 3M. Elbow |
| - | 1 | 4 | 4" 45 DEGREE THREADED FEMALE 3M. Elbow |
| - | 1 | 4 | 4" EXTRA HEAVY 12" LONG THREADED ON BOTH ENDS. Threaded pipe |
| - | 1 | 4 | 4" EXTRA HEAVY 12" LONG THREADED ON BOTH ENDS. Threaded pipe |
| - | 17 | 4 | 4"; BW ELBOW; LR 90; SCH 10; A815 DUPLEX |
| - | 17 | 4 | 4"; BW ELBOW; LR 90; SCH 10; A815 DUPLEX |
| - | 2 | 4 | 4"; BW ELBOW; LR 90; SCH 40; WP/316L |
| - | 2 | 4 | 4"; BW ELBOW; LR 90; SCH 40; WP/316L |
| - | 6 | 4 | 4"; BW ELBOW; SR 90; SCH 10; A815 DUPLEX |
| - | 6 | 4 | 4"; BW ELBOW; SR 90; SCH 10; A815 DUPLEX |
| - | 5 | 4 | 4"; ELBOW; 90; SCH 10; DUPLEX A815 MAH P4 WR FLOOR DRAIN JOB |
| - | 5 | 4 | 4"; ELBOW; 90; SCH 10; DUPLEX A815 MAH P4 WR FLOOR DRAIN JOB |
| - | 1 | 4 | 4"; FLANGE; RF BLIND; 150; F51/F60SS MAH P4 WR FLOOR DRAIN JOB |
| - | 1 | 4 | 4"; FLANGE; RF BLIND; 150; F51/F60SS MAH P4 WR FLOOR DRAIN JOB |
| - | 2 | 4 | 4"; FLANGE; RFSW; WP/316L |
| - | 2 | 4 | 4"; FLANGE; RFSW; WP/316L |
| - | 1 | 4 | 4"; Slip on Flange; 150; WP/316L |
| - | 1 | 4 | 4"; Slip on Flange; 150; WP/316L |
| - | 1 | 4 | 4"; WELDOLET; 4" ON 10"; WP/316L |
| - | 1 | 4 | 4"; WELDOLET; 4" ON 10"; WP/316L |
| PEERLESS | 24 | 5 1/2" x 36 1/2" | 5 1/2" X 36 1/2" PALLET WITH #80-84 & 90 |
| - | 16 | 6 | 6" X 4"; REDUCER CONC; SCH 10; A815 DUPLEX |
| - | 16 | 6 | 6" X 4"; REDUCER CONC; SCH 10; A815 DUPLEX |
| - | 1 | 6 | 6" X 4"; REDUCER CONC; SCH10; WP/316L |
| - | 1 | 6 | 6" X 4"; REDUCER CONC; SCH10; WP/316L |
| - | 2 | 6 | 6"; FLANGE; RFWN; 150; SCH 10; A182/316L MAH P4 WR FLOOR DRAIN JOB |
| - | 2 | 6 | 6"; FLANGE; RFWN; 150; SCH 10; A182/316L MAH P4 WR FLOOR DRAIN JOB |
| - | 3 | 6 | 6"; FLANGE; RFWN; 150; SCH 10; WP/316L MAH P4 WR FLOOR DRAIN JOB |
| - | 6 | 6 | 6"; FLANGE; RFWN; 150; SCH 10; WP/316L MAH P4 WR FLOOR DRAIN JOB |
| - | 2 | 6 | 6"; FLANGE; RFWN; 150; SCH 10; WP/316L MAH P4 WR FLOOR DRAIN JOB |
| - | 3 | 6 | 6"; FLANGE; RFWN; 150; SCH 10; WP/316L MAH P4 WR FLOOR DRAIN JOB |
| - | 6 | 6 | 6"; FLANGE; RFWN; 150; SCH 10; WP/316L MAH P4 WR FLOOR DRAIN JOB |
| - | 2 | 6 | 6"; FLANGE; RFWN; 150; SCH 10; WP/316L MAH P4 WR FLOOR DRAIN JOB |
| - | 1 | 8 | 8"; ELBOW; LR 90; SCH 10; 316L MAH P4 WR FLOOR DRAIN JOB |
| - | 1 | 8 | 8"; ELBOW; LR 90; SCH 10; 316L MAH P4 WR FLOOR DRAIN JOB |
| - | 1 | 8 | 8"; FLANGE; RFWN; 150; SCH 10; A182/316L MAH P4 WR FLOOR DRAIN JOB |
| - | 1 | 8 | 8"; FLANGE; RFWN; 150; SCH 10; A182/316L MAH P4 WR FLOOR DRAIN JOB |
| - | 3 | 8 | 8"; FLANGE; RFWN; 150; SCH 10; WP/316L MAH P4 WR FLOOR DRAIN JOB |

Inventory IRG-21-187

Lot 1 - Various Fittings, Flanges, Elbows, Supports, etc.

| Mfg | Qty | Size (") | Material Description |
|-------------|-----|----------|--|
| - | 3 | 8 | 8"; FLANGE; RFWN; 150; SCH 10; WP/316L MAH P4 WR FLOOR DRAIN JOB |
| - | 3 | 8 | 8"; FLANGE; RFWN; 150; SCH 10; WP/316L MAH P4 WR FLOOR DRAIN JOB |
| - | 3 | 8 | 8"; FLANGE; RFWN; 150; SCH 10; WP/316L MAH P4 WR FLOOR DRAIN JOB |
| - | 2 | 8 | 8"; FLANGE; RFWN; 150; SCH 40; WP/316L MAH P4 WR FLOOR DRAIN JOB |
| - | 2 | 8 | 8"; FLANGE; RFWN; 150; SCH 40; WP/316L MAH P4 WR FLOOR DRAIN JOB |
| - | 4 | 8 | 8"; RFWN 150#; SCH 10; A182-316L; MAH P4 WR FLOOR DRAIN JOB |
| - | 4 | 8 | 8"; RFWN 150#; SCH 10; A182-316L; MAH P4 WR FLOOR DRAIN JOB |
| Colton Ind. | 23 | 0.75 | Drain trap .75" |
| Colton Ind. | 23 | 0.75 | Drain trap .75" |
| - | 9 | - | FLOOR DRAIN PARTS MAH P4 WR FLOOR DRAIN JOB |
| - | 9 | - | FLOOR DRAIN PARTS MAH P4 WR FLOOR DRAIN JOB |
| - | 8 | - | FLOOR DRAIN; SCH 10; WP/316L |
| - | 8 | - | FLOOR DRAIN; SCH 10; WP/316L |
| - | 3 | - | FLOOR DRAINS MAH P4 WR FLOOR DRAIN JOB |
| - | 3 | - | FLOOR DRAINS MAH P4 WR FLOOR DRAIN JOB |
| - | 1 | 24 | G30-24-DIA |
| BONNY | 2 | - | HEX HEAD 6M. Plug |
| BONNY | 1 | - | HEX HEAD 6M. Plug |
| DIXON | 1 | 8 | NIPPLE, KING 316SS 8" PALLET WITH #80-84 & 90 |
| DIXON | 1 | 8 | NIPPLE, KING 316SS 8" PALLET WITH #80-84 & 90 |
| - | 11 | - | PIPE SHOE; S1AM |
| - | 11 | - | PIPE SHOE; S1AM |
| Centurion | 1 | - | Shoe repair kit |
| centurion | 1 | - | Shoe repair kit |

826

SELLER DOES NOT BIND ITSELF TO AWARD A SALES AGREEMENT TO THE HIGHEST BIDDER. GOODS BEING OFFERED FOR SALE MAY NOT NECESSARILY BE AWARDED FOR SALE AFTER THE SUBSEQUENT ANALYSIS OF BIDS.
SELLER RESERVES THE RIGHT TO WITHDRAW ANY ITEM FROM THE LOT ON OFFER.