



**INVESTMENT RECOVERY
RESPONSIBILITY®**



Phone: (661) 535-9979
Fax: (281) 944-4218

1304 Langham Creek, #200
Houston, TX 77084

www.materialmg.com

Inventory IRM-20-003T (Instrumentation)

MMR#	Material description	Qty	UoM
1	ELEMENT: NO MODIFIER: TYPE: ROTATING SOOT BLOWER, MANUFACTURER:ELLIOTT GROUP, MANUFACTURER PART NUMBER: 877721-10OPTB	1	EA
2	ELEMENT: NO MODIFIER: TYPE: ROTATING	1	EA
3	VALVE: GLOBE: TYPE: CONTROL, VALVE SIZE: 4", CLASS: 300 LB, ENDS: RFFLG, BODY: ASTM A216 GR WCC (CS), STEM DESIGN: SLIDING, OPER	1	EA
4	TRANSMITTER: LEVEL: TYPE: RADAR	1	EA
5	TRANSMITTER: DIFFERENTIAL PRESSURE: MANUFACTURER PART NUMBER:E2-84550-44ACT1	1	EA
6	TRANSMITTER: DIFFERENTIAL PRESSURE: MANUFACTURER PART NUMBER:E2-84544-43ACT	1	EA
7	TRANSMITTER: LEVEL: TYPE: RADAR, RANGE: 4-20MA OUT, SUPPLY RATING:24-240 VAC/DC 0-60 HZ, MANUFACTURER PART NUMBER:5601UE5P5CORE4	1	EA
8	REGULATOR: PRESSURE: RATING: 5" WC, SIZE/CONNECTION: 1", MANUFACTURER:VAREC INC	1	EA
9	TRANSMITTER: NO MODIFIER: TYPE: RADAR, MANUFACTURER: ROSEMOUNT,MANUFACTURER PART NUMBER: RTG39AU0S0AV10B000ROAV10B000R0	1	EA
10	FLOWMETER: NO MODIFIER: TYPE: TURBINE, SERVICE: ELEMENT,SIZE/CONNECTION: 8", RANGE: 180 TO 5700 GPD, MATERIAL: 316 STAINLESSSTEE	1	EA
11	ACTUATOR: PNEUMATIC: TYPE: 667, SIZE: 70, MANUFACTURER: FISHER CONTROLVALVES /EMERSON, MANUFACTURER PART NUMBER: 667 (70)667 (70)	1	EA
12	UNIT: NO MODIFIER: TYPE: FIELD COMMUNICATION, MANUFACTURER: ROSEMOUNT,MANUFACTURER PART NUMBER: FCU21601G1G3F1F1F1S000S	1	EA
13	HUB: NETWORK: TYPE: TANK GAUGING SYSTEM, PORTS: 4/TRL2 MODBUS,ELECTRICAL RATING: 100/250V, 50/60HZ, 24/48VDC, MANUFACTURER:ROSEM	1	EA
14	VALVE: GLOBE: TYPE: SLIDING STEM CONTROL, VALVE SIZE: 1", CLASS: 300LB, ENDS: RF FLG, BODY: ASTM A216 GR WCB, BONNET: ASTM A216	1	EA
15	TRANSMITTER: LEVEL: TYPE: HEAD, MANUFACTURER: ROSEMOUNT, MANUFACTURERPART NUMBER: 9150072-611	1	EA
16	PLUG: NO MODIFIER: TYPE: ASSEMBLY, SIZE: 8", MATERIAL: STELLITE,MANUFACTURER: HONEYWELL, MANUFACTURER PART NUMBER: 30775825-001	1	EA
17	FLOWMETER: NO MODIFIER: TYPE: TURBINE, SERVICE: ELEMENT,SIZE/CONNECTION: 6", RANGE: 80 TO 2200 BPD, MATERIAL: 316 STAINLESSSTEEL	1	EA
18	ACTUATOR: ELECTRIC MOTOR: TORQUE: 60 FTLBS, SPEED: 21 RPM, MANUFACTURER:ROTORK CONTROLS, MANUFACTURER PART NUMBER: IQM12IQM12	1	EA
19	VALVE,BALL:4",150 LB,CONTROL,FLG,ACTUATOR OPERATED,BVA 9524-34-0017 RICHTER	1	EA
20	TRANSMITTER: LEVEL: TYPE: RADAR GAUGE ANTENNA, MANUFACTURER: ROSEMOUNTTANK GAUGING, MANUFACTURER PART NUMBER: 1A8SFF8A0	1	EA
21	ASSEMBLY: NO MODIFIER: TYPE: PIN, PLUG, STEM, SIZE: 6", MATERIAL:STELLITE, MANUFACTURER: CFM SF INC, HONEYWELL, MANUFACTURER PAR	1	EA
22	TRANSMITTER: NO MODIFIER: TYPE: AQUEOUS NH3 SERVICE, RANGE: 0-250 PPHIN, 4-20MA OUT, MANUFACTURER: MICROMOTION CORIOLIS, MANUFAC	1	EA
23	VALVE,BALL:6",150 LB,CONTROL,FLG,ACTUATOR OPERATED,BVA 9524-34-0031 RICHTER	1	EA
24	TRANSMITTER: LEVEL: TYPE: CAPACITANCE, RANGE: 4-20MA OUT, SUPPLYRATING: 24VDC, SIZE/CONNECTION: 1" NPT FLG, MANUFACTURER: AMETEK	1	EA
25	HEAD: NO MODIFIER: TYPE: STD RADAR GAUGE TRANSMITTTER, MANUFACTURER:ROSEMOUNT, MANUFACTURER PART NUMBER: RTG40BSOFP1COOOOU	1	EA
26	HUB: NO MODIFIER: TYPE: TANK GAUGING, MATERIAL: ALUMINUM/PUR COATED,MANUFACTURER: ROSEMOUNT TANK GAUGING, MANUFACTURER PART NUMB	1	EA
27	TRANSMITTER: DIFFERENTIAL PRESSURE: MANUFACTURER: ROSEMOUNT,MANUFACTURER PART NUMBER: 3051SMV5M12G3R2E12A1AM5B4E5	1	EA

MMR#	Material description	Qty	UoM
28	VALVE,BALL:2",150 LB,CONTROL,2-WAY,FLG,ACTUATOROPERATED,BVA 9524-34-0004 RICHTER, TEXT: 2" AUTOMATEDRICHTER BALL VALVE W/ACTUATO	1	EA
29	TRANSMITTER: DIFFERENTIAL PRESSURE: MANUFACTURER PART NUMBER: 2140007	1	EA
30	TRANSMITTER: LEVEL: TYPE: GUIDED WAVE RADAR, SIZE/CONNECTION: 1/2-14NPT, MANUFACTURER: ROSEMOUNT, MANUFACTURER PART NUMBER:3301H	1	EA
31	TRANSMITTER: NO MODIFIER: TYPE: TANK, MANUFACTURER PART NUMBER: 185715	1	EA
32	TRANSMITTER: NO MODIFIER: MANUFACTURER: VAREC INC, MANUFACTURER PARTNUMBER: 1900-1-2-0-1-0	1	EA
33	TRANSMITTER: LEVEL: TYPE: MAGNETOSTRICTIVE, RANGE: 4-20MA OUT,SIZE/CONNECTION: 48", MANUFACTURER: JERGUSON GAUGE & VALVE CO,MANU	1	EA
34	TRANSMITTER: LEVEL: TYPE: MAGNETOSTRICTIVE, RANGE: 4-20MA OUT,SIZE/CONNECTION: 20", MANUFACTURER: JERGUSON GAUGE & VALVE CO,MANU	1	EA
35	MODULE: NO MODIFIER: TYPE: ANALOG INPUT CARD, MANUFACTURER: ROSEMOUNT,MANUFACTURER PART NUMBER: RAI 39A	1	EA
36	INDICATOR: NO MODIFIER: TYPE: SLAVE, MANUFACTURER: ROSEMOUNT,MANUFACTURER PART NUMBER: DAU00010AYU00AYU00	1	EA
37	GOVERNOR: NO MODIFIER: TYPE: DIGITAL CONTROL, RATING: 24VDC,MANUFACTURER: ALTRONIC, MANUFACTURER PART NUMBER: GOV10EP-20AA	1	EA
38	RELAY: NO MODIFIER: TYPE: OUTPUT CARD, MANUFACTURER: ROSEMOUNT,MANUFACTURER PART NUMBER: RRO 392	1	EA
39	KIT: NO MODIFIER: TYPE: LEVEL, MANUFACTURER: THERMOELECTRIC,MANUFACTURER PART NUMBER: 886766	1	EA
40	SENSOR: NO MODIFIER: TYPE: PHASE, MANUFACTURER: BAILEY, MANUFACTURERPART NUMBER: TB55730600F05	1	EA
41	TRANSMITTER: DIFFERENTIAL PRESSURE: RANGE: -1000" TO 1000" H2O/10"H2O, SIZE/CONNECTION: 316 SS FLA W/ DRAIN/VENT, MANUFACTURER:R	1	EA
42	RELAY: NO MODIFIER: TYPE: CARD, MANUFACTURER: ROSEMOUNT, MANUFACTURERPART NUMBER: REC 39V	1	EA
43	DIAPHRAGM: ACTUATOR: ACTUATOR SIZE: 100, MATERIAL: NITRILERUBBER/TPES, MANUFACTURER: FISHER CONTROL VALVES /EMERSON,MANUFACTURER	1	EA
44	VALVE: SOLENOID: CONFIGURATION: 2-WAY, PIPE SIZE: 1/2", ORIFICEDIAMETER: 1/2", CONNECTION: FNPT, ELECTRICAL RATING: 24VDC, OPERA	1	EA
45	POSITIONER: VALVE: TYPE: PNEUMATIC, INPUT RANGE: 3-15 LB,MANUFACTURER: FISHER CONTROL VALVES /EMERSON, MANUFACTURER PARTNUMBER:	1	EA
46	DISPLAY: NO MODIFIER: TYPE: GRAPHICAL FIELD, POWER: 9-17.5VDC,READOUT: LCD, MANUFACTURER: ROSEMOUNT, MANUFACTURER PART NUMBER:22	1	EA
47	TRANSMITTER: LEVEL: TYPE: TEMPERATURE, RANGE: -40 TO 185 DEG F,MANUFACTURER: ROSEMOUNT TANK GAUGING, MANUFACTURER PART NUMBER:64	1	EA
48	BOARD: PRINTED CIRCUIT: FUNCTION: FCI-FCU, MANUFACTURER: ROSEMOUNT,MANUFACTURER PART NUMBER: 9240003-571, 9240003-571-NEW9240003	1	EA
49	TRANSMITTER: DIFFERENTIAL PRESSURE: MANUFACTURER PART NUMBER:KFD2-PT2-EX1-5	1	EA
50	RELAY: NO MODIFIER: TYPE: PUMP, MANUFACTURER: GENERAL ELECTRIC,MULTILIN, MANUFACTURER PART NUMBER: 269 PLUS-120N-120,269PLUSXYZW	1	EA
51	MODULE: NO MODIFIER: TYPE: INPUT/OUTPUT, MANUFACTURER: BENTLY NEVADA,MANUFACTURER PART NUMBER: 146031 02	1	EA
52	DIAPHRAGM: NO MODIFIER: TYPE: INLET, MANUFACTURER: ELLIOTT GROUP,MANUFACTURER PART NUMBER: 9609543	1	EA
53	BOARD: PRINTED CIRCUIT: FUNCTION: FLASH CONTROLLER, MANUFACTURER PARTNUMBER: 2047720477	1	EA
54	VALVE: SOLENOID: CONFIGURATION: 4-WAY, 2-POSITION SINGLE, PIPE SIZE:1/4", ELECTRICAL RATING: 120V 60HZ, MANUFACTURER: ASCO, MANU	1	EA
55	LUBRICANT: NO MODIFIER: TYPE: CYLINDER LUBE SYS, CONTAINER: TUBE,MANUFACTURER: WORTHINGTON, MANUFACTURER PART NUMBER: 301-300-04	1	EA
56	CELL: LOAD: TYPE: SINGLE BEAM, CAPACITY: 1000 LB, MANUFACTURER: WRGRACE, MANUFACTURER PART NUMBER: ML65083-1K-0100	1	EA
57	RELAY: NO MODIFIER: TYPE: MOTOR START, MANUFACTURER: MULTILIN,MANUFACTURER PART NUMBER: 269PLUS-10C-120, 269PLUSXYZW10C120	1	EA
58	TRANSMITTER: DIFFERENTIAL PRESSURE: SIZE/CONNECTION: (1) 3/4" NPT, (2)1/2" NPT, MANUFACTURER: STONEL, MANUFACTURER PART NUMBER:	1	EA
59	BOX: NO MODIFIER: TYPE: INTRINSICALLY SAFE, MANUFACTURER PART NUMBER:1844818448	1	EA

MMR#	Material description	Qty	UoM
60	THERMOCOUPLE: NO MODIFIER: MANUFACTURER: HOWDEN, MANUFACTURER PARTNUMBER: FB0844	1	EA
61	CONVERTER: SIGNAL: TYPE: ISOLATOR, RATING: 10-24VDC, SUPPLY: 4-20 MA,MANUFACTURER: SIEMENS ENERGY & AUTOMATION, MANUFACTURER PAR	1	EA
62	CONTROLLER: NO MODIFIER: TYPE: INTRINSICALLY SAFE, MANUFACTURER PARTNUMBER: 18451	1	EA
63	BOARD: PRINTED CIRCUIT: MANUFACTURER PART NUMBER: 1505615056	1	EA
64	COLUMN: NO MODIFIER: TYPE: 1.5% OV-225/1.0% H3PO4 60/80, SIZE: 1M X1/8", MATERIAL: SULFINERT, MANUFACTURER: SIEMENS ENERGY & AUT	1	EA
65	VALVE: RELIEF: TYPE: SENTINEL, INLET SIZE: 3/4", DESIGN RATING: 310PSIG, OPERATED: PRESSURE, MANUFACTURER: KUNKLE VALVE, MANUFAC	1	EA
66	KIT: NO MODIFIER: TYPE: ACCUMULATOR, MANUFACTURER: BLAC INC,MANUFACTURER PART NUMBER: 00024-C-0078	1	EA
67	CONTROLLER: NO MODIFIER: TYPE: TEMPERATURE, MANUFACTURER: YOKOGAWA,MANUFACTURER PART NUMBER: UT-320-0	1	EA
68	CONTROLLER: NO MODIFIER: MANUFACTURER: GHT, MANUFACTURER PART NUMBER:572139210	1	EA
69	DIAPHRAGM: NO MODIFIER: MANUFACTURER: ELLIOTT GROUP, MANUFACTURER PARTNUMBER: 960910-3	1	EA
70	COATING: NO MODIFIER: CONTAINER: 0.5M X 1/16" ,, MANUFACTURER PARTNUMBER: COL1848	1	EA
71	KIT: NO MODIFIER: TYPE: HIGH TEMPERATURE, MANUFACTURER: HONEYWELL,MANUFACTURER PART NUMBER: 30736389-516	1	EA
72	CONTROLLER: NO MODIFIER: TYPE: OVER TEMP, MANUFACTURER: CHROMALOX,MANUFACTURER PART NUMBER: 3901-11112	1	EA
73	COATING: NO MODIFIER: CONTAINER: 0.25M X 1/16" ,, MANUFACTURER PARTNUMBER: COL1483	1	EA
74	COLUMN: NO MODIFIER: TYPE: 17% OV-101, 80/100 JARB CHP, SIZE: 2.0M X1/8", MATERIAL: STAINLESS STEEL	1	EA
75	CIRCUIT: NO MODIFIER: TYPE: 24VDC DIGITAL INPUT CARD, MANUFACTURER:ALLEN-BRADLEY, MANUFACTURER PART NUMBER: 1756-IB16	1	EA
76	PROBE: NO MODIFIER: TYPE: ARMORED, SIZE: 8MM, MANUFACTURER: BENTLYNEVADA, MANUFACTURER PART NUMBER: 330102-00-60-05-02-05	1	EA
77	SOLENOID: NO MODIFIER: TYPE: PILOT GAS SHUTOFF, COIL VOLTAGE: 120V60HZ, MANUFACTURER: ASCO, MANUFACTURER PART NUMBER: EF8210G004	1	EA
78	PROBE: NO MODIFIER: TYPE: REVERSE MOUNT, TIP DIAMETER: 8MM, SIZE: 8MM,MANUFACTURER: BENTLY NEVADA, MANUFACTURER PART NUMBER:3301	1	EA
79	COLUMN: NO MODIFIER: TYPE: CHROMOSIL, 310, 20/80, SIZE: 0.25M X 1/8",MATERIAL: STAINLESS STEEL	1	EA
80	COATING: NO MODIFIER: CONTAINER: 0.5 X 1/8" ,, MANUFACTURER PARTNUMBER: COL2596	1	EA
81	SWITCH: NO MODIFIER: TYPE: POSITION MAGNETIC, ACTION: SPDT, ENCLOSURE:HERMETICALLY SEALED, MANUFACTURER: WESTLOCK CONTROLS	1	EA
82	SWITCH: TEMPERATURE: MANUFACTURER PART NUMBER: UT-150LRN/AL/EX	1	EA
83	REGULATOR: PRESSURE: MANUFACTURER PART NUMBER: CTO6C50	1	EA
84	MODULE: NO MODIFIER: TYPE: GOVERNOR SYSTEM, MANUFACTURER: TRI-SENSYSTEMS CORP, MANUFACTURER PART NUMBER: 852401	1	EA
85	PROBE: NO MODIFIER: TYPE: ARMORED, SIZE: 8MM, MANUFACTURER: BENTLYNEVADA, MANUFACTURER PART NUMBER: 330102-00-12-10-02-05	1	EA
86	BOARD: PRINTED CIRCUIT: FUNCTION: INTERFACE, MANUFACTURER: KRILL,MANUFACTURER PART NUMBER: 886722-1886722-1 KRILL	1	EA
87	VALVE: SOLENOID: CONFIGURATION: 3-WAY, PIPE SIZE: 1/8", ORIFICEDIAMETER: 1/16", CONNECTION: NPT, ELECTRICAL RATING: 110/120V 50/	1	EA
88	VALVE: SOLENOID: ELECTRICAL RATING: 110/120V, ENCLOSURE: NEMA 7/9, EP	1	EA
89	KIT: NO MODIFIER: TYPE: REPAIR, MANUFACTURER: FISHER CONTROL VALVES/EMERSON, MANUFACTURER PART NUMBER: R667X000762	1	EA
90	KIT: NO MODIFIER: TYPE: REPAIR, MANUFACTURER: FISHER CONTROL VALVES/EMERSON, MANUFACTURER PART NUMBER: R667X000802	1	EA
91	GAUGE: NO MODIFIER: TYPE: PURGE FLOW, MANUFACTURER: GAS DRYING INC,MANUFACTURER PART NUMBER: CP0407	1	EA
92	DIAPHRAGM: NO MODIFIER: MATERIAL: BUNA-N, MANUFACTURER: PULSAFEEDERINC, MANUFACTURER PART NUMBER: W094559NTR	1	EA
93	FUSE: NO MODIFIER: TYPE: FCU, AMPERAGE: 125MA, MANUFACTURER:ROSEMOUNT, MANUFACTURER PART NUMBER: 6853488-931	1	PAK
94	FUSE: NO MODIFIER: AMPERAGE: 1.6A, MANUFACTURER: ROSEMOUNT,MANUFACTURER PART NUMBER: 0980240-013	1	PAK

MMR#	Material description	Qty	UoM
95	ARM: NO MODIFIER: TYPE: SUPERIOR CRANK, MANUFACTURER: HILLS-MCCANNA,MANUFACTURER PART NUMBER: 979-2105-000979-2105-000 HILLS MCC	1	EA
96	BOARD: PRINTED CIRCUIT: FUNCTION: POWER INTERFACE, MANUFACTURER:COTTRELL, MANUFACTURER PART NUMBER: RK1150CRK1150C COTTRELL	1	EA
97	CONTROLLER: NO MODIFIER: TYPE: HEAVY DUTY, MANUFACTURER PART NUMBER:5803-E1100	1	EA
98	CONTROL: NO MODIFIER: TYPE: SYSTEM, MANUFACTURER: CAMERONTECHNOLOGIES, MANUFACTURER PART NUMBER: CP714	1	EA
99	TRANSMITTER: NO MODIFIER: TYPE: TURBINE FLOW, MANUFACTURER: DANIELINDUSTRIES	1	EA
100	KIT: NO MODIFIER: TYPE: TRIM SET, MANUFACTURER: FISHER CONTROL VALVES/EMERSON, MANUFACTURER PART NUMBER: 36A5356X042	1	EA
101	VALVE: SOLENOID: CONFIGURATION: 2-WAY, PIPE SIZE: 3/4", ORIFICEDIAMETER: 5/8", CONNECTION: NPT, ELECTRICAL RATING: 120V 60HZ,OPE	1	EA
102	VALVE: SOLENOID: MANUFACTURER: ASCO, MANUFACTURER PART NUMBER:SA22B-8231-U	1	EA
103	VALVE: SOLENOID: CONFIGURATION: 3-WAY, PIPE SIZE: 3/8", ORIFICEDIAMETER: 5/8", ELECTRICAL RATING: 120V 60HZ, MANUFACTURER: ASCO,	1	EA
104	MODULE: NO MODIFIER: TYPE: DUAL FLAME SAFEGUARD CONTROL, RATING: 120V50/60HZ, MANUFACTURER: HONEYWELL, MANUFACTURER PART NUMBER:	1	EA
105	KIT: NO MODIFIER	1	EA
106	GLASS: LEVEL GAUGE: TYPE: REFLEX, SIZE: 12-5/8" LG, COLOR: TRANSPARENT	1	EA
107	REGULATOR: PRESSURE: TYPE: NATURAL GAS, RATING: 125 PSIG MAX IN,14-30" WC, MANUFACTURER: FISHER CONTROL VALVES /EMERSON, MANUFAC	1	EA
108	MODULE: NO MODIFIER: TYPE: BATTERY BACKUP, MANUFACTURER: TRI SENSYSTEMS CORP, MANUFACTURER PART NUMBER: 1046	1	EA
109	SWITCH: TOGGLE: OPERATION: ROCKER, ACTION: ON/OFF, MANUFACTURER: VIGINDUSTRIES, MANUFACTURER PART NUMBER: 2840SWITCH: TOGGLEOPER	1	EA
110	VALVE: GLOBE: TYPE: CONTROL, VALVE SIZE: 2", CLASS: 1500 LB, ENDS: RFFLG, BODY: 316 STAINLESS STEEL, STEM DESIGN: SLIDING, OPERA	2	EA
111	VALVE: NO MODIFIER: TYPE: CONTROL, SIZE: 4", MANUFACTURER: ARGUS,MANUFACTURER PART NUMBER: FK76M	2	EA
112	VALVE,BALL:6",300 LB,RF,METAL SEAT,KROMBACH,TEXT: DCU, MODEL KFO58X W/ THREE 1" CL 300 RF PURGE CONNECTIONS PER KROMBACH DWG KFO	2	EA
113	TRANSMITTER: LEVEL: MANUFACTURER PART NUMBER: UEAV854C11F2CZ	2	EA
114	FLOWMETER: NO MODIFIER: MANUFACTURER: GENERAL ELECTRIC, MANUFACTURERPART NUMBER: XMT868-1-12-00-0011-0	2	EA
115	VALVE: SOLENOID: ELECTRICAL RATING: 115V 60HZ, MANUFACTURER: LAURENCECO, MANUFACTURER PART NUMBER: 630ISC364	2	EA
116	BOARD: PRINTED CIRCUIT: FUNCTION: I/O TEMP, MANUFACTURER: FOXBORO,MANUFACTURER PART NUMBER: A2045BRA2045BR FOXBORO COMPANY	2	EA
117	TRANSMITTER: NO MODIFIER: TYPE: TANK, MANUFACTURER PART NUMBER: 185717	2	EA
118	MODULE: NO MODIFIER: TYPE: DIGITAL INPUT CARD, RATING: 24V / VDC,MANUFACTURER: TRICONEX CORP, MANUFACTURER PART NUMBER: 3503E	2	EA
119	BOARD: PRINTED CIRCUIT: FUNCTION: MODULE, MANUFACTURER: TRI-SEN SYSTEMSCORP, TRICONEX CORP, MANUFACTURER PART NUMBER: 98-669898-	2	EA
120	VALVE,BALL:3",150 LB,CONTROL,2-WAY,FLG,BVA 9524-34-0016 RICHTER	2	EA
121	POWER SUPPLY: NO MODIFIER: MANUFACTURER PART NUMBER: 241519	2	EA
122	KIT: NO MODIFIER: TYPE: PLUG/STEM ASSY, MANUFACTURER: FISHER CONTROLVALVES /EMERSON, MANUFACTURER PART NUMBER: 11A5328X022	2	EA
123	BOARD: PRINTED CIRCUIT: FUNCTION: DIGITAL OUPUT MODULE, MANUFACTURER:TRICONEX CORP, MANUFACTURER PART NUMBER: 36013601 TRICONEX	2	EA
124	MODULE: NO MODIFIER: TYPE: RTD ANALOG INPUT CARD, MANUFACTURER:ALLEN-BRADLEY, MANUFACTURER PART NUMBER: 1771NRA	2	EA
125	TRANSMITTER: LEVEL: TYPE: MAGNETOSTRICTIVE, RANGE: 4-20MA OUT,SIZE/CONNECTION: 32", MANUFACTURER: JERGUSON GAUGE & VALVE CO,MANU	2	EA
126	MODULE: NO MODIFIER: TYPE: COMMUNICATION INTERFACE, MANUFACTURER:ALLEN-BRADLEY, MANUFACTURER PART NUMBER: 1785KE	2	EA
127	MODULE: NO MODIFIER: TYPE: ISOLATED ANALOG INPUT, MANUFACTURER:ALLEN-BRADLEY, MANUFACTURER PART NUMBER: 1771IL	2	EA
128	CAGE: NO MODIFIER: SIZE: 2", MATERIAL: STELLITE, MANUFACTURER:HONEYWELL, MANUFACTURER PART NUMBER: 30067719001	2	EA

MMR#	Material description	Qty	UoM
129	MODULE: NO MODIFIER: TYPE: ANALOG INPUT/OUTPUT, MANUFACTURER:PETROTECH INC, MANUFACTURER PART NUMBER: M2-AIO-C	2	EA
130	TRANSMITTER: PRESSURE: RANGE: 10,000 PSI, SUPPLY RATING: 10.5-42.4VDC,SIZE/CONNECTION: 1/2-14 FNPT, MANUFACTURER: ROSEMOUNT, MAN	2	EA
131	BOARD: PRINTED CIRCUIT: FUNCTION: ANALOG OUTPUT, MANUFACTURER: APPLIEDAUTOMATION, MANUFACTURER PART NUMBER: 2000100-0012000100-0	2	EA
132	BOARD: PRINTED CIRCUIT: FUNCTION: SYNC, MANUFACTURER: SOLID STATECONTROLS INC, MANUFACTURER PART NUMBER: 211110211110 SOLID STAT	2	EA
133	CAGE: NO MODIFIER: SIZE: 1", MATERIAL: STELLITE, MANUFACTURER:HONEYWELL, MANUFACTURER PART NUMBER: 30067914001CV16	2	EA
134	MONITOR: NO MODIFIER: TYPE: PROFLO, POWER SOURCE: 24V, MANUFACTURER: CPILUBRICATION GROUP, MANUFACTURER PART NUMBER: 10-PF1-24V	2	EA
135	BOARD: PRINTED CIRCUIT: FUNCTION: TEMP MONITOR, MANUFACTURER: RONANENGINEERINGRONAN	2	EA
136	TRANSMITTER: NO MODIFIER: TYPE: 2-WIRE PH, RANGE: 0 TO 14 PH, SUPPLYRATING: 93.5 TO 276 VAC, MANUFACTURER: TBI BAILEY, MANUFACTU	2	EA
137	MODULE: NO MODIFIER: TYPE: MASTER, MANUFACTURER: RONAN ENGINEERING,MANUFACTURER PART NUMBER: X80 100F	2	EA
138	MODULE: NO MODIFIER: TYPE: DIGITAL INPUT, RATING: 115V/VDC,MANUFACTURER: TRICONEX CORP, MANUFACTURER PART NUMBER: 2500	2	EA
139	BOARD: PRINTED CIRCUIT: FUNCTION: MARK-SPACE INTERFACE MODULE,MANUFACTURER: VAREC INC, MANUFACTURER PART NUMBER: N8130N8130 VARE	2	EA
140	FLOWMETER: NO MODIFIER: TYPE: POSITIVE DISPLACEMENT, RANGE: 1000 PSI,10.8 CC/REV, MANUFACTURER: MAX (HEALDBURG, CA), MANUFACTURE	2	EA
141	PROCESSOR: NO MODIFIER: TYPE: CPU, MANUFACTURER PART NUMBER: 245463	2	EA
142	VALVE: SOLENOID: CONFIGURATION: 2-WAY, PIPE SIZE: 1/2", CONNECTION:FNPT, ELECTRICAL RATING: 24VDC, OPERATION: NC, PRESSURE RATIN	2	EA
143	MODULE: NO MODIFIER: TYPE: DIGITAL OUTPUT, RATING: 24VDC,MANUFACTURER: TRICONEX CORP, MANUFACTURER PART NUMBER: 2600	2	EA
144	FLOWMETER: NO MODIFIER: TYPE: HIGH-TEMP ROTAMETER, SIZE/CONNECTION:1/4" FNPT, RANGE: 0 TO 5.5 SCFH, MATERIAL: 316 STAINLESS STEE	2	EA
145	DISPLAY: NO MODIFIER: TYPE: DIGITAL, POWER: 4-20MA LOOP POWERED,READOUT: GPD READOUT, MANUFACTURER: HOFFER FLOW CONTROL/SENTECH,	2	EA
146	BOARD: PRINTED CIRCUIT: FUNCTION: TEMP CONTROLLER, MANUFACTURER: APPLIEDAUTOMATION, MANUFACTURER PART NUMBER: B05207B05207 APPLI	2	EA
147	KIT: NO MODIFIER: TYPE: REPLACEMENT, MANUFACTURER: SIEMENS ENERGY &AUTOMATION, MANUFACTURER PART NUMBER: 2022021-001	2	EA
148	ELEMENT: NO MODIFIER: TYPE: SEPARATOR, MANUFACTURER: DRESSER RAND,MANUFACTURER PART NUMBER: 39823018	2	EA
149	FLOWMETER: NO MODIFIER: TYPE: HIGH-TEMP ROTAMETER, SIZE/CONNECTION:1/4" FNPT, RANGE: 0 TO 1.0 SCFH, MATERIAL: 316 STAINLESS STEE	2	EA
150	VALVE: SOLENOID: CONFIGURATION: 3-WAY, PIPE SIZE: 3/8", ORIFICEDIAMETER: 1/4", CONNECTION: NPT, ELECTRICAL RATING: 240V 60HZ,PRE	2	EA
151	DISPLAY: NO MODIFIER: TYPE: REMOTE, MANUFACTURER: ROSEMOUNT,MANUFACTURER PART NUMBER: 05600-5002-0001	2	EA
152	MODULE: NO MODIFIER: TYPE: TERMINATION ANALOG INPUT, MANUFACTURER:TRICONEX CORP, MANUFACTURER PART NUMBER: 2700 1	2	EA
153	CONTROLLER: NO MODIFIER: TYPE: TEMPERATURE, MANUFACTURER PART NUMBER:20.2.14	2	EA
154	MODULE: NO MODIFIER: TYPE: ALARM MONITOR, RATING: 24VDC, MANUFACTURER:ROSEMOUNT, MANUFACTURER PART NUMBER: 04002 0105 0001	2	EA
155	SOLENOID: NO MODIFIER: TYPE: VALVE, COIL VOLTAGE: 120V 60HZ,MANUFACTURER: ASCO, MANUFACTURER PART NUMBER: EF8210G027	2	EA
156	RTD: NO MODIFIER: TEMPERATURE RATING: -100 TO 425 DEG F, RESISTANCE:100 OHMS, ELEMENT MATERIAL: COPPER, MANUFACTURER: VAREC INC,	2	EA
157	VALVE: SOLENOID: CONFIGURATION: 4-WAY, PIPE SIZE: 3/8", ELECTRICALRATING: 120V 60HZ, PRESSURE RATING: 10-300 PSI, COIL: 238614-3	2	EA
158	SENSOR: NO MODIFIER: TYPE: MAGNETIC, MANUFACTURER: TRI-SEN SYSTEMSCORP, MANUFACTURER PART NUMBER: 7125-0000	2	EA
159	MODULE: NO MODIFIER: TYPE: CONTACT OUTPUT, MANUFACTURER:ALLEN-BRADLEY, MANUFACTURER PART NUMBER: 1771 OW	2	EA

MMR#	Material description	Qty	UoM
160	MODULE: NO MODIFIER: TYPE: FLAME RELAY, MANUFACTURER: CONTROLCOAUTOMATION DIST INC, MANUFACTURER PART NUMBER: RM7823A1016	2	EA
161	MODULE: NO MODIFIER: TYPE: OUTPUT, MANUFACTURER: ALLEN-BRADLEY,MANUFACTURER PART NUMBER: 1771 OBD	2	EA
162	BOARD: PRINTED CIRCUIT: FUNCTION: 4-20MA ALARM MONITOR OUTPUT,MANUFACTURER: ROSEMOUNT, MANUFACTURER PART NUMBER: 4101A2H1K101410	2	EA
163	DIAPHRAGM: NO MODIFIER: MANUFACTURER: ELLIOTT GROUP, MANUFACTURER PARTNUMBER: 960953-3	2	EA
164	BOARD: PRINTED CIRCUIT: FUNCTION: TRANSFORMER, MANUFACTURER: SOLID STATECONTROLS INC, MANUFACTURER PART NUMBER: 212800212800 SOL	2	EA
165	VALVE: SOLENOID: CONFIGURATION: 3-WAY, PIPE SIZE: 1/4", ORIFICEDIAMETER: 9/32", CONNECTION: NPT, ELECTRICAL RATING: 120V 60HZ,OP	2	EA
166	THERMOCOUPLE: NO MODIFIER: MANUFACTURER: CAMERON INTERNATIONAL,MANUFACTURER PART NUMBER: 2-10C-013-003	2	EA
167	MODULE: NO MODIFIER: TYPE: BOARD, CIRCIUT, MANUFACTURER: RONANENGINEERING, MANUFACTURER PART NUMBER: X80 200J R3	2	EA
168	INTERFACE: NO MODIFIER: TYPE: RS-232, MANUFACTURER: ORATECH CONTROLSINC, MANUFACTURER PART NUMBER: 415/467-9455	2	EA
169	VALVE: SOLENOID: CONFIGURATION: 4 WAY 2 POSITION, PIPE SIZE: 1/4",CONNECTION: NPT, ELECTRICAL RATING: 24 VDC, PRESSURE RATING: 4	2	EA
170	TRANSMITTER: LEVEL: TYPE: ELECTRONIC MODULE, RANGE: 4-20MA OUT, SUPPLYRATING: 11-36V DC, MANUFACTURER: MAGNETROL, MANUFACTURER P	2	EA
171	SENSOR: NO MODIFIER: TYPE: GAS COMPRESSOR	2	EA
172	ACTUATOR: NO MODIFIER: TYPE: PNEUMATIC, SIZE: 1-1/4", MANUFACTURER: WRGRACE, MANUFACTURER PART NUMBER: SR-75SR-75 GRACE DAVISON	2	EA
173	VALVE: SOLENOID: CONFIGURATION: 3-WAY DIRECT ACTING, PIPE SIZE: 1/4",CONNECTION: FNPT, ELECTRICAL RATING: 24VDC, OPERATION: NO,	2	EA
174	HEAD: NO MODIFIER: TYPE: RTD, MANUFACTURER: ARMTEC, MANUFACTURER PARTNUMBER: 42240	2	EA
175	BOARD: PRINTED CIRCUIT: FUNCTION: INPUT POWER, MANUFACTURER: ROSEMOUNT,MANUFACTURER PART NUMBER: 04000-0053-304000-0053-3 ROSEMO	2	EA
176	GAUGE: PRESSURE: RANGE: 0 TO 3000 PSIG, DIAL SIZE: 2",SIZE/CONNECTION: SAE THREAD, CONNECTION LOCATION: BACK, MANUFACTURER:BLAC	2	EA
177	MODULE: NO MODIFIER: TYPE: BOARD, CIRCIUT, MANUFACTURER: RONANENGINEERING, MANUFACTURER PART NUMBER: X80 200 120 R1	2	EA
178	MODULE: NO MODIFIER: TYPE: 2 INPUT HI SLCT SGNL CNDTNG, MANUFACTURERPART NUMBER: TA4010-1	2	EA
179	VALVE: NO MODIFIER: TYPE: CONVEY VALVE AND SOLENOID, MANUFACTURER: WRGRACE, MANUFACTURER PART NUMBER: MLCBX-114-HSLA	2	EA
180	MODULE: NO MODIFIER: TYPE: ALARM, MANUFACTURER: RONAN ENGINEERING,MANUFACTURER PART NUMBER: ASL 0006	2	EA
181	THERMOCOUPLE: NO MODIFIER: TYPE: J, TEMPERATURE RATING: 900 DEG F,WIRE SIZE: 20 AWG, SHEATH DIAMETER: .25" SHEATH DIA, SHEATH MA	2	EA
182	BOARD: PRINTED CIRCUIT: FUNCTION: ADAPTOR, MANUFACTURER: APPLIEDAUTOMATION, MANUFACTURER PART NUMBER: 2000163-0022000163-002 APP	2	EA
183	THERMOMETER: NO MODIFIER: RANGE: 50-550 DEG F, MANUFACTURER: TEL-TRU,MANUFACTURER PART NUMBER: GT300R	2	EA
184	THERMOCOUPLE: NO MODIFIER: TYPE: J, TEMPERATURE RATING: 900 DEG F,JUNCTION: UNGROUNDED, WIRE SIZE: 20 AWG, DESIGN LENGTH: 360",	2	EA
185	VALVE: SOLENOID: CONFIGURATION: 3-WAY, PIPE SIZE: 1/8", ELECTRICALRATING: 120V 60HZ, OPERATION: NC, PRESSURE RATING: 125LB, ENCL	2	EA
186	KIT: NO MODIFIER: TYPE: HIGH TEMPERATURE, MANUFACTURER: HONEYWELL,MANUFACTURER PART NUMBER: 30736389-502	2	EA
187	DIAPHRAGM: NO MODIFIER: TYPE: CONTROL STATION, MANUFACTURER: ELLIOTTGROUP, MANUFACTURER PART NUMBER: P9100-L-111	2	EA
188	VALVE: SOLENOID: CONFIGURATION: 2-WAY, PIPE SIZE: 3/4", ELECTRICALRATING: 120V 60HZ, OPERATION: NC, PRESSURE RATING: 150 PSI MAX	2	EA
189	MODULE: NO MODIFIER: TYPE: BOARD, CIRCIUT, MANUFACTURER: RONANENGINEERING, MANUFACTURER PART NUMBER: X80 200 100 R2	2	EA
190	PANEL: NO MODIFIER: TYPE: REMOTE TERMINAL, SIZE: 8 INPUTS,MANUFACTURER: ALLEN-BRADLEY, MANUFACTURER PART NUMBER: 1771-RTP4	2	EA

MMR#	Material description	Qty	UoM
191	MODULE: NO MODIFIER: TYPE: HIGH TRIP SIGNAL CONDITIONING,MANUFACTURER: AGM, MANUFACTURER PART NUMBER: EA403417	2	EA
192	DIAPHRAGM: NO MODIFIER: MANUFACTURER: FISHER CONTROL VALVES /EMERSON,MANUFACTURER PART NUMBER: 2E859702202	2	EA
193	INDICATOR: NO MODIFIER: TYPE: POSITION, RANGE: 0 100 PERCENT, SCALE: 4TO 20MA, MANUFACTURER: METERLAB INC, MANUFACTURER PART NUM	2	EA
194	DIAPHRAGM: NO MODIFIER: TYPE: 667, SIZE: 30, MANUFACTURER: FISHERCONTROL VALVES /EMERSON, MANUFACTURER PART NUMBER: 2E800002202	2	EA
195	CABLE: NO MODIFIER: TYPE: DISPLAY, LENGTH: 1M, MANUFACTURER: BENTLYNEVADA, MANUFACTURER PART NUMBER: 136634-0010-01	2	EA
196	RELAY: SOLID STATE: TYPE: CONTROL, RATING: 3.5-32 VDC, TERMINAL:SCREW, MOUNT: PANEL, MANUFACTURER: CRYDOM, MANUFACTURER PART NUM	2	EA
197	LEVER: NO MODIFIER: TYPE: BACK, MANUFACTURER: MASONEILAN, MANUFACTURERPART NUMBER: 051304-047-151	2	EA
198	CLEVIS: NO MODIFIER: TYPE: SPRING DIAPHRAM ACTUATOR, MANUFACTURER:MASONEILAN, MANUFACTURER PART NUMBER: 051330-001-888	2	EA
199	DIAPHRAGM: NO MODIFIER: TYPE: CYLINDER	2	EA
200	GAUGE: PRESSURE: TYPE: AIR DRYER, DIAL SIZE: 2 1/2", MANUFACTURER: GASDRYING INC, MANUFACTURER PART NUMBER: CP0407	2	EA
201	CAP: NO MODIFIER: TYPE: INLET FILTER, MANUFACTURER: INDUSTRIALSCIENTIFIC CORP, MANUFACTURER PART NUMBER: 17129909	2	EA
202	RELAY: NO MODIFIER: ELECTRICAL RATING: 110V, ACTION: DPDT,MANUFACTURER: GENERAL ELECTRIC, MANUFACTURER PART NUMBER:CR2791G122A31	2	EA
203	BOARD: PRINTED CIRCUIT: FUNCTION: OSCILLATOR, MANUFACTURER: SOLID STATECONTROLS INC, MANUFACTURER PART NUMBER: 209130209130 SOLI	2	EA
204	BOARD: PRINTED CIRCUIT: FUNCTION: LOGIC, MANUFACTURER: BEST POWER,MANUFACTURER PART NUMBER: 57743PC1, PCL-0112J-F657743PC1	2	EA
205	BOARD: PRINTED CIRCUIT: FUNCTION: SYSTEM CONTROL, MANUFACTURER: KINETICSINDUSTRIES INC, MANUFACTURER PART NUMBER: DISC-1F-1DISC-	2	EA
206	MODULE: NO MODIFIER: TYPE: AMPLIFIER, MANUFACTURER: MAGNETROL,MANUFACTURER PART NUMBER: 089 7907 001	2	EA
207	KIT: NO MODIFIER: TYPE: TRIM SET, MANUFACTURER: MASONEILAN,MANUFACTURER PART NUMBER: U 10234-1-163	2	EA
208	KIT: NO MODIFIER: TYPE: SENSOR, MANUFACTURER: FISHER CONTROL VALVES/EMERSON, MANUFACTURER PART NUMBER: 614B84U01	2	EA
209	REGULATOR: FILTER: TYPE: AIR	2	EA
210	CAGE: NO MODIFIER: SIZE: 4", MATERIAL: NICKEL ALLOY, MANUFACTURER:HONEYWELL	2	EA
211	TUBE: ELECTRONIC: TYPE: VACUUM	2	EA
212	MODULE: NO MODIFIER: TYPE: SERVO CONTROL OUTPUT, MANUFACTURER: TRI-SENSYSTEMS CORP, MANUFACTURER PART NUMBER: 852784	2	EA
213	MODULE: NO MODIFIER: TYPE: SERVO CONTROL, MANUFACTURER: TRI SENSYSTEMS CORP, MANUFACTURER PART NUMBER: 853849	2	EA
214	MODULE: NO MODIFIER: TYPE: SERVO CONTROL PILOT, MANUFACTURER: TRI SENSYSTEMS CORP, MANUFACTURER PART NUMBER: 853850	2	EA
215	MODULE: NO MODIFIER: TYPE: CHARGER BOARD, MANUFACTURER: TRI SENSYSTEMS CORP, MANUFACTURER PART NUMBER: 85 2392	2	EA
216	CAGE: NO MODIFIER: SIZE: 6", MATERIAL: STELLITE, MANUFACTURER:HONEYWELL, MANUFACTURER PART NUMBER: 30681863006	3	EA
217	TRANSMITTER: DIFFERENTIAL PRESSURE: RANGE: 150" H2O, 4-20MA,MANUFACTURER: ROSEMOUNT, MANUFACTURER PART NUMBER:1151DP-4-E-22-S2-M	3	EA
218	CAGE: NO MODIFIER: SIZE: 1-1/2", MATERIAL: STELLITE, MANUFACTURER:HONEYWELL, MANUFACTURER PART NUMBER: 30068018001	3	EA
219	CONTROLLER: NO MODIFIER: TYPE: FIELD, RANGE: 3-15 PSI IN & OUT,MANUFACTURER: FOXBORO, MANUFACTURER PART NUMBER: 43APFA42CPPC	3	EA
220	TRANSMITTER: NO MODIFIER: TYPE: TANK, MANUFACTURER PART NUMBER: 185713	3	EA
221	VALVE: SOLENOID: CONFIGURATION: 3-WAY, PIPE SIZE: 1/4", ELECTRICALRATING: 115V 60HZ, PRESSURE RATING: 125LB, MANUFACTURER: LAURE	3	EA
222	KIT: NO MODIFIER: TYPE: PLUG/STEM ASSY, MANUFACTURER: FISHER CONTROLVALVES /EMERSON, MANUFACTURER PART NUMBER: 11A5317X042	3	EA

MMR#	Material description	Qty	UoM
223	MODULE: NO MODIFIER: TYPE: REMOTE I/O ADAPTER, MANUFACTURER:ALLEN-BRADLEY, MANUFACTURER PART NUMBER: 1771 ASB	3	EA
224	BOARD: PRINTED CIRCUIT: FUNCTION: TERMINAL, MANUFACTURER: AMETEK,MANUFACTURER PART NUMBER: 80457SE80457SE AMETEK	3	EA
225	MODULE: NO MODIFIER: TYPE: ANALOG MULTIPLEXER CONTROL, MANUFACTURER:KAYE INSTRUMENT, MANUFACTURER PART NUMBER: U5005	3	EA
226	INDICATOR: NO MODIFIER: TYPE: DIGITAL LCD, SCALE: 4 TO 20MA, MATERIAL:ALUMINUM, MANUFACTURER: ENDRESS & HAUSER, MANUFACTURER PAR	3	EA
227	VALVE: SOLENOID: MANUFACTURER: GAS DRYING INC, MANUFACTURER PARTNUMBER: CP0407	3	EA
228	BOARD: PRINTED CIRCUIT: FUNCTION: ANNUNCIATOR, MANUFACTURER: RONANENGINEERING, MANUFACTURER PART NUMBER: X80-500DA-HSX80-500DA-H	3	EA
229	DIAPHRAGM: NO MODIFIER: MANUFACTURER: ELLIOTT GROUP, MANUFACTURER PARTNUMBER: 960906-3	3	EA
230	TRANSMITTER: PRESSURE: RANGE: 0-100 PSIG, 4-20MA OUT, MANUFACTURER:BIEDERMANN, HOENIG, MASSAMILLO, MANUFACTURER PART NUMBER: 930	3	EA
231	VALVE: SOLENOID: CONFIGURATION: 4-WAY, PIPE SIZE: 1/4", ORIFICEDIAMETER: 3/16", CONNECTION: NPT, ELECTRICAL RATING: 120/110V 60/	3	EA
232	CONTROLLER: NO MODIFIER: TYPE: FIRING PACKAGE, RANGE: 4-20MA OUT,RATING: 240-480/120V, MANUFACTURER: POWER CONTROL CORP, MANUFAC	3	EA
233	KIT: NO MODIFIER: TYPE: HIGH TEMPERATURE, MANUFACTURER: HONEYWELL,MANUFACTURER PART NUMBER: 30736389-506	3	EA
234	KIT: NO MODIFIER: TYPE: HIGH TEMPERATURE, MANUFACTURER: HONEYWELL,MANUFACTURER PART NUMBER: 30736389-512	3	EA
235	GLASS: SIGHT: SIZE: 4" OD X 3/8" THK, MATERIAL: PYREX, MANUFACTURER:BABCOCK & WILCOX CO INC, MANUFACTURER PART NUMBER: 430311	3	EA
236	INDICATOR: NO MODIFIER: TYPE: PERFORM GHT, MANUFACTURER: LUBRIQUIPINC, MANUFACTURER PART NUMBER: 563236	3	EA
237	INDICATOR: NO MODIFIER: TYPE: PERFORM GHT, MANUFACTURER PART NUMBER:509931070	3	EA
238	INDICATOR: NO MODIFIER: TYPE: PERFORM GHT, MANUFACTURER PART NUMBER:509931050	3	EA
239	THERMOCOUPLE: NO MODIFIER: MANUFACTURER: GENERAL ELECTRIC,MANUFACTURER PART NUMBER: 297A531-56	3	EA
240	STEM: NO MODIFIER: MANUFACTURER: BAILEY, MANUFACTURER PART NUMBER:5311439A1	3	EA
241	CONTROLLER: NO MODIFIER: TYPE: PUMP, MANUFACTURER: MOORE CO,MANUFACTURER PART NUMBER: 5.32-1211FB0000USED	3	EA
242	MODULE: NO MODIFIER: TYPE: MASTER, MANUFACTURER: RONAN ENGINEERING,MANUFACTURER PART NUMBER: X80 100AA	4	EA
243	MODULE: NO MODIFIER: TYPE: CONTROL COPROCESSOR, MANUFACTURER:ALLEN-BRADLEY, MANUFACTURER PART NUMBER: 1771DMC	4	EA
244	TRANSMITTER: NO MODIFIER: TYPE: TANK, MANUFACTURER PART NUMBER: 185715	4	EA
245	MODULE: NO MODIFIER: TYPE: COMMUNICATION COPROCESSOR, MANUFACTURER:PETROTECH INC	4	EA
246	MODULE: NO MODIFIER: TYPE: INPUT, MANUFACTURER: ALLEN-BRADLEY,MANUFACTURER PART NUMBER: 1771 OFE2	4	EA
247	DETECTOR: FIRE PROTECTION: TYPE: ULTRAVIOLET FLAME, TEMPERATURERATING: -20 TO 175 DEG F, VOLTAGE: 120V, MANUFACTURER: HONEYWELL,	4	EA
248	DIAPHRAGM: NO MODIFIER: TYPE: DAMPENER, MATERIAL: BUNA-N,MANUFACTURER: INGERSOLL RAND, MANUFACTURER PART NUMBER: 3102229-01	4	EA
249	MODULE: NO MODIFIER: TYPE: MICRO 4 WIRE CIRCUIT BOARD, MANUFACTURER:VAREC INC, MANUFACTURER PART NUMBER: 06 07355 1	4	EA
250	BOARD: PRINTED CIRCUIT: FUNCTION: TEMPRATURE MONITOR, MANUFACTURER:RONAN ENGINEERING, MANUFACTURER PART NUMBER: X80-502FD-3-HSX8	4	EA
251	THERMOWELL: NO MODIFIER: SIZE/CONNECTION: 1-1/2", INSERTION LENGTH:36", SIZE: 1", MATERIAL: HEXALLOY, MANUFACTURER: DAILY THERME	4	EA
252	TRANSMITTER: NO MODIFIER: TYPE: SEISMIC VELOMETER, MANUFACTURER:METRIX INSTRUMENTS, MANUFACTURER PART NUMBER: ST548E-121-014-00	4	EA
253	MODULE: NO MODIFIER: TYPE: REFLASH, MANUFACTURER: RONAN ENGINEERING,MANUFACTURER PART NUMBER: RFL 4 24 HS	4	EA
254	DIAPHRAGM: ACTUATOR: ACTUATOR SIZE: 80, MANUFACTURER: FISHER CONTROLVALVES /EMERSON, MANUFACTURER PART NUMBER: 2R6376X0082	4	EA
255	DIAPHRAGM: ACTUATOR: ACTUATOR SIZE: 80, MATERIAL: NITRILERUBBER/NYLON, MANUFACTURER: FISHER CONTROL VALVES /EMERSON,MANUFACTURER	4	EA

MMR#	Material description	Qty	UoM
256	KIT: NO MODIFIER: TYPE: REPAIR, MANUFACTURER PART NUMBER: R95HX000082	4	EA
257	TRANSMITTER: PRESSURE: RANGE: 0-10MV / 4-20MA, SUPPLY RATING:12-36VDC, MANUFACTURER: ACROMAG, MANUFACTURER PART NUMBER: 851T-050	4	EA
258	TIP: NO MODIFIER: TYPE: PILOT, MANUFACTURER: JOHN ZINK CO,MANUFACTURER PART NUMBER: ST I SF	4	EA
259	KIT: NO MODIFIER: TYPE: TRANSPARENT GAUGE GLASS, MANUFACTURER:BELILOVE COMPANY ENGINEERS	4	EA
260	PROBE: PROXIMITY: TYPE: VIBRATION, CABLE LENGTH: 1M, MANUFACTURER:BENTLY NEVADA, MANUFACTURER PART NUMBER: 330101-00-40-05-01-05	4	EA
261	VALVE: SOLENOID: CONFIGURATION: 3-WAY, PIPE SIZE: 1", OPERATION: NC,PRESSURE RATING: 200LB, MANUFACTURER: VERSA VALVES, MANUFACT	4	EA
262	MODULE: NO MODIFIER: TYPE: BOARD, CIRCUIT, MANUFACTURER: RONANENGINEERING, MANUFACTURER PART NUMBER: X80 508FD HS 3	4	EA
263	FLOWMETER: NO MODIFIER: TYPE: ROTOMETER, MANUFACTURER PART NUMBER:59813871	4	EA
264	FLOWMETER: NO MODIFIER: TYPE: ROTOMETER, MANUFACTURER PART NUMBER:59813888	4	EA
265	MODULE: NO MODIFIER: TYPE: ALARM, MANUFACTURER: RONAN ENGINEERING,MANUFACTURER PART NUMBER: RD 0000	4	EA
266	MODULE: NO MODIFIER: TYPE: COLD JUNCTION COMPENSATION, RATING: 24VDC,MANUFACTURER: ROSEMOUNT, MANUFACTURER PART NUMBER: 04001 00	4	EA
267	RTD: NO MODIFIER: TEMPERATURE RATING: -58 TO 482 DEG F, RESISTANCE:100 OHMS, WIRE: 4, ELEMENT MATERIAL: PLATINUM, TUBE DIAMETER:	4	EA
268	THERMOCOUPLE: NO MODIFIER: TYPE: J, TEMPERATURE RATING: 900 DEG F,WIRE SIZE: 20 AWG, DESIGN LENGTH: 2-3/8", SHEATH DIAMETER: 3/1	4	EA
269	DIAPHRAGM: REGULATOR: MATERIAL: BUNA-N, MANUFACTURER: VAREC INC,MANUFACTURER PART NUMBER: B1527-074	4	EA
270	THERMOWELL: NO MODIFIER: SIZE/CONNECTION: 1" NPT, INSERTION LENGTH:13-1/2", BORE: 0.385", SHANK: TAPERED, MATERIAL: 316 STAINLES	4	EA
271	THERMOWELL: NO MODIFIER: SIZE/CONNECTION: 3/4" NPT, STEM LENGTH: 12",BORE: 0.26", SHANK: STEPPED, MATERIAL: 316 STAINLESS STEEL,	4	EA
272	DIAPHRAGM: NO MODIFIER: MANUFACTURER: FISHER CONTROL VALVES /EMERSON,MANUFACTURER PART NUMBER: 2E859602202	4	EA
273	GAUGE: PRESSURE: TYPE: DIFFERENTIAL, RANGE: 0 TO 100" WC, DIAL SIZE: 4 1/2", SIZE/CONNECTION: 1/8" NPT, CASE MATERIAL: ALUMINUM,	4	EA
274	DIAPHRAGM: NO MODIFIER: TYPE: DAMPENER, SIZE: 3/4", MANUFACTURER:PULSAFEEDER INC, MANUFACTURER PART NUMBER: W089604HYP	4	EA
275	GLASS: LEVEL GAUGE: SIZE: SIZE 8, MATERIAL: MICA, COLOR: RUBY CLEAR,MANUFACTURER: BELILOVE COMPANY ENGINEERS	4	EA
276	MODULE: NO MODIFIER: TYPE: DC INPUT, RATING: 10 TO 32 VDC IN,MANUFACTURER: TRI SEN SYSTEMS CORP, MANUFACTURER PART NUMBER: 7049	4	EA
277	INSULATOR: NO MODIFIER: TYPE: IGNITOR, MANUFACTURER PART NUMBER:E-45633	4	EA
278	BOARD: PRINTED CIRCUIT: FUNCTION: STATIC SWITCH, MANUFACTURER: SOLIDSTATE CONTROLS INC, MANUFACTURER PART NUMBER: 212631212631 S	4	EA
279	DIAPHRAGM: NO MODIFIER: TYPE: INSTRUMENT, MANUFACTURER: BECKMANCOULTER, MANUFACTURER PART NUMBER: 25487	4	EA
280	KIT: NO MODIFIER: TYPE: TRIM SET, MANUFACTURER: MASONEILAN,MANUFACTURER PART NUMBER: U10236-1-163	5	EA
281	BOARD: PRINTED CIRCUIT: FUNCTION: OPTICAL, MANUFACTURER: VAREC INC,MANUFACTURER PART NUMBER: 08-12842-108-12842-1	5	EA
282	BOARD: PRINTED CIRCUIT: FUNCTION: RELAY OUTPUT, MANUFACTURER:WESTINGHOUSE, MANUFACTURER PART NUMBER: NL739-HNL739-H WESTINGHOUSE	5	EA
283	SWITCH: PROXIMITY: MANUFACTURER: TOPWORX, MANUFACTURER PART NUMBER:LPS-DZ2G-A4	5	EA
284	BOX: NO MODIFIER: TYPE: TERMINAL JUNCTION, MANUFACTURER PART NUMBER:08-0874408-08744	5	EA
285	KIT: NO MODIFIER: TYPE: HIGH TEMPERATURE, MANUFACTURER: HONEYWELL,MANUFACTURER PART NUMBER: 30736389-510	5	EA
286	MODULE: NO MODIFIER: TYPE: ALARM, MANUFACTURER: RONAN ENGINEERING,MANUFACTURER PART NUMBER: FS 0000	5	EA
287	MODULE: NO MODIFIER: TYPE: AC OUTPUT, RATING: 140V, 3A OUT,MANUFACTURER: TRI SEN SYSTEMS CORP, MANUFACTURER PART NUMBER: 7022	5	EA
288	THERMOWELL: NO MODIFIER: SIZE/CONNECTION: 1" NPT, INSERTION LENGTH:7-1/2", BORE: 0.385", SHANK: TAPERED, MATERIAL: 316 STAINLESS	5	EA

MMR#	Material description	Qty	UoM
289	THERMOWELL: NO MODIFIER: SIZE/CONNECTION: 3/4" NPT, INSERTION LENGTH:10-1/2", BORE: 0.385", SHANK: TAPERED, MATERIAL: 316 STAINL	5	EA
290	THERMOWELL: NO MODIFIER: SIZE/CONNECTION: 3/4" NPT, INSERTION LENGTH:7-1/2", BORE: 0.385", SHANK: TAPERED, MATERIAL: 316 STAINLE	5	EA
291	THERMOWELL: NO MODIFIER: SIZE/CONNECTION: 1" NPT, INSERTION LENGTH:4-1/2", BORE: 0.385", SHANK: TAPERED, MATERIAL: 316 STAINLESS	5	EA
292	DIAPHRAGM: NO MODIFIER: TYPE: CONTROL STATION, MANUFACTURER: ELLIOTTGROUP, MANUFACTURER PART NUMBER: P7480-H-110	5	EA
293	THERMOWELL: NO MODIFIER: SIZE/CONNECTION: 3/4" NPT, INSERTION LENGTH:52-1/2", BORE: 0.385", SHANK: TAPERED, MATERIAL: 316 STAINL	6	EA
294	BOARD: PRINTED CIRCUIT: FUNCTION: FLASHER MODULE, MANUFACTURER: RONANENGINEERING, MANUFACTURER PART NUMBER: FHD24-000FHD24-000	6	EA
295	MODULE: NO MODIFIER: TYPE: ALARM, MANUFACTURER: RONAN ENGINEERING,MANUFACTURER PART NUMBER: FS 0000	6	EA
296	VALVE: SOLENOID: CONFIGURATION: 3-WAY, PIPE SIZE: 1/4", ORIFICEDIAMETER: 1/8", OPERATION: NC, MANUFACTURER: VERSA VALVES,MANUFAC	6	EA
297	LINK: NO MODIFIER: TYPE: ARC, MANUFACTURER PART NUMBER: 51535-1-999	6	EA
298	SWITCH: NO MODIFIER: TYPE: REED, MANUFACTURER: HONEYWELL, MANUFACTURERPART NUMBER: 40FRI-3	6	EA
299	RTD: NO MODIFIER: RESISTANCE: 100 OHMS, WIRE: 3, ELEMENT MATERIAL:PLATINUM, SIZE: 5" SHEATH X 12" LEADS, MANUFACTURER: MINCO PRO	6	EA
300	PLATE: ORIFICE: PIPE SIZE: 2", PRESSURE RATING: 300 LB, ORIFICEDIAMETER: BLANK, THICKNESS: 1/8" THK, MATERIAL: 316 STAINLESS STE	6	EA
301	HEAD: THERMOCOUPLE: MANUFACTURER: MINCO PRODUCTS INC, MANUFACTURERPART NUMBER: CH360P2T8	6	EA
302	HEAD: THERMOCOUPLE: MANUFACTURER: MINCO PRODUCTS INC, MANUFACTURERPART NUMBER: CH360P2T6	6	EA
303	THERMOWELL: NO MODIFIER: SIZE/CONNECTION: 1" NPT, INSERTION LENGTH:10-1/2", BORE: 0.385", SHANK: TAPERED, MATERIAL: 316 STAINLES	7	EA
304	DETECTOR: NO MODIFIER: TYPE: NUCLEAR SWITCH, MANUFACTURER:VEGA-AMERICAS, MANUFACTURER PART NUMBER: PT31.UX1ADNBX006	8	EA
305	DIAPHRAGM: NO MODIFIER: MANUFACTURER: FISHER CONTROL VALVES /EMERSON,MANUFACTURER PART NUMBER: 2N130902202	8	EA
306	SWITCH: PROXIMITY: ELECTRICAL RATING: 10 AMPS, CONNECTION: SPDT,CSA/FMCLD2,TERMIMAL, OUTPUT: DIGITAL, BODY MATERIAL: STAINLESS S	8	EA
307	HEAD: THERMOCOUPLE: MANUFACTURER: MINCO PRODUCTS INC, MANUFACTURERPART NUMBER: CH360P2WO	8	EA
308	KIT: NO MODIFIER: TYPE: SOLENOID REBUILD, MANUFACTURER PART NUMBER:K302280C	8	EA
309	THERMOWELL: NO MODIFIER: SIZE/CONNECTION: 3/4" NPT, STEM LENGTH: 9",BORE: 0.26", SHANK: STEPPED, MATERIAL: 316 STAINLESS STEEL,M	8	EA
310	COUPLING: NO MODIFIER: TYPE: ADAPTOR CONNECTING ROD, MANUFACTURER:JOHN ZINK CO, MANUFACTURER PART NUMBER: 18972	8	EA
311	RING: RETAINING: MANUFACTURER PART NUMBER: E-18896	8	EA
312	BOARD: PRINTED CIRCUIT: FUNCTION: ALARM, MANUFACTURER: RONANENGINEERING, MANUFACTURER PART NUMBER: FD-0086FD-0086 RONAN	9	EA
313	KIT: NO MODIFIER: TYPE: REPAIR, MANUFACTURER PART NUMBER: R95HX000082	9	EA
314	ADAPTER: NO MODIFIER: TYPE: IGNITION ROD, MANUFACTURER: JOHN ZINK CO,MANUFACTURER PART NUMBER: 304333304333 JOHN ZINK	9	EA
315	MUFFLER: NO MODIFIER: TYPE: SPEED CONTROL, SIZE/CONNECTION: 3/8" NPT,MATERIAL: STAINLESS STEEL, MANUFACTURER: ADSENS, MANUFACTUR	9	EA
316	SOLENOID: NO MODIFIER: TYPE: VALVE, COIL VOLTAGE: 120V 60HZ,MANUFACTURER: ASCO, MANUFACTURER PART NUMBER: EFFBX8262G116V23026 NC	10	EA
317	ROD: NO MODIFIER: TYPE: IGNITION, MANUFACTURER: JOHN ZINK CO,MANUFACTURER PART NUMBER: 22843	10	EA
318	ROD: NO MODIFIER: TYPE: EXTENSION IGNITION, MANUFACTURER: JOHN ZINKCO, MANUFACTURER PART NUMBER: 199	10	EA
319	THERMOCOUPLE: NO MODIFIER: TYPE: RTD, TEMPERATURE RATING: 482 DEG F,WIRE SIZE: 4 WIRE 100 OHM, DESIGN LENGTH: 8", SHEATH DIAMETE	10	EA
320	CONNECTOR: ELECTRICAL: TYPE: 7 PIN PLUG BODY, CONDUCTOR: 10-8 AWG STR,CONNECTOR MATERIAL: PLATED STEEL, MANUFACTURER: COLE-HERSE	10	EA

MMR#	Material description	Qty	UoM
321	MODULE: NO MODIFIER: TYPE: ALARM, MANUFACTURER: RONAN ENGINEERING,MANUFACTURER PART NUMBER: FD 0000	11	EA
322	THERMOWELL: NO MODIFIER: SIZE/CONNECTION: 3/4" NPT, INSERTION LENGTH:13-1/2", BORE: 0.385", SHANK: TAPERED, MATERIAL: 316 STAINL	11	EA
323	NUT: NO MODIFIER: TYPE: IGNITOR, MANUFACTURER: JOHN ZINK CO,MANUFACTURER PART NUMBER: 3518	11	EA
324	TIP: NO MODIFIER: TYPE: PILOT, MANUFACTURER: JOHN ZINK CO,MANUFACTURER PART NUMBER: J 6 1	12	EA
325	THERMOWELL: NO MODIFIER: SIZE/CONNECTION: 3/4" NPT, INSERTION LENGTH:16-1/2", BORE: 0.385", SHANK: TAPERED, MATERIAL: 316 STAINL	12	EA
326	NUT: NO MODIFIER: TYPE: IGNITOR, MANUFACTURER: JOHN ZINK CO,MANUFACTURER PART NUMBER: 17180	12	EA
327	KIT: NO MODIFIER: TYPE: SOLENOID REBUILT, MANUFACTURER PART NUMBER:K304355	14	EA
328	ELEMENT: NO MODIFIER: TYPE: NATURAL GAS FILTER, MANUFACTURER PARTNUMBER: F-99-1	17	EA
329	GLASS: SIGHT: MANUFACTURER: JOHN ZINK CO, MANUFACTURER PART NUMBER:3640	22	EA
330	BRACKET: NO MODIFIER: TYPE: INSULATOR, MANUFACTURER: JOHN ZINK CO,MANUFACTURER PART NUMBER: 10257141025714 JOHN ZINK	23	EA
331	ASSEMBLY: NO MODIFIER: TYPE: PRIMARY RISER, MANUFACTURER: JOHN ZINK CO,MANUFACTURER PART NUMBER: 11936531193653 JOHN ZINK	24	EA
332	ASSEMBLY: NO MODIFIER: TYPE: STAGED RISER, MANUFACTURER: JOHN ZINK CO,MANUFACTURER PART NUMBER: 11926551192655 JOHN ZINK	24	EA
333	ASSEMBLY: NO MODIFIER: MANUFACTURER: JOHN ZINK CO, MANUFACTURER PARTNUMBER: 11926541192654 JOHN ZINK	24	EA
334	GLASS: SIGHT: MANUFACTURER: JOHN ZINK CO, MANUFACTURER PART NUMBER:3640	24	EA
335	GAUGE: PRESSURE: RANGE: 0 TO 1000 PSIG, DIAL SIZE: 4 1/2",SIZE/CONNECTION: 1/2" NPT, CASE MATERIAL: ALL METAL/GLASS, CONNECTIONL	25	EA
336	SWITCH: PROXIMITY: MODE: MAGNETIC, ELECTRICAL RATING: 10A/120VAC,3A/24VDC,.5A/125VDC, MOUNT: DCU DRILL STEM, CABLE LENGTH: 3 FT,	25	EA
337	RTD: NO MODIFIER: MANUFACTURER: MINCO PRODUCTS INC, MANUFACTURER PARTNUMBER: AS152790PD3S355C144J	26	EA
338	GAUGE: PRESSURE: RANGE: 0 TO 300 PSIG, DIAL SIZE: 4 1/2",SIZE/CONNECTION: 1/2" NPT, CASE MATERIAL: ALL METAL/GLASS, CONNECTIONLO	27	EA
339	INSULATOR: NO MODIFIER: TYPE: SUSPENSION, MANUFACTURER: PETRECO,MANUFACTURER PART NUMBER: P-14-28-2	30	EA
340	UNION: TUBE: TYPE: RESTRICTION FITTING, SIZE: 1/2", CONNECTION:COMPRESSION, MATERIAL: 316 STAINLESS STEEL, MANUFACTURER: PARKER,	34	EA
341	ASSEMBLY: NO MODIFIER: TYPE: STAGED RISER, MANUFACTURER: JOHN ZINK CO,MANUFACTURER PART NUMBER: 11934091193409 JOHN ZINK	40	EA
342	ASSEMBLY: NO MODIFIER: TYPE: STAGED RISER, MANUFACTURER: JOHN ZINK CO,MANUFACTURER PART NUMBER: 11934081193408 JOHN ZINK	40	EA
343	ASSEMBLY: NO MODIFIER: TYPE: PRIMARY RISER, MANUFACTURER: JOHN ZINK CO,MANUFACTURER PART NUMBER: 11934071193407 JOHN ZINK	40	EA
344	GASKET: LEVEL GAUGE: MANUFACTURER: JOHN ZINK CO	48	EA
345	GASKET: LEVEL GAUGE: MANUFACTURER: JOHN ZINK CO	50	EA
346	ELEMENT: NO MODIFIER: TYPE: FUEL GAS FILTER, MANUFACTURER: COALESCER,MANUFACTURER PART NUMBER: C-4536-03CE	64	EA

SELLER DOES NOT BIND ITSELF TO AWARD A SALES AGREEMENT TO THE HIGHEST BIDDER. GOODS BEING OFFERED FOR SALE MAY NOT NECESSARILY BE AWARDED FOR SALE AFTER THE SUBSEQUENT ANALYSIS OF BIDS. SELLER RESERVES THE RIGHT TO WITHDRAW ANY ITEM FROM THE LOT ON OFFER.

IRM-20-003T