Material • Management • Resources
INVESTMENT ~~RECOVERY~~ RESPONSIBILITY®

Phone: (281) 944-4222
Fax: (281) 944-4218

1304 Langham Creek, #200
Houston, TX 77084

www.materialmg.com

Inventory IRG-21-102

Lot 1

Description	QTY	Material	Category 1	Category 2	Schedule 1
LUMPSUM DISCOUNT			FITTINGS		
1 IN 90 DEG LR ELBOW ALLOY 800 ASTM B366-WPNIC-S UNS N08800 SMLS C.D ANNEALED BE ASME B16.9 SCH 160	2	Alloy 800	FITTINGS	Elbow	160
6 IN CAP ALLOY 800 ASTM B366-WPNIC-S UNS N08800 SMLS C.D ANNEALED BE ASME B16.9 SCH 120	7	Alloy 800	FITTINGS	Cap	120
6 IN X 1 IN WELDOLET ALLOY 800 ASTM B564 UNS N08800 FORGED ANNEALED BE MSS-SP 97 SCH 160	1	Alloy 800	FITTINGS	Weldolet	160
6 IN X 3/4 IN WELDOLET ALLOY 800 ASTM B564 UNS N08800 FORGED ANNEALED BE MSS-SP 97 SCH 160	1	Alloy 800	FITTINGS	Weldolet	160
6 IN X 3/4 IN WELDOLET ALLOY 800 ASTM B564 UNS N08800 FORGED ANNEALED BE MSS-SP 97 SCH 160 TRACK ID: P06876 | COMMODITY NO.: E2M69GPB1Y	1	Alloy 800	FITTINGS	Weldolet	160
3/4 IN 90 DEG LR ELBOW ALLOY 800 ASTM B366-WPNIC-S UNS N08800 SMLS (OFFER WELDED) C.D ANNEALED BE ASME B16.9 SCH 160	1	Alloy 800	FITTINGS	Elbow	160
10 IN EQUAL TEE ALLOY 800 ASTM B366-WPNIC-S UNS N08800 SMLS(OFFER WELDED) C.D ANNEALED BE ASME B16.9 SCH 120	1	Alloy 800	FITTINGS	Tee	120
3/4 IN 90 DEG LR ELBOW ALLOY 800 ASTM B366-WPNIC-S UNS N08800 SMLS C.D ANNEALED BE ASME B16.9 SCH 160	3	Alloy 800	FITTINGS	Elbow	160
3/4 IN IN-LINE NIPPLE ALLOY 800 ASTM B407 UNS N08800 SMLS 100MM LENGTH HOT FIN. ANNEALED BBE ASME B36.10M SCH 160	3	Alloy 800	FITTINGS	Nipple	160
3/4 IN 90 DEG LR ELBOW ALLOY 800 ASTM B366-WPNIC-S UNS N08800 SMLS C.D ANNEALED BE ASME B16.9 SCH 160 TRACK ID: P06885 | COMMODITY NO.: EGM5OGFB1Y	2	Alloy 800	FITTINGS	Elbow	160
3/4 IN 45 DEG LR ELBOW ALLOY 800 ASTM B366-WPNIC-S UNS N08800 SMLS C.D ANNEALED BE ASME B16.9 SCH 160 TRACK ID: P08270 | COMMODITY NO.: EGM5OGFB1Y	2	Alloy 800	FITTINGS	Elbow	160
3/4 IN PLUG (ROUND HEAD) ALLOY 800 ASTM B564 UNS N08800 FORGED ANNEALED THRD ASME B16.11 TRACK ID: P08270 | COMMODITY NO.: EGM5OGFB1Y	1	Alloy 800	FITTINGS	PLUG	

1 IN FULL COUPLING,CS,ASTM A105N,FORGED,SWE,ASME B16.11,CL6000	1	Carbon Steel	FITTINGS	Full Coupling	
2 IN IN LINE NIPPLE CS ASTM A53 GR B SMLS LENGTH 100MM THRD ASME B16.11 SCH 160 GALVANISED	2	Carbon Steel	FITTINGS	Nipple	160
2 IN 45 DEG LR ELBOW CS ASTM A105N SMLS SWE ASME B16.11 CL6000	2	Carbon Steel	FITTINGS	Elbow	
2 IN EQUAL TEE,CS,ASTM A105N,FORGED,SWE,ASME B16.11,CL6000	3	Carbon Steel	FITTINGS	Tee	
2 IN IN-LINE NIPPLE,CS,ASTM A106-B,SMLS,LENGTH 100MM,TOEXPOE,ASME B36.10M,SCH 160,-	1	Carbon Steel	FITTINGS	Nipple	160
2 IN FULL COUPLING,CS,ASTM A105N,FORGED,SWE,ASME B16.11,CL6000	2	Carbon Steel	FITTINGS	Full Coupling	
2 IN FULL COUPLING,CS,ASTM A105N,SMLS,SWE,ASME B16.11,CL6000,-	2	Carbon Steel	FITTINGS	Full Coupling	
2 IN X 1 IN CONC SWAGE,CS,ASTM A234-WPB,SMLS,PBE,MSS-SP 95,SCH 160 (L) X SCH 160 (S).	1	Carbon Steel	FITTINGS	CONC SWAGE	160
2 IN X 3/4 IN CONC SWAGE CS ASTM A234-WPB SMLS THRD MSS-SP 95 SCH XS(L) X SCH XS(S) GALVANISED	1	Carbon Steel	FITTINGS	CONC SWAGE	XS
2 IN X 3/4 IN CONC SWAGE,CS,ASTM A234-WPB,SMLS,PBE,MSS-SP 95,SCH 160 (L) X SCH 160 (S).	2	Carbon Steel	FITTINGS	CONC SWAGE	160
2 IN X 3/4 IN REDUCING TEE,CS,ASTM A105N,FORGED,SWE,ASME B16.11,CL6000	3	Carbon Steel	FITTINGS	Tee	
2 IN X 3/4 IN HALF COUPLING,CS,ASTM A105N,FORGED,SWE,ASME B16.11,CL6000	1	Carbon Steel	FITTINGS	Half Coupling	
4 IN X 2 IN THREADOLET CS ASTM A105N FORGED THRD MSS-SP 97 CL3000 GALVANISED	1	Carbon Steel	FITTINGS	Threadolet	
6 IN 45 DEG LR ELBOW,CS,ASTM A234-WPB,SMLS,BE,ASME B16.9,SCH 160	1	Carbon Steel	FITTINGS	Elbow	160
6 IN X 3/4 IN SOCKOLET,CS,ASTM A105N,-,SWE,MSS-SP 97,CL3000,-	1	Carbon Steel	FITTINGS	SOCKOLET	
6 IN X 3/4 IN SOCKOLET,CS,ASTM A105N,FORGED,SWE,MSS-SP 97,CL6000	1	Carbon Steel	FITTINGS	SOCKOLET	
6 IN X 3/4 IN HALF COUPLING,CS,ASTM A105N,FORGED,SWE,ASME B16.11,CL6000	1	Carbon Steel	FITTINGS	Half Coupling	
6 IN X 3/4 IN HALF COUPLING,CS,ASTM A105N,SMLS,SWE,ASME B16.11,CL3000,-	2	Carbon Steel	FITTINGS	Half Coupling	
8 IN 90 DEG LR ELBOW,CS,ASTM A234-WPB,SMLS,BE,ASME B16.9,SCH 120	1	Carbon Steel	FITTINGS	Elbow	120
8 IN X 3/4 IN SOCKOLET CS ASTM A105N FORGED SWE MSS-SP 97 CL6000	1	Carbon Steel	FITTINGS	SOCKOLET	
8 IN X 3/4 IN HALF COUPLING,CS,ASTM A105N,FORGED,SWE,ASME B16.11,CL6000	1	Carbon Steel	FITTINGS	Half Coupling	
10 IN X 3/4 IN HALF COUPLING,CS,ASTM A105N,FORGED,SWE,ASME B16.11,CL6000	1	Carbon Steel	FITTINGS	Half Coupling	
12 IN EQUAL TEE CS ASTM A234-WPB SMLS BE ASME B16.9 SCH XS	1	Carbon Steel	FITTINGS	Tee	XS
12 IN X 3/4 IN HALF COUPLING,CS,ASTM A105N,FORGED,SWE,ASME B16.11,CL6000	2	Carbon Steel	FITTINGS	Half Coupling	
12 IN X 3/4 IN HALF COUPLING,CS,ASTM A105N,SMLS,SWE,ASME B16.11,CL3000,-	1	Carbon Steel	FITTINGS	Half Coupling	

14 IN 45 DEG LR ELBOW CS ASTM A234-WPB SMLS BE ASME B16.9 SCH STD	1	Carbon Steel	FITTINGS	Elbow	STD
14 IN X 3/4 IN HALF COUPLING,CS,ASTM A105N,SMLS,SWE,ASME B16.11,CL3000,-	1	Carbon Steel	FITTINGS	Half Coupling	
14 IN X 6 IN WELDOLET,CS,ASTM A105N,FORGED,BE,MSS-SP 97,SCH 140(L) X SCH 160(S)	1	Carbon Steel	FITTINGS	Weldolet	160
18 IN X 12 IN WELDOLET CS ASTM A105N FORGED BE MSS-SP 97 0.625" THK(L) X SCH XS(S)	1	Carbon Steel	FITTINGS	Weldolet	XS
20 IN X 10 IN WELDOLET CS ASTM A105N FORGED BE MSS-SP 97 SCH STD(L) X SCH STD(S)	1	Carbon Steel	FITTINGS	Weldolet	STD
30 IN X 3/4 IN HALF COUPLING,CS,ASTM A105N,FORGED,SWE,ASME B16.11,CL6000	1	Carbon Steel	FITTINGS	Half Coupling	
40 IN 90 DEG LR ELBOW CS ASTM A234 WPBW BE ASME B16.9 SCH STD	1	Carbon Steel	FITTINGS	Elbow	STD
50 IN X 30 IN CONC REDUCER CS ASTM A234-WPB SMLS BE ASME B16.9 11.13 MM THK (L) X STD (S) ; REDUCERS SHALL BE DESIGNED AS LOW ANGLE (MAX 7DEG ANGLE FROM CENTER LINE) MINIMUM LENGTH = 2095 MM	1	Carbon Steel	FITTINGS	Reducer	
60 IN X 50 IN CONC REDUCER CS ASTM A234-WPB SMLS BE ASME B16.9 11.91 MM THK (L) X 11.13 MM THK (S) ; REDUCERS SHALL BE DESIGNED AS LOW ANGLE (MAX 7DEG ANGLE FROM CENTER LINE) MINIMUM LENGTH = 1035 MM	1	Carbon Steel	FITTINGS	Reducer	
3/4 IN PLUG CS ASTM A105N FORGED THRD ASME B16.11 GALVANISED	1	Carbon Steel	FITTINGS	PLUG	
3/4 IN IN-LINE NIPPLE,CS,ASTM A106-B,SMLS,LENGTH 75MM,PBE,ASME B36.10M,SCH 160,FABRICATE TO ASTM A733	3	Carbon Steel	FITTINGS	Nipple	160
3/4 IN IN-LINE NIPPLE,CS,ASTM A106-B,SMLS,LENGTH 75MM,PBE,ASME B36.10M,SCH 160,-	4	Carbon Steel	FITTINGS	Nipple	160
3/4 IN IN-LINE NIPPLE,CS,ASTM A106-B,SMLS,LENGTH 100MM,PBE,ASME B36.10M,SCH 160,-	6	Carbon Steel	FITTINGS	Nipple	160
3/4 IN PLUG CS ASTM A105N ROUND HEAD THRD ASME B16.11	5	Carbon Steel	FITTINGS	PLUG	
3/4 IN IN-LINE NIPPLE,CS,ASTM A106-B,SMLS,LENGTH 75MM,PBE,ASME B36.10M,SCH 160,FABRICATE TO ASTM A733	1	Carbon Steel	FITTINGS	Nipple	160
3/4 IN IN-LINE NIPPLE,CS,ASTM A106-B,SMLS,LENGTH 100MM,PBE,ASME B36.10M,SCH 160,-	5	Carbon Steel	FITTINGS	Nipple	160
3/4 IN FULL COUPLING,CS,ASTM A105N,FORGED,SWE,ASME B16.11,CL6000	1	Carbon Steel	FITTINGS	Full Coupling	
1 IN EQUAL TEE 2 1/4% CR-1% MO FORGED SWE ASME B16.11 CL9000	2	Cr-Mo	FITTINGS	Tee	
1 IN 90 DEG ELBOW 2 1/4% CR-1% MO FORGED SWE ASME B16.11 CL9000	2	Cr-Mo	FITTINGS	Elbow	
1 IN IN-LINE NIPPLE 2 1/4% CR-1% MO SMLS LENGTH 150MM PBE ASME B36.10M SCH XXS	3	Cr-Mo	FITTINGS	Nipple	XXS
1 IN X 3/4 IN CONC SWAGE 2 1/4% CR-1% MO SMLS PBE MSS-SP 95 SCH XXS	2	Cr-Mo	FITTINGS	CONC SWAGE	XXS
1 IN X 3/4 IN REDUCING TEE 2 1/4% CR-1% MO FORGED SWE ASME B16.11 CL9000	2	Cr-Mo	FITTINGS	Tee	

10 IN X 3/4 IN HALF COUPLING 2 1/4% CR-1% MO FORGED SWE ASME B16.11 CL9000	1	Cr-Mo	FITTINGS	Half Coupling	
3/4 IN IN-LINE NIPPLE 2 1/4% CR-1% MO SMLS LENGTH 150MM PBE ASME B36.10M SCH XXS	4	Cr-Mo	FITTINGS	Nipple	XXS
3/4 IN PLUG 2 1/4% CR-1% MO ROUND HEAD THRD ASME B16.11	5	Cr-Mo	FITTINGS	PLUG	
3/4 IN IN-LINE NIPPLE 2 1/4% CR-1% MO SMLS LENGTH 100MM PBE ASME B36.10M SCH XXS	4	Cr-Mo	FITTINGS	Nipple	XXS
3/4 IN IN-LINE NIPPLE 2 1/4% CR-1% MO SMLS LENGTH 100MM PBE ASME B36.10M SCH XXS	1	Cr-Mo	FITTINGS	Nipple	XXS
3/4 IN EQUAL TEE 2 1/4% CR-1% MO FORGED SWE ASME B16.11 CL9000	3	Cr-Mo	FITTINGS	Tee	
8 IN EQUAL TEE,CS,ASTM A234-WPB,SMLS,BE,ASME B16.9,SCH 120	1	Stainless Steel	FITTINGS	Tee	120
10 IN X 3/4 IN WELDOLET SS ASTM A182-F316H FORGED BE MSS-SP 97 SCH 120(L) X SCH 160(S)	1	Stainless Steel	FITTINGS	Weldolet	120
3/4 IN PLUG SS ASTM A182-F316H ROUND HEAD THRD ASME B16.11	1	Stainless Steel	FITTINGS	PLUG	
3/4 IN IN-LINE NIPPLE SS ASTM A312-TP316H SMLS LENGTH 100MM BBE ASME B36.10M SCH 160	2	Stainless Steel	FITTINGS	Nipple	160
1 IN FLANGE WN ALLOY 800 ASTM B564 UNS N08800 CL2500 RJ STD FIN ASME B16.5 SCH 160 ANNEALED	1	Alloy 800	FLANGES	FLANGES	160
10 IN FLANGE WN ALLOY 800 ASTM B564 UNS N08800 CL2500 RJ STD FIN ASME B16.5 SCH 120 ANNEALED	1	Alloy 800	FLANGES	FLANGES	120
3/4 IN FLANGE WN ALLOY 800 ASTM B564 UNS N08800 CL2500 RJ STD FIN ASME B16.5 SCH 160 ANNEALED TRACK ID: P08255 | COMMODITY NO.: FKC87RGKB1Y	1	Alloy 800	FLANGES	FLANGES	160
1 IN FLANGE SW, WN, CS,ASTM A105N,CL2500,RJ,STD FIN,ASME B16.5,SCH 160	1	Carbon Steel	FLANGES	FLANGES	160
2 IN FLANGE THRD CS ASTM A105N CL150 RF STD FIN ASME B16.5 SCH XS GALVANISED	2	Carbon Steel	FLANGES	FLANGES	XS
2 IN FLANGE SW,CS,ASTM A105N,CL300,RF,STD FIN,ASME B16.5,SCH 160,-	2	Carbon Steel	FLANGES	FLANGES	160
2 IN BLIND FLANGE,CS,ASTM A105N,CL1500,RJ,STD FIN,ASME B16.5	1	Carbon Steel	FLANGES	LIND FLANGES	
2 IN FLANGE SW,CS,ASTM A105N,CL1500,RJ,STD FIN,ASME B16.5,SCH 160	2	Carbon Steel	FLANGES	FLANGES	160
6 IN BLIND FLANGE,CS,ASTM A105N,CL1500,RJ,STD FIN,ASME B16.5	1	Carbon Steel	FLANGES	LIND FLANGES	
6 IN FLANGE WN,CS,ASTM A105N,CL1500,RJ,STD FIN,ASME B16.5,SCH 160	3	Carbon Steel	FLANGES	FLANGES	160
8 IN BLIND FLANGE CS ASTM A105N CL1500 RF STD FIN ASME B16.5	1	Carbon Steel	FLANGES	LIND FLANGES	
8 IN FLANGE WN CS ASTM A105N CL1500 RF STD FIN ASME B16.5 SCH 120	1	Carbon Steel	FLANGES	FLANGES	120
14 IN BLIND FLANGE,CS,ASTM A105N,CL300,RF,STD FIN,ASME B16.5,-,-	1	Carbon Steel	FLANGES	LIND FLANGES	
14 IN FLANGE WN,CS,ASTM A105N,CL300,RF,STD FIN,ASME B16.5,SCH STD,-	1	Carbon Steel	FLANGES	FLANGES	STD
20 IN FLANGE WN,CS,ASTM A105N,CL150,RF,STD FIN,ASME B16.5,SCH STD,-	4	Carbon Steel	FLANGES	FLANGES	STD
30 IN BLIND FLANGE CS ASTM A105N CL150 RF STD FIN ASME B16.47 SERIES B.	1	Carbon Steel	FLANGES	LIND FLANGES	

30 IN FLANGE WN CS ASTM A105N CL150 RF STD FIN ASME B16.47 SERIES B SCH STD.	1	Carbon Steel	FLANGES	FLANGES	STD
30 IN FLANGE WN CS ASTM A105N CL300 RF STD FIN ASME B16.47 SERIES B 0.438" (11.13MM) WALL THICK.	2	Carbon Steel	FLANGES	FLANGES	
50 IN FLANGE WN CS ASTM A105N CL150 RF STD FIN ASME B16.47 SERIES B 0.438" (11.13MM) WALL THICK	6	Carbon Steel	FLANGES	FLANGES	
60 IN FLANGE WN CS ASTM A105N CL150 RF STD FIN ASME B16.47 SERIES B 0.469" (11.91MM) WALL THICK	2	Carbon Steel	FLANGES	FLANGES	
3/4 IN FLANGE WN,CS,ASTM A105N,CL2500,RJ,STD FIN,ASME B16.5,SCH 160	2	Carbon Steel	FLANGES	FLANGES	160
1 IN FLANGE WN 2 1/4% CR-1% MO CL2500 RJ STD FIN ASME B16.5 SCH XXS (REV 02 item #6)	4	Cr-Mo	FLANGES	FLANGES	XXS
10 IN BLIND FLANGE 2 1/4% CR-1% MO CL2500 RJ STD FIN ASME B16.5 (REV 02 item #6)	1	Cr-Mo	FLANGES	LIND FLANGES	
3/4 IN FLANGE WN 2 1/4% CR-1% MO CL2500 RJ STD FIN ASME B16.5 SCH XXS (REV 02 item #7)	4	Cr-Mo	FLANGES	FLANGES	XXS
1 IN PIPE ALLOY 800 ASTM B407 UNS N08800 SMLS HOT FIN. ANNEALED BE ASME B36.10M SCH 160 1 LGH: 1.40M TO 7M	6	Alloy 800	PIPES	PIPES	160
6 IN PIPE ALLOY 800 ASTM B407 UNS N08800 SMLS HOT FIN. ANNEALED BE ASME B36.10M SCH 120 1LGH: 0.20M TO 7M	6	Alloy 800	PIPES	PIPES	120
10 IN PIPE ALLOY 800 ASTM B407 UNS N08800 SMLS HOT FIN. ANNEALED BE ASME B36.10M SCH 120 1LGH: 1.10M TO 7M)	TBA	Alloy 800	PIPES	PIPES	120
3/4 IN PIPE ALLOY 800 ASTM B407 UNS N08800 SMLS HOT FIN. ANNEALED BE ASME B36.10M SCH 160 | MRO QTY.: 22.7M TRACK ID: P06922 | COMMODITY NO.: P06922	25.6	Alloy 800	PIPES	PIPES	160
1 IN PIPE,CS,ASTM A106-B,SMLS,PE,ASME B36.10M,SCH 160	6	Carbon Steel	PIPES	PIPES	160
2 IN PIPE,CS,ASTM A106-B,SMLS,PE,ASME B36.10M,SCH 160	132	Carbon Steel	PIPES	PIPES	160
4 IN PIPE,CS,ASTM A106-B,SMLS,BE,ASME B36.10M,SCH STD,-	6	Carbon Steel	PIPES	PIPES	STD
6 IN PIPE CS ASTM A106-B SMLS BE ASME B36.10M SCH 160	6	Carbon Steel	PIPES	PIPES	160
6 IN PIPE,CS,ASTM A106-B,SMLS,BE,ASME B36.10M,SCH XS,-	6	Carbon Steel	PIPES	PIPES	XS
8 IN PIPE CS ASTM A106-B SMLS BE ASME B36.10M SCH 120.	6	Carbon Steel	PIPES	PIPES	120
12 IN PIPE,CS,ASTM A106-B,SMLS,BE,ASMEB36.10M,SCH XS	6	Carbon Steel	PIPES	PIPES	XS
14 IN PIPE,CS,ASTM A106-B,SMLS,BE,ASME B36.10M,SCH 140	11.49	Carbon Steel	PIPES	PIPES	140
18 IN PIPE CS ASTM A106 B SMLS BE ASME B36.10M 0.625" THK	3	Carbon Steel	PIPES	PIPES	
20 IN PIPE,CS,ASTM A106-B,SMLS,BE,ASME B36.10M,SCH STD,-	6	Carbon Steel	PIPES	PIPES	STD
30 IN PIPE CS ASTM A671-CC60 CLASS 22 EFW BE ASME B36.10M SCH STD	6	Carbon Steel	PIPES	PIPES	STD
30 IN PIPE CS ASTM A671-CC60 CLASS 22 EFW (EJ=1.0) BE ASME B36.10M 0.438" (11.13MM) THICK	6	Carbon Steel	PIPES	PIPES	
40 IN PIPE CS ASTM A671-CC60 CLASS 22 EFW BE ASME B36.10M SCH STD	6	Carbon Steel	PIPES	PIPES	STD
50 IN PIPE CS ASTM A671-CC60 CLASS 22 EFW BE ASME B36.10M 0.438" (11.13MM) WALL THICK	30	Carbon Steel	PIPES	PIPES	

3/4 IN PIPE,CS,ASTM A106-B,SMLS,PE,ASME B36.10M,SCH 160	6	Carbon Steel	PIPES	PIPES	160
1 IN PIPE 2 1/4% CR-1% MO SMLS PE ASME B36.10M SCH XXS	24	Cr-Mo	PIPES	PIPES	XXS
3/4 IN PIPE 2 1/4% CR-1% MO SMLS PE ASME B36.10M SCH XXS	4	Cr-Mo	PIPES	PIPES	XXS
10 IN PIPE SS ASTM A358-316 CLASS 1 SMLS BE ASME B36.10M SCH 120 (A358-316 TO HAVE MIN. CARBON CONTENT OF 0.04%)	6	Stainless Steel	PIPES	PIPES	120
1 IN GATE VALVE CL1500 BW SCH 160 API 602 BODY ASTM B564 UNS N08800 TRIM ALLOY 800 UNS N08800 HARD FACED WB STANDARD PORT REFER DATASHEET VST01-J1	2	Alloy 800	VALVE	Gate Valve	160
3/4 IN GATE VALVE CL1500 BW SCH 160 API 602 BODY ASTM B564 UNS N08800 TRIM ALLOY 800 UNS N08800 HARD FACED WB STANDARD PORT REFER DATASHEET VST01-J1	2	Alloy 800	VALVE	Gate Valve	160
TRACK ID: P06932 3/4 IN GATE VALVE CL1500 BW SCH 160 API 602 BODY ASTM B564 UNS N08800 TRIM ALLOY 800 UNS N08800 HARD FACED WB STANDARD PORT REFER DATASHEET VST01-J1	1	Alloy 800	VALVE	Gate Valve	160
TRACK ID: P08277 3/4 IN GATE VALVE CL1500 BW X THRD SCH 160 API 602 BODY ASTM B564 UNS N08800 TRIM ALLOY 800 UNS N08800 HARD FACED WB STANDARD PORT REFER DATASHEET VST01-J2	1	Alloy 800	VALVE	Gate Valve	160
2 IN GATE VALVE CL1500 SW API 602 BODY ASTM A105N TRIM 5 WB STANDARD PORT REFER DATASHEET GSAE501	1	Carbon Steel	VALVE	Gate Valve	
2 IN GATE VALVE, REDUCED PORT ; API 602 ; CLASS 800 ; SOCKET WELD END ; OUTSIDE SCREW & YOKE, BOLTED BONNET ; HANDWHEEL OPERATOR ; CARBON STEEL ASTM A105 ; , ; , API TRIM 8 , FLEXIBLE GRAPHITE PACKING , SOLID WEDGE	1	Carbon Steel	VALVE	Gate Valve	
2 IN GATE VALVE, REDUCED PORT ; API 602 ; CLASS 800 ; FEMALE NATIONAL PIPE THREADED ; OUTSIDE SCREW & YOKE, BOLTED BONNET ; HANDWHEEL OPERATOR ; CARBON STEEL ASTM A105 ; , ; , API TRIM 8 , FLEXIBLE GRAPHITE PACKING , SOLID WEDGE	1	Carbon Steel	VALVE	Gate Valve	
2 IN GATE VALVE CL1500 SW API 602 BODY ASTM A105N TRIM 5 WB STANDARD PORT REFER DATASHEET GSAE501	1	Carbon Steel	VALVE	Gate Valve	
6 IN GATE VALVE CL1500 RJFE API 600 BODY ASTM A216-WCB TRIM 5 BB FULL PORT GO W/SIDE HANDWHEEL REFER DATASHEET GGAE502	2	Carbon Steel	VALVE	Gate Valve	
8 IN GATE VALVE CL1500 BW SCH 120 API 600 BODY ASTM A216 WCB TRIM 5 PNot Required / SB FULL PORT GO REFER DATASHEET VGA16-J	2	Carbon Steel	VALVE	Gate Valve	120
10 IN GATE VALVE CL150 BW S-STD API 600 BODY ASTM A216-WCB BB OS &Y TRIM 8 FULL PORT REFER DATASHEET VGA01-M-C	1	Carbon Steel	VALVE	Gate Valve	
12 IN GATE VALVE CLASS 300 BW S-XS API 600 BODY ASTM A216 WCB BB OS &Y TRIM 8 FULL PORT GO REFER DATASHEET VGA11-M	1	Carbon Steel	VALVE	Gate Valve	
30 IN GATE VALVE CL150 BW S-STD API 600 BODY ASTM A216-WCB BB OS &Y TRIM 8 FULL PORT REFER DATASHEET VGA01-M-C	1	Carbon Steel	VALVE	Gate Valve	
3/4 IN GATE VALVE CL1500 SW API 602 BODY ASTM A105N TRIM 5 WB STANDARD PORT REFER DATASHEET GSAE501	1	Carbon Steel	VALVE	Gate Valve	
3/4 IN GATE VALVE CL1500 SWXTHRD API 602 BODY ASTM A105N TRIM 5 WB STANDARD PORT REFER DATASHEET GUAE501	3	Carbon Steel	VALVE	Gate Valve	

3/4 IN GATE VALVE,CL800,SWXTHRD,API 602,BODY ASTM A105N,TRIM 8,STANDARD PORT,REFER DATASHEET GUAJ801	3	Carbon Steel	VALVE	Gate Valve	
3/4 IN GATE VALVE,CL800,SWXTHRD,API 602,BODY,ASTM A105N, WB, OS &Y,TRIM 8,STANDARD PORT,REFER DATASHEET GUAJ802	1	Carbon Steel	VALVE	Gate Valve	
3/4 IN GLOBE VALVE CL1500 SW API 602 BODY ASTM A105N TRIM 5 Y PATTERN WB REFER DATASHEET VLA05-M-J	1	Carbon Steel	VALVE	Globe Valves	
3/4 IN GLOBE VALVE CL1500 SW X THRD API 602 BODY ASTM A105N TRIM 5 Y PATTERN WB REFER DATASHEET VLA24-M-J	2	Carbon Steel	VALVE	Globe Valves	
3/4 IN GATE VALVE, REDUCED PORT ; API 602 ; CLASS 800 ; SOCKET WELDED END X FEMALE NATIONAL PIPE THREAD ; OUTSIDE SCREW & YOKE, BOLTED BONNET ; HANDWHEEL OPERATOR ; CARBON STEEL ASTM A105N ; , ; , API TRIM 8 , FLEXIBLE GRAPHITE PACKING	4	Carbon Steel	VALVE	Gate Valve	
3/4 IN GATE VALVE, REDUCED PORT ; API 602 ; CLASS 800 ; FEMALE NATIONAL PIPE THREADED ; OUTSIDE SCREW & YOKE, BOLTED BONNET ; HANDWHEEL OPERATOR ; CARBON STEEL ASTM A105 ; , ; , API TRIM 8 , FLEXIBLE GRAPHITE PACKING , SOLID WEDGE	1	Carbon Steel	VALVE	Gate Valve	
3/4 IN GATE VALVE CL1500 SW API 602 BODY ASTM A105N TRIM 5 WB STANDARD PORT REFER DATASHEET GSAE501	2	Carbon Steel	VALVE	Gate Valve	
3/4 IN GATE VALVE CL1500 SWXTHRD API 602 BODY ASTM A105N TRIM 5 WB STANDARD PORT REFER DATASHEET GUAE501	4	Carbon Steel	VALVE	Gate Valve	
3/4 IN GATE VALVE, REDUCED PORT ; API 602 ; CLASS 800 ; SOCKET WELDED END X FEMALE NATIONAL PIPE THREAD ; OUTSIDE SCREW & YOKE, BOLTED BONNET ; HANDWHEEL OPERATOR ; CARBON STEEL ASTM A105N ; , ; , API TRIM 8 , FLEXIBLE GRAPHITE PACKING	1	Carbon Steel	VALVE	Gate Valve	
1 IN GATE VALVE CL2500 SW API 602 BODY 2 1/4% CR-1% MO TRIM 5 WB STANDARD PORT REFER DATASHEET VSG05-K	4	Cr-Mo	VALVE	Gate Valve	
3/4 IN GATE VALVE CL2500 SW API 602 BODY 2 1/4% CR-1% MO TRIM 5 WB STANDARD PORT REFER DATASHEET VSG05-K	5	Cr-Mo	VALVE	Gate Valve	
3/4 IN GATE VALVE CL2500 SW X THRD API 602 BODY 2 1/4% CR-1% MO TRIM 5 WB STANDARD PORT REFER DATASHEET VSG06-K	5	Cr-Mo	VALVE	Gate Valve	
3/4 IN GATE VALVE CL2500 SW API 602 BODY 2 1/4% CR-1% MO TRIM 5 WB STANDARD PORT REFER DATASHEET VSG05-K	5	Cr-Mo	VALVE	Gate Valve	
10 IN GATE VALVE 1500LB BW SCH120 PRESS. SEAL BONNET A351-CF8M TRIM #16 GEAR OPERATION (A351-CF8M TO HAVE MIN. CARBON CONTENT OF 0.04 %.) REFER DATA SHEET VGL36-M-J2	2	Stainless Steel	VALVE	Gate Valve	120
3/4 IN GLOBE VALVE 1500LB BW SCH160 WELDED BONNET A182-F316H TRIM #16 Y-PATTERN REFER DATA SHEET VLL05-J	1	Stainless Steel	VALVE	Globe Valves	160
3/4 IN GLOBE VALVE 1500LB BW X THD SCH160 WELDED BONNET A182-F316H TRIM #16 Y- PATTERN REFER DATA SHEET VLL05-M-J	1	Stainless Steel	VALVE	Globe Valves	160

SELLER DOES NOT BIND ITSELF TO AWARD A SALES AGREEMENT TO THE HIGHEST BIDDER. GOODS BEING OFFERED FOR SALE MAY NOT NECESSARILY BE AWARDED FOR SALE AFTER THE SUBSEQUENT ANALYSIS OF BIDS. SELLER RESERVES THE RIGHT TO WITHDRAW ANY ITEM FROM THE LOT ON OFFER.