

REPORT 21
M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. :	VH-EXU	A/F		CURRENT	PROJECTION	DD-MMM-YYYY
A/C Type/ ASSY No. :	SIKORSKY S76C			HOURS	14924.3	500.0
Serial No. :	760432	ATA --		LANDINGS	82871.0	1500.0
ASSY Keyword/Desc :						

FROM: 27-APR-2017
TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
S76-25H-01		INSPECT	TAIL ROTOR SPAR IAW MM CH 5-20-00			14947.5H	05
S76-25H-02		INSPECT	M/R BLADE SPINDLE CUFF IAW CH 5-20-00			14947.5H	05
76102-08000-061 G134-00402 *****	A	DISASSEMBLE AND INSPECT MAIN ROTOR SPINDLE		BLUE		14948.7H	65
ALSO DUE AT : 30-MAR-17							
76102-08000-061 G134-00455 *****	A	DISASSEMBLE AND INSPECT MAIN ROTOR SPINDLE		YELLOW		14948.7H	65
ALSO DUE AT : 30-MAR-17							
76102-08000-061 G134-00490 *****	A	DISASSEMBLE AND INSPECT MAIN ROTOR SPINDLE		BLACK		14948.7H	65
ALSO DUE AT : 30-MAR-17							
76102-08000-061 G134-00523 *****	A	DISASSEMBLE AND INSPECT MAIN ROTOR SPINDLE		RED		14948.7H	65
ALSO DUE AT : 30-MAR-17							
***** SB5206-202 B199-25332	76102-08000-061 LL	BEARING	G134-00455 OUTER RACE	ASSEMBLY SPINDLE	***** YELLOW	14948.7H	65
***** SB5206-202 B199-25356	76102-08000-061 LL	BEARING	G134-00490 OUTER RACE	ASSEMBLY SPINDLE	***** BLACK	14948.7H	65
***** SB5206-202 B199-25369	76102-08000-061 LL	BEARING	G134-00402 OUTER RACE	ASSEMBLY SPINDLE	***** BLUE	14948.7H	65
***** SB5206-202 B199-27400	76102-08000-061 LL	BEARING	G134-00523 OUTER RACE	ASSEMBLY SPINDLE	***** RED	14948.7H	65
76351-09600-044 A231-00200	D	COLLECT	MAIN GEARBOX OIL SAMPLE			14950.2H	66
S76-50H		PERFORM	50 HOUR INSPECTION		IAW ESSO CHECK SHEET	14950.6H	05
S76-50H-01		PERFORM	CHECK OF AHRS COOLING FAN OPERATION			14950.6H	05

- REORDER MAY BE REQUIRED

OH = OVERHAUL LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. : VH-EXU A/F
 A/C Type/ ASSY No. : SIKORSKY S76C
 Serial No. : 760432 ATA --
 ASSY Keyword/Desc :

HOURS 14924.3
 LANDINGS 82871.0
 CURRENT 500.0
 PROJECTION 1500.0
 DD-MMM-YYYY
 FROM: 27-APR-2017
 TO : 27-APR-2019
 Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
***** S76-900H-01	76104-08500-043	B145 CHECK TORQUE	ASSEMBLY M/R SERVO EXPANDABLE PINS	SWASHPLATE	IAW MM CH. 5-20-00	14998.5H	05
76358-05600-042 A239-00199	C	INSPECT TGB	OUTPUT SHAFT @ FLANGE		LAST READING=0.001"	14999.0H	66
76358-05600-042 A239-00199	D	RECORD TGB	OUTPUT SHAFT AXIAL MOVEMENT		LAST READING=0.001"	14999.0H	66
S76-200H		PERFORM	200 HOUR INSPECTION		IAW ESSO CHECK SHEET	14999.2H	05
76102-08000-061 G134-00402	C	REPLACE M/ROTOR ELAST. BRG. RETENTION BOLTS		BLUE		14999.3H	65
76102-08000-061 G134-00455	C	REPLACE M/ROTOR ELAST. BRG. RETENTION BOLTS		YELLOW		14999.3H	65
76102-08000-061 G134-00490	C	REPLACE M/ROTOR ELAST. BRG. RETENTION BOLTS		BLACK		14999.3H	65
76102-08000-061 G134-00523	C	REPLACE M/ROTOR ELAST. BRG. RETENTION BOLTS		RED		14999.3H	65
***** 76102-08001-045 G134-00402	76102-08000-061 LL	ASSEMBLY	G134-00402 SPINDLE/CUFF	ASSEMBLY SPINDLE	BLUE	14999.3H	65
***** 76102-08001-045 G134-00455	76102-08000-061 LL	ASSEMBLY	G134-00455 SPINDLE/CUFF	ASSEMBLY SPINDLE	YELLOW	14999.3H	65
***** 76102-08001-045 G134-00490	76102-08000-061 LL	ASSEMBLY	G134-00490 SPINDLE/CUFF	ASSEMBLY SPINDLE	BLACK	14999.3H	65
***** 76102-08001-045 G134-00523	76102-08000-061 LL	ASSEMBLY	G134-00523 SPINDLE/CUFF	ASSEMBLY SPINDLE	RED	14999.3H	65
***** 76102-08003-103 D186-03897	76102-08000-061 LL	NUT	G134-00455 SPINDLE	ASSEMBLY SPINDLE	YELLOW	14999.3H	65

- REORDER MAY BE REQUIRED

OH = OVERHAUL

LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. :	VH-EXU	A/F				CURRENT	PROJECTION	DD-MMM-YYYY
A/C Type/ ASSY No. :	SIKORSKY S76C				HOURS	14924.3	500.0	FROM: 27-APR-2017
Serial No. :	760432	ATA --			LANDINGS	82871.0	1500.0	TO : 27-APR-2019
ASSY Keyword/Desc :								

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
***** 76102-08003-103 D186-04218	76102-08000-061 LL	NUT	G134-00523 SPINDLE	ASSEMBLY SPINDLE		***** 14999.3H	65
				RED			
***** 76102-08003-103 D186-04227	76102-08000-061 LL	NUT	G134-00490 SPINDLE	ASSEMBLY SPINDLE		***** 14999.3H	65
				BLACK			
***** 76102-08003-103 D186-04255	76102-08000-061 LL	NUT	G134-00402 SPINDLE	ASSEMBLY SPINDLE		***** 14999.3H	65
				BLUE			
S76-F		PERFORM	100 HOUR "F" CHECK		DUAL CAT. CERT REQ'D	14999.9H	05
S76-100H		PERFORM	100 HOUR INSPECTION		IAW ESSO CHECK SHEET	15000.6H	05
S76-100H/12M		PERFORM	LOW TAIL ROTOR BALANCE CH18-10 CH05 -00			15000.6H	05
*****	ALSO DUE AT : 23-FEB-17						
A03		REISSUE	MAINTENANCE RELEASE			15001.7H	05
*****	ALSO DUE AT : 01-JAN-17						
S76-200H-01		INSPECTION	INSPECT ENGINE FLAME DETECTOR FOR CORROSION / CLEANLIN ESS			15050.2H	05
76550-09006-107 504	OH	GENERATOR	DC STARTER	#1	OVERHAUL	15098.5H	24
76650-09808-102 213327	B	INSPECT & LUBE	HYDRAULIC PUMP INTERNAL	SPLINE 29-10-01 R/H	OVERHAULED	15099.0H	29
S76-G		PERFORM	100 HOUR "G" CHECK			15099.5H	05
***** 76101-05006-042 A334-03090	76101-05501-042 LL	TAIL ROTOR	A245-00326 HORN	ASSEMBLY TAIL ROTOR BLADE 65-21-		***** 15107.7H	65
***** 76101-05006-042 A334-03099	76101-05501-042 LL	TAIL ROTOR	A245-00326 HORN	ASSEMBLY TAIL ROTOR BLADE 65-21-		***** 15107.7H	65

- REORDER MAY BE REQUIRED

OH = OVERHAUL

LL = LIFE LIMIT

REPORT 21

MAINTENANCE DUE LIST
WITH REMARKS

Registration No. : VH-EXU	A/F								
A/C Type/ ASSY No. : SIKORSKY S76C									
Serial No. : 760432	ATA --								
ASSY Keyword/Desc :									

HOURS	CURRENT	PROJECTION	DD-MMM-YYYY
LANDINGS	14924.3	500.0	FROM: 27-APR-2017
	82871.0	1500.0	TO : 27-APR-2019

Open DEFECTS:	Last UPDATE TIMES: 26-APR-2017
---------------	--------------------------------

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
***** 76351-09630-041 D213-00645	76351-09600-044 LL	SHAFT	A231-00200 MAIN	GEARBOX MAIN		***** 15118.8H	66
***** AD/S-76/16 COMP.MTHD: S76 ASB 76-65-18C	76150-09100-053 2	MANDATORY	A086-02040 MAIN ROTOR BLADE ROOT END INSP FOR FATIGUE CRACKING	ASSEMBLY MAIN ROTOR BLADE		***** 15137.2H	98
***** AD/S-76/16 COMP.MTHD: S76 ASB 76-65-18C	76150-09100-053 2	MANDATORY	A086-02042 MAIN ROTOR BLADE ROOT END INSP FOR FATIGUE CRACKING	ASSEMBLY MAIN ROTOR BLADE		***** 15137.2H	98
***** AD/S-76/16 COMP.MTHD: S76 ASB 76-65-18C	76150-09100-053 2	MANDATORY	A086-02043 MAIN ROTOR BLADE ROOT END INSP FOR FATIGUE CRACKING	ASSEMBLY MAIN ROTOR BLADE		***** 15137.2H	98
S76-400H		CHANGE OIL	M/R DAMPER/ DAMPER RESERVIOR			15137.2H	05
S76-900H-03		INSPECT/REPLACE	#1 ENGINE DRIVE SHAFT FLEXIBLE COUPLING			15150.0H	05
S76-900H-04		INSPECT/REPLACE	#2 ENGINE DRIVE SHAFT FLEXIBLE COUPLING			15150.0H	05
76101-05501-042 A245-00398	A	PERFORM	1500 HOUR TAIL ROTOR INSPECTIO			15198.7H	65
S76-H		PERFORM	100 HOUR "H" CHECK			15198.7H	05
76101-05501-042 A245-00398	B	INSPECT	TAIL ROTOR SPAR 65-21-00 PAR4A			15199.0H	65
***** MONITORING ADHOC MGB	76351-09600-044	PERFORM	A231-00200 300 HR RECURRING INSP IAW ASB7 6-66-54	GEARBOX MAIN		***** 15200.6H	05
S76-300H/12M-01		INSPECT/TEST	HEEL'S COMPONENTS/SYSTEM IAW L SI DOC #IC00565			15223.8H	05
***** ALSO DUE AT : 12-DEC-17							
***** M/R BLADE 3000 HR	76150-09100-053	INSP M/R BLADE	A086-02126 ROOT END LAMINATES	ASSEMBLY MAIN ROTOR BLADE	PER COMP. MATLS MAN.	***** 15225.4H	05

- REORDER MAY BE REQUIRED

OH = OVERHAUL LL = LIFE LIMIT

REPORT 21

MAINTENANCE DUE LIST
WITH REMARKS

Registration No. : VH-EXU A/F
 A/C Type/ ASSY No. : SIKORSKY S76C
 Serial No. : 760432 ATA --
 ASSY Keyword/Desc :

HOURS 14924.3
 LANDINGS 82871.0
 CURRENT PROJECTION
 500.0
 1500.0
 DD-MMM-YYYY
 FROM: 27-APR-2017
 TO : 27-APR-2019
 Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
76101-05501-042 A245-00326	B	INSPECT	TAIL ROTOR SPAR 65-21-00 PAR4A			15237.2H	65
S76-J		PERFORM	100 HOUR "J" CHECK		IAW ESSO CHECK SHEET	15299.8H	05
76351-09600-044 A231-00200 ***** ALSO DUE AT : 03-OCT-17	A	CLEAN/INSP	CHIP DETECTOR WARNING SYSTEM			15322.9H	66
76104-08500-043 B145	B	LUBRICATE	SWASHPLATE			15337.2H	65
S76-K		PERFORM	100 HOUR "K" CHECK		DUAL CAT. CERT REQ'D	15397.9H	05
S76-500H-02		INSPECT/REPLACE	#2 HYDRAULIC SYSTEM FILTER			15400.6H	05
S76-500H-03		INSPECT/REPLACE	#1 HYDRAULIC SYSTEM FILTER			15400.6H	05
RG-380E/44 40675900 ***** ALSO DUE AT : 18-JAN-17	A	CAPACITY TEST	MAIN BATTERY		FIRST FIT 18 JAN 16	15405.9H	24
***** 76150-09100-053 AD/S-76/16 COMP.MTHD: S76 ASB 76-65-18C	2	A086-02126 MANDATORY	ASSEMBLY MAIN ROTOR BLADE MAIN ROTOR BLADE ROOT END INSP FOR FATIGUE CRACKING			15415.8H	98
2070A100 T-5494	A	DISASSEMBLE NLG	INSPECT, RESEAL AND SERVICE		CHANGE S/STRUT FLUID	03-MAY-16	32
2071A100 T5719	A	DISASSMBLE MLG	INSPECT, RESEAL AND SERVICE	L/H	18 MONTH INSP	03-MAY-16	32
2071A100 T5726	A	DISASSMBLE MLG	INSPECT, RESEAL AND SERVICE	R/H	CHANGE S/STRUT FLUID	03-MAY-16	32
2071A175-01 B105	A	DISASSEMBLE,	DRAG BRACE & INSP. FOR COND.	L/H		03-MAY-16	32
2071A175-02 B108	A	DISASSEMBLE,	DRAG BRACE & INSP. FOR COND.	R/H		03-MAY-16	32

- REORDER MAY BE REQUIRED

OH = OVERHAUL

LL = LIFE LIMIT

REPORT 21

MAINTENANCE DUE LIST
WITH REMARKS

Registration No. : VH-EXU A/F
 A/C Type/ ASSY No. : SIKORSKY S76C
 Serial No. : 760432 ATA --
 ASSY Keyword/Desc :

CURRENT PROJECTION DD-MMM-YYYY
 14924.3 500.0 FROM: 27-APR-2017
 HOURS LANDINGS 82871.0 1500.0 TO : 27-APR-2019
 Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F WO TRN
S76-18M-01		CRACK CHECK	REMOVE TOP & BOTTOM SWIVEL EXPLOSIVE LINK			22-DEC-16 05
76358-05600-042 A239-00199	A	INSP. TGB CHIP	DETECTOR/TEMPERATURE SENSOR			30-DEC-16 66
76358-05600-042 A239-00199	B	CHANGE	TAIL GEARBOX OIL			30-DEC-16 66
A03		REISSUE	MAINTENANCE RELEASE			01-JAN-17 05
***** ALSO DUE AT : 15001.7H						
76251-00702-043 AA13207	A	MLG DOOR LINK	REMOVE ROD END & INSP. THREADS R/H			12-JAN-17 32
76251-00702-043 AA13252	A	MLG DOOR LINK	REMOVE ROD END & INSP. THREADS L/H			12-JAN-17 32
RG-380E/44 40675900	A	CAPACITY TEST	MAIN BATTERY		FIRST FIT 18 JAN 16	18-JAN-17 24
***** ALSO DUE AT : 15405.9H						
*****	HEELS		HEELS	HELI EMERGENCY EGRESS LIGHTING	*****	
8162-2B 012606	LL	BATTERY	HEELS - BATTERY PACK	EXP DATE JAN-2017 L/H PAX		31-JAN-17 33
*****	HEELS		HEELS	HELI EMERGENCY EGRESS LIGHTING	*****	
8162-2B 012607	#	LL	BATTERY	HEELS - BATTERY PACK SLIDING DO	EXP DATE JAN-2017	31-JAN-17 33
*****	HEELS		HEELS	HELI EMERGENCY EGRESS LIGHTING	*****	
8162-2B 012613	#	LL	BATTERY	HEELS - BATTERY PACK PILOT DOOR	EXP DATE JAN-2017	31-JAN-17 33
40-412 1370	OH	WHEEL	MAIN WHEEL ASSEMBLY	R/H		22-FEB-17 32
S76-100H/12M		PERFORM	LOW TAIL ROTOR BALANCE CH18-10 CH05 -00			23-FEB-17 05
***** ALSO DUE AT : 15000.6H						
453-0407 0241001	B	TEST ELT	TRANSMITTER			28-FEB-17 25

- REORDER MAY BE REQUIRED

OH = OVERHAUL LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. :	VH-EXU	A/F		CURRENT	PROJECTION	DD-MMM-YYYY
A/C Type/ ASSY No. :	SIKORSKY S76C			14924.3	500.0	FROM: 27-APR-2017
Serial No. :	760432	ATA --		82871.0	1500.0	TO : 27-APR-2019
ASSY Keyword/Desc :						

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F WO TRN
S76-36M-09		CAL CHECK	#1 ENGINE TORQUE INDIC SYSTEM		IIDS DATA PACKAGE	10-MAR-17 05
S76-36M-01		REWEIGH	AIRCRAFT			21-MAR-17 05
76102-08000-061 G134-00402 ***** ALSO DUE AT : 14948.7H	A	DISASSEMBLE AND INSPECT MAIN ROTOR SPINDLE		BLUE		30-MAR-17 65
76102-08000-061 G134-00455 ***** ALSO DUE AT : 14948.7H	A	DISASSEMBLE AND INSPECT MAIN ROTOR SPINDLE		YELLOW		30-MAR-17 65
76102-08000-061 G134-00490 ***** ALSO DUE AT : 14948.7H	A	DISASSEMBLE AND INSPECT MAIN ROTOR SPINDLE		BLACK		30-MAR-17 65
76102-08000-061 G134-00523 ***** ALSO DUE AT : 14948.7H	A	DISASSEMBLE AND INSPECT MAIN ROTOR SPINDLE		RED		30-MAR-17 65
S76-6M-01		REMOVE & LUBE	BUTTERFLY COWL HINGE PINS			03-APR-17 05
40-413 1191	# OH	WHEEL	NOSE WHEEL ASSEMBLY			05-APR-17 32
DK120 SD08704	A	TEST	ACOUSTIC BEACON		EXPIRY DEC 2018	05-APR-17 25
S76-60M-09		REPLACE	OIL COOLER RIGHT AFT ELBOW DUC T P/N 0401272820			14-APR-17 05
S76-36M-05		LEAK TEST	S.S. FUEL SYSTEM SUPPLY LINES		IAW MM CH. 28-20-02	20-APR-17 05
61-0478-9 B192	A	DEEP CYCLE	EMERG LIGHT BATTERY			27-APR-17 24
898052 Y-609850	A	REWEIGH/INSPECT	CABIN FIRE EXTINGUISHER	FLOOR		04-MAY-17 26
76306-07901-101 17077EJ	A	REWEIGH	ENGINE FIRE EXTINGUISHER	#1	LAST = 2.31KGS	27-MAY-17 26

- REORDER MAY BE REQUIRED

OH = OVERHAUL LL = LIFE LIMIT

REPORT 21

MAINTENANCE DUE LIST
WITH REMARKS

Registration No. : VH-EXU A/F
 A/C Type/ ASSY No. : SIKORSKY S76C
 Serial No. : 760432 ATA --
 ASSY Keyword/Desc :

CURRENT PROJECTION DD-MMM-YYYY
 14924.3 500.0 FROM: 27-APR-2017
 HOURS LANDINGS 82871.0 1500.0 TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F WO TRN
76306-07901-101 81235EK	A	REWEIGH	ENGINE FIRE EXTINGUISHER	#2	LAST = 2.27KG	27-MAY-17 26
76251-01101-104 1264	A	INSPECT	PRESSURE TEST FLOAT BAG	L/H	MM CHAP 5.20.00	28-MAY-17 32
76251-01101-105 1967	A	INSPECT	PRESSURE TEST FLOAT BAG	R/H		28-MAY-17 32
76251-01102-101 1477	A	INSPECT	PRESSURE TEST FLOAT BAG	32-70-02 L/H AFT	DOM 3/94	28-MAY-17 32
76251-01102-110 2180	A	INSPECT	PRESSURE TEST FLOAT BAG	32-70-02 R/H AFT	DOM FEB 2003	28-MAY-17 32
***** AD/S-76/66 PT. 4 COMP.MTHD: ASB76-32-26A	2071-235	BFG0580BIC MANDATORY	ROD END MLG POSITIONING ROD ASSEMBLY INSPECTION OF	POSITIONING ROD	IAW ASB76-32-26A	***** 28-MAY-17 98
***** AD/S-76/66 PT. 4 COMP.MTHD: ASB76-32-26A	2071-235	BFG0691BIC MANDATORY	ROD END MLG POSITIONING ROD ASSEMBLY INSPECTION OF	POSITIONING ROD	IAW ASB76-32-26A	***** 28-MAY-17 98
***** AD/S-76/66 PT. 4 COMP.MTHD: IAW ASB76-32-26A	2071-31	CPT1085AT MANDATORY	ROD ASSY MLG POSITIONING ROD ASSEMBLY INSPECTION OF	POSITIONING		***** 28-MAY-17 98
***** AD/S-76/66 PT. 4 COMP.MTHD: IAW ASB76-32-26A	2071-31	CPT1087AT MANDATORY	ROD ASSY MLG POSITIONING ROD ASSEMBLY INSPECTION OF	POSITIONING		***** 28-MAY-17 98
***** HIPSIEWB22-10H-34 B222	2071-31 A	CPT1087AT INSPECTION	ROD ASSY BOLT FOR CORROSION	POSITIONING		***** 28-MAY-17 32
***** HIPSIEWB22-10H-34 B223	2071-31 A	CPT1085AT INSPECTION	ROD ASSY BOLT FOR CORROSION	POSITIONING		***** 28-MAY-17 32
S76-12M-03		REPLACE	PLTS WINDSHIELD WIPER RUBBER	PLT	P/N 55-1110-1	28-MAY-17 05
S76-12M-04		REPLACE	CPLTS WINDSHIELD WIPER RUBBER	CPLT	P/N 55-1110-1	28-MAY-17 05

- REORDER MAY BE REQUIRED

OH = OVERHAUL LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. :	VH-EXU	A/F		CURRENT	PROJECTION	DD-MMM-YYYY
A/C Type/ ASSY No. :	SIKORSKY S76C			14924.3	500.0	FROM: 27-APR-2017
Serial No. :	760432	ATA --		HOURS		
				LANDINGS	82871.0	1500.0
ASSY Keyword/Desc :						TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
76250-02502-041 B163	A	INTERCONN. TUBE	REMOVE & INSPECT ROD ENDS		IAW ASB76-32-26A	04-JUN-17	32
S76-24M-05		PREFORM	INSPECT/TEXT PITOT/STATIC SYST EM IAW CAO 100.5			06-JUN-17	05
S76-24M-02		REMOVE	WINDSCREEN WIPER CONVERTERS & FLEX DRIVES, CLEAN, LUB RICATE AND RE-INSTALL.			08-JUN-17	05
501-1712-01 1243	A	CAPACITY TEST	POWER JET MODEL PS-855A			09-JUN-17	34
S76-6M		VISUALLY INSP.	EXTERNAL LIFERAFT SYSTEM		IAW ASI500-01/-02 MM	12-JUN-17	05
76650-01801-103 1200	A	CARRY OUT	PROOF PRESS TEST BLOWDOWN BTL		DOM 2Q04	18-JUN-17	32
***** 2881.64 BATTERY 90666	2881.64	LL BATTERY	90666 BEACON 406 RESQLINK MKZ GPS PLB-375	406 RESQLINK MKZ	GPS PLB-375 FIRST FIT 23-JUN-12	***** 23-JUN-17	25
***** 2881.64 BATTERY 90667	2881.64	LL BATTERY	90667 BEACON 406 RESQLINK MKZ GPS PLB-375	406 RESQLINK MKZ	GPS PLB-375 FIRST FIT 23-JUN-12	***** 23-JUN-17	25
40-412 1416	OH	WHEEL	MAIN WHEEL ASSEMBLY	L/H		29-JUN-17	32
S76-24M-03		INSPECT	MAIN LANDING GEAR DOOR HINGES & SWIVEL FITTING FOR CORROS ION DAMAGE & SECURITY			30-JUN-17	05
0401277050 134S0	A	INSPECT	TRIPOD			01-JUL-17	51
0401277060 B185	A	INSPECT	TRIPOD			01-JUL-17	71
0401277070 B337	A	INSPECT	BIPOD STRUT			01-JUL-17	71
0401277080 112S0	A	INSPECT	BIPOD STRUT			01-JUL-17	72

- REORDER MAY BE REQUIRED

OH = OVERHAUL

LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. : VH-EXU A/F
 A/C Type/ ASSY No. : SIKORSKY S76C
 Serial No. : 760432 ATA --
 ASSY Keyword/Desc :
 HOURS 14924.3
 LANDINGS 82871.0
 CURRENT PROJECTION
 500.0
 1500.0
 DD-MMM-YYYY
 FROM: 27-APR-2017
 TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
0401277090 146S0	A	INSPECT	DRAG STRUT			01-JUL-17	72
0401277090 A/N 625S0	A	INSPECT	DRAG STRUT			01-JUL-17	72
S76-3000H/48M-01		INSPECT	#1 ENG SUPPORTS/DECK LUGS		IAW M.M. CH. 5-20-00	01-JUL-17	05
S76-3000H/48M-02		INSPECT	#2 ENG SUPPORTS/DECK LUGS		IAW M.M. CH. 5-20-00	01-JUL-17	05
S76-12M-05		TEST	HONEYWELL SPZ-7600 IFCS SYSTEM		CH. 22-15-02	12-JUL-17	05
453-0407 0241001	C	PERIOD MAINT.	ELT TRANSM. IAW PARTS 1 TO 4		IAW MFG OPERAT. MAN.	15-JUL-17	25
S76-12M-09		INSPECT	AIRCRAFT FIRST AID KITS REPLACE EX PIRED & DAMAGED/WORN ITEMS			26-JUL-17	05
10420-11968E 151607	A	TEST ENCODING	ALTIMETER IAW FAR PT43 APPDX E			27-AUG-17	34
101720-11810 152295	A	INSP/TEST	ALTIMETER IAW FAR PT43 APPDX E CPLT		LAST CAL 02/03/2011	09-SEP-17	34
76351-09600-044 A231-00200 *****	A	CLEAN/INSP	CHIP DETECTOR WARNING SYSTEM			03-OCT-17	66
ALSO DUE AT : 15322.9H							
76351-09600-044 A231-00200	B	CHANGE	MAIN GEARBOX OIL			03-OCT-17	66
76351-09600-044 A231-00200	C	CHANGE	MGB FILTER & INSPECT STUDS			03-OCT-17	66
76357-05600-041 A242-00269	A	INSP. IGB	CHIP DETECTOR/TEMPERATURE SENSOR			03-OCT-17	66
76357-05600-041 A242-00269	B	CHANGE	INTERMEDIATE GEARBOX OIL			03-OCT-17	66
76550-09005-110 94002	A	LUBRICATE	AC GENERATOR DRIVE SPLINES			04-OCT-17	24

- REORDER MAY BE REQUIRED

OH = OVERHAUL

LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. :	VH-EXU	A/F					
A/C Type/ ASSY No. :	SIKORSKY S76C						
Serial No. :	760432	ATA --					
ASSY Keyword/Desc :							

	HOURS	CURRENT	PROJECTION	DD-MMM-YYYY
	LANDINGS	14924.3	500.0	FROM: 27-APR-2017
		82871.0	1500.0	TO : 27-APR-2019

Excluded from this Report : DEFECTS

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
898052 Y-76646	A	REWEIGH/INSPECT	CABIN FIRE EXTINGUISHER	26-22-00 COCKPIT	LAST = 1.66KG	05-OCT-17	26
AD/GEN/37 COMP.MTHD:	10	MANDATORY	EMERGENCY EXITS OPERATION CHECK			05-OCT-17	98
S76-12M-02		PERFORM	ANNUAL INSPECTION		IAW ESSO CHECK SHEET	05-OCT-17	05
F-10R-MK1 1173	OH	LIFERAFT	10 MAN		CERT. DATE 15 JUN 12	28-OCT-17	25
F-10R-MK1 352	OH	LIFERAFT	10 MAN		CERT. DATE 15 JUN 12	28-OCT-17	25
*****	HEELS	EXU	HEELS	HELI EMERGENCY	EGRESS LIGHTING	*****	
8162-2B 013226	#	LL BATTERY	HEELS - BATTERY PACK	CO-PILOT D	EXP DATE 30 APR 19	06-NOV-17	33
S76-300H/12M-01		INSPECT/TEST	HEEL'S COMPONENTS/SYSTEM IAW L SI DOC #IC00565			12-DEC-17	05
*****	ALSO DUE AT : 15223.8H						
AD/S-76/62. COMP.MTHD: IAW ASB76-55-16		MANDATORY	TAIL GEARBOX FORWARD FAIRING TO PYLON ATTACHMENT ANGLE		IAW ASB76-55-16A	30-DEC-17	98
76209-24004-049 B317-00159	A	REPLACE	STAB SUPP. BOLTS NAS626-30 X 4 55-10-00			02-FEB-18	55
S6145-61445-001 343647	A	INSPECT/TEST	VERTICAL SPEED INDICATOR	PLT	IAW MFG TEST DATA	06-FEB-18	34
76306-07901-101 17077EJ	OH	BOTTLE	ENGINE FIRE EXTINGUISHER	#1	HYD. TEST DATE 02/00	20-MAR-18	26
S76-36M-19		CARRY OUT	COMPASS SWING			15-APR-18	05
0401277930 61S0	A	INSPECT	AFT STRUT	#1		19-APR-18	72
S76-24M-04A		INSPECT	PILOT YAW PEDALS - REMOVE AND DISASSEMBLE			27-MAY-18	05
S76-24M-04B		INSPECT	CO PILOT YAW PEDALS - REMOVE A ND DISASSEMBLE			27-MAY-18	05

- REORDER MAY BE REQUIRED

OH = OVERHAUL LL = LIFE LIMIT

REPORT 21

MAINTENANCE DUE LIST
WITH REMARKS

Registration No. :	VH-EXU	A/F				CURRENT	PROJECTION	DD-MMM-YYYY
A/C Type/ ASSY No. :	SIKORSKY S76C				HOURS	14924.3	500.0	FROM: 27-APR-2017
Serial No. :	760432	ATA --			LANDINGS	82871.0	1500.0	TO : 27-APR-2019
ASSY Keyword/Desc :								

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
S76-24M-01		REMOVE	PLUMBING FROM KEEL BEAM, INSPE CT FOR CORROSION ANDTREAT WITH CORROSION INHIBITOR			28-MAY-18	05
76000-24000-041 A320-00050	A	REMOVE TAILCONE	HEAT SHIELD FOR CORROSION CHCK		IAW MM CH.5-20-00	29-MAY-18	53
***** 6958-8 000593	HEELS A	EXU CAPACITY TEST	HEELS HEELS POWER SUPPLY	HELI EMERGENCY	EGRESS LIGHTING DOM 03/19/07	***** 30-MAY-18	33
***** 6958-8 000594	HEELS A	EXU CAPACITY TEST	HEELS HEELS POWER SUPPLY	HELI EMERGENCY	EGRESS LIGHTING DOM 03/19/07	***** 30-MAY-18	33
***** 897776-01 26586	76306-07901-101 LL	SQUIB	17077EJ ENGINE FIRE BOTTLE	BOTTLE ENGINE FIRE EXTINGUISHER		***** 31-MAY-18	26
20020-11293 251355	A	CALIBRATION	AIRSPEED INDICATOR	39-10-01 PLTS		10-JUN-18	39
S76-36M-21		REMOVE & INSPEC	ESCAPE WINDOWS - L/H CABIN & A FT CABIN AS PER 5-2 0-00			10-JUN-18	05
S76-3000H/60M-01		REPLACE	TAIL CONE ATTACHMENT BOLTS			17-JUN-18	05
20020-11293 259044	A	CALIBRATION	AIRSPEED INDICATOR	COPILLOT	IAW MFG TEST DATE	14-AUG-18	39
***** M/R BLADE 3Y A086-02040	76150-09100-053 OH	BLADE	A086-02040 TRK IN STORE POST 11750 TSN	ASSEMBLY MAIN ROTOR BLADE		***** 25-AUG-18	65
***** M/R BLADE 3Y A086-02042	76150-09100-053 OH	BLADE	A086-02042 TRK IN STORE POST 11750 TSN	ASSEMBLY MAIN ROTOR BLADE		***** 25-AUG-18	65
***** M/R BLADE 3Y A086-02043	76150-09100-053 OH	BLADE	A086-02043 TRK IN STORE POST 11750 TSN	ASSEMBLY MAIN ROTOR BLADE		***** 25-AUG-18	65
S76-36M-10		CAL CHECK	#2 ENGINE TORQUE INDIC SYSTEM		IIDS DATA PACKAGE	30-AUG-18	05

- REORDER MAY BE REQUIRED

OH = OVERHAUL LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. :	VH-EXU	A/F					
A/C Type/ ASSY No. :	SIKORSKY S76C						
Serial No. :	760432	ATA --					
ASSY Keyword/Desc :							

	HOURS	CURRENT	PROJECTION	DD-MMM-YYYY
	14924.3	500.0		FROM: 27-APR-2017
	LANDINGS	82871.0	1500.0	TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F WO TRN
S76-1000H/36M		REPLACE	T/R CABLE SET & TURNBARRELS 2		CAMERON	02-SEP-18 05
S76-B		PERFORM	100 HOUR "B" CHECK			02-SEP-18 05
S76-C		PERFORM	100 HOUR "C" CHECK			10-OCT-18 05
S6145-61445-001 343640	A	INSPECT/TEST	VERTICAL SPEED INDICATOR	CPLT	IAW MFG TEST DATA	23-OCT-18 34
76104-08500-043 B145	A	CARRY OUT	SWASHPLATE 3 YEAR INSPECTION		MM CHAP 5.20.00	28-OCT-18 65
***** S76-3000H/36M	76107-08001-104	D173-00046 INSPECT	ARM SUPPORT BIFILAR ATTACHMENT LUGS FOR CRACKS			***** 29-OCT-18 05
76107-08100-043 A173-00549	A	CARRY OUT	BIFILAR 3YR BOLT INSP 65-12-00			31-OCT-18 65
76104-08500-043 B145	C	CHECK	CURRENCY OF S76-36M 05 INSP.			01-NOV-18 65
S76-36M		PERFORM 36 MTH	INSP. (NOTE - CHECK WHEN S/ PLATE INSP ARE DUE)		IAW ESSO CHECK SHEET	01-NOV-18 05
AD/RAD/47 COMP.MTHD:	4	MANDATORY	PERIODIC TESTING OF ATC TRANSPONDERS		IAW FAR PART 91-413	20-DEC-18 98
CAO 100.5 CLAUSE 3 COMP.MTHD:	ORIGINAL	MANDATORY	ATC TRANSPONDER SYSTEM WITH ACTIVE MODE "C" TEST			20-DEC-18 98
***** 810-2007K SD08704	DK120	LL BATTERY	SD08704 BEACON SONIC LOCATOR BATTERY	SONIC LOCATOR		***** 31-DEC-18 25
S76-D		PERFORM	100 HOUR "D" CHECK			01-JAN-19 05
S76-60M-07		REPLACE	NO 1 ENG BAY FLEX HOSES			20-JAN-19 05
S76-60M-08		REPLACE	NO 2 ENG BAY FLEX HOSES			12-FEB-19 05

- REORDER MAY BE REQUIRED

OH = OVERHAUL LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. : VH-EXU A/F
 A/C Type/ ASSY No. : SIKORSKY S76C
 Serial No. : 760432 ATA --
 ASSY Keyword/Desc :

HOURS 14924.3
 LANDINGS 82871.0

CURRENT PROJECTION
 14924.3 500.0
 82871.0 1500.0

DD-MMM-YYYY
 FROM: 27-APR-2017
 TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
76251-00702-043 AA13207	LL	LINK	M.L.G. DOOR EXPLOSIVE	R/H	1Q09	31-MAR-19	32
76251-00702-043 AA13252	# LL	LINK	M.L.G. DOOR EXPLOSIVE	L/H		31-MAR-19	32
S76-36M-20		CARRY OUT	TEST REMOTE CONTROL CIRCUIT BR EAKER			14-APR-19	05
S76-36M-16		CAL CHECK	GAS PRODUCER TACHOMETER SYSTEM		TEST SCHED #S76C-1	16-APR-19	05
S76-36M-17		CAL CHECK	TRIPLE TACHOMETER SYSTEM		TEST SCHED. #S76C-2	16-APR-19	05
S76-36M-18		CAL CHECK	IIDS OAT SYSTEM		TEST SCHED. #S76C-3	16-APR-19	05
S76-36M-11		CAL CHECK	MAIN G/BOX OIL TEMP/PRESS SYST		TEST SCHED. #S76C-7	17-APR-19	05

REPORT 21

M A I N T E N A N C E D U E L I S T
REORDER SCHEDULE

Registration No. : VH-EXU A/F
A/C Type/ ASSY No. : SIKORSKY S76C
Serial No. : 760432 ATA --
ASSY Keyword/Desc :

HOURS 14924.3
LANDINGS 82871.0

CURRENT PROJECTION
500.0
1500.0

DD-MMM-YYYY
FROM: 27-APR-2017
TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART	KEYWORD	DESCRIPTION	VENDOR(S)			QUANTITY TO ORDER
			1	2	3	
40-413	WHEEL	NOSE WHEEL ASSEMBLY	08	08	410	1
76251-00702-043	LINK	M.L.G. DOOR EXPLOSIVE	08	08	4444	1

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. : VH-EXU ENG 1
 A/C Type/ ASSY No. : 0292001600
 Serial No. : 15140 ATA --
 ASSY Keyword/Desc : ENGINE ARRIEL 1S1

CURRENT PROJECTION DD-MMM-YYYY
 HOURS 11054.0 500.0 FROM: 27-APR-2017
 CYCLES 2679.2 1500.0 TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
*****	70BM037370	15061	GENERATOR GAS			*****	
1S1-25-01		INSPECTION	VISUALLY INSPECT FREE TURBINE BLADES			11077.2H 14947.5H	05
1S1-30		INSPECT	ENGINE MAGNETIC PLUGS			11077.2H 14947.5H	05
1S1-750		LUBRICATE	POWER OUTPUT FLANGE SPLINE			11079.1H 14949.4H	05
1S1-100-01		LEAK CHECK	DECELERATION CONTROL UNIT			11079.9H 14950.2H	05
1S1-100-03		CHECK	BLEED VALVE OPERATING THRESHOL D			11079.9H 14950.2H	05
0164850970 A543B	B	CARRY OUT	CHARACTERISTICS FCU POST TU183			11100.8H 14971.1H	73
1S1-450-01		INSPECT & CLEAN	GAS GEN. REAR BEARING OIL STRA INER			11129.5H 14999.8H	05
1S1-450-02		PERFORM	CLOGGING CHECK OF REAR BEARING			11129.5H 14999.8H	05
1S1-150-02		PERFORM	ENGINE 150 HOUR INSPECTION			11129.9H 15000.2H	05
1S1-100-02		COLLECT	ENGINE OIL SAMPLE			11130.3H 15000.6H	05
1S1-300-03		PERFORM	REAR POINT VIBRATION CHECK IAW ARRIEL M.M. CHAP. 71-02-10-760-802-A01 PAGE 1308		LAST 8MM/S	11130.3H 15000.6H	05
*****	70BM037370	15061	GENERATOR GAS			*****	
029225A2S0 25176	A	TRACKING	2ND STAGE TURBINE BLADE			11136.2H 15006.5H	72
70BM037370 15061	A	INSPECT	T1 BLADES + COMBUSTION CHAMBER			11166.9H 15037.2H	72
1S1-500H/24M		CHANGE	ENGINE OIL			11179.5H 15049.8H	05

***** ALSO DUE AT : 19-AUG-17

- REORDER MAY BE REQUIRED

OH = OVERHAUL

LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. : VH-EXU ENG 1
 A/C Type/ ASSY No. : 0292001600
 Serial No. : 15140 ATA --
 ASSY Keyword/Desc : ENGINE ARRIEL 1S1

CURRENT PROJECTION DD-MMM-YYYY
 HOURS 11054.0 500.0 FROM: 27-APR-2017
 CYCLES 2679.2 1500.0 TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
*****	0164850970	A543B	UNIT FUEL CONTROL			*****	
1S1-600		CLEAN & INSPECT	P2 CHAMBER OF THE ACCELERATION CONTROLLER CHECK MOD STATUS			11250.8H 15121.1H	05
1S1-750-01		PERFORM	ENGINE 750 HOUR INSPECTION			11279.7H 15150.0H	05
1S1-750-04		REPLACE	ENGINE OIL FILTER P/N 95601581 80			11279.7H 15150.0H	05
1S1-750-05		CHECK & CLEAN	BLEED VALVE P2 FILTER			11279.7H 15150.0H	05
1S1-750-06		INSPECT	IAW TASK 73-16-20-750-801-A01 CHECK CORRECT OPERATION OF DRAIN & OVERSPEED VALVE			11279.7H 15150.0H	05
1S1-300-02		PERFORM	ENGINE 300 HOUR PERIODIC INSP IAW ESSO CHECK SHEET			11279.9H 15150.2H	05
1S1-450-03		RECORD	ENGINE OIL FLOW RESULT			11317.9H 15188.2H	05
0164850970 A543B	OH	UNIT	FUEL CONTROL			11394.8H 15265.1H	73
1S1-500H/24M		CHANGE	ENGINE OIL			19-AUG-17	05
*****	ALSO DUE AT : 11179.5H						
0174128170 558	OH	VALVE	DRAIN			21-OCT-18	72

- REORDER MAY BE REQUIRED

OH = OVERHAUL

LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. : VH-EXU ENG 2
 A/C Type/ ASSY No. : 0292001600
 Serial No. : 15587TEC ATA --
 ASSY Keyword/Desc : ENGINE ARRIEL 1S1

CURRENT PROJECTION DD-MMM-YYYY
 HOURS 3102.7 500.0 FROM: 27-APR-2017
 CYCLES 272.9 1500.0 TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
*****	70BM037370	15587	GENERATOR GAS			*****	
1S1-25-01		INSPECTION	VISUALLY INSPECT FREE TURBINE BLADES			3125.9H 14947.5H	05
1S1-30		INSPECT	ENGINE MAGNETIC PLUGS			3125.9H 14947.5H	05
1S1-100-01		LEAK CHECK	DECELERATION CONTROL UNIT			3179.0H 15000.6H	05
1S1-100-02		COLLECT	ENGINE OIL SAMPLE			3179.0H 15000.6H	05
1S1-100-03		CHECK	BLEED VALVE OPERATING THRESHOL D			3179.0H 15000.6H	05
1S1-300-03		PERFORM	REAR POINT VIBRATION CHECK IAW ARRIEL M.M. CHAP. 71-02-10-760-802-A01 PAGE 1308			3179.0H 15000.6H	05
1S1-300-02		PERFORM	ENGINE 300 HOUR PERIODIC INSP IAW ESSO CHECK SHEET			3215.6H 15037.2H	05
70BM037370 15587	A	INSPECT	T1 BLADES + COMBUSTION CHAMBER			3215.6H 15037.2H	72
1S1-150-02		PERFORM	ENGINE 150 HOUR INSPECTION			3229.0H 15050.6H	05
0164540160 B683B	B	CARRY OUT	CHARACTERISTICS FCU POST TU183		POST TU183	3289.0H 15110.6H	73
1S1-450-01		INSPECT & CLEAN	GAS GEN. REAR BEARING OIL STRA INER			3365.6H 15187.2H	05
1S1-450-02		PERFORM	CLOGGING CHECK OF REAR BEARING			3365.6H 15187.2H	05
1S1-450-03		RECORD	ENGINE OIL FLOW RESULT			3366.6H 15188.2H	05
1S1-500H/24M		CHANGE	ENGINE OIL			3484.3H 15305.9H	05

***** ALSO DUE AT : 14-JAN-18

- REORDER MAY BE REQUIRED

OH = OVERHAUL

LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. : VH-EXU ENG 2
 A/C Type/ ASSY No. : 0292001600 HOURS 3102.7 500.0 FROM: 27-APR-2017
 Serial No. : 15587TEC ATA -- CYCLES 272.9 1500.0 TO : 27-APR-2019
 ASSY Keyword/Desc : ENGINE ARRIEL 1S1

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
***** 1S1-600	0164540160	B683B CLEAN & INSPECT	UNIT P2 CHAMBER OF THE ACCELERATION CONTROLLER CHECK MOD STATUS	FUEL CONTROL		***** 3577.6H 05 15399.2H	
1S1-500H/24M		CHANGE	ENGINE OIL			14-JAN-18 05	
***** ALSO DUE AT : 3484.3H							