

REPORT 21

M A I N T E N A N C E D U E L I S T

WITH REMARKS

Registration No. : VH-EXX A/F

A/C Type/ ASSY No. : SIKORSKY S76C

Serial No. : 760435 ATA --

ASSY Keyword/Desc :

HOURS 16476.8

LANDINGS 91157.0

CURRENT PROJECTION

500.0

1500.0

DD-MMM-YYYY

FROM: 27-APR-2017

TO : 27-APR-2019

Open DEFECTS:

Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
S76-25H-01		INSPECT	TAIL ROTOR SPAR IAW MM CH 5-20-00			16494.5H	05
S76-25H-02		INSPECT	M/R BLADE SPINDLE CUFF IAW CH 5-20-00			16494.5H	05
S76-50H		PERFORM	50 HOUR INSPECTION		IAW ESSO CHECK SHEET	16495.2H	05
S76-50H-01		PERFORM	CHECK OF AHRS COOLING FAN OPERATION			16495.2H	05
S76-300H/12M-01		INSPECT/TEST	HEEL'S COMPONENTS/SYSTEM IAW L SI DOC #IC00565			16498.7H	05
***** ALSO DUE AT : 19-AUG-17							
S76-100H		PERFORM	100 HOUR INSPECTION		IAW ESSO CHECK SHEET	16499.0H	05
S76-100H/12M		PERFORM	LOW TAIL ROTOR BALANCE CH18-10 CH05-00			16499.0H	05
***** ALSO DUE AT : 31-DEC-17							
S76-200H		PERFORM	200 HOUR INSPECTION		IAW ESSO CHECK SHEET	16499.1H	05
S76-200H-01		INSPECTION	INSPECT ENGINE FLAME DETECTOR FOR CORROSION / CLEANLINESS			16499.1H	05
S76-F		PERFORM	100 HOUR "F" CHECK		DUAL CAT. CERT REQ'D	16499.8H	05
76101-05501-042 A245-00296	B	INSPECT	TAIL ROTOR SPAR 65-21-00 PAR4A			16500.4H	65
76101-05501-042 A245-00296	A	PERFORM	1500 HOUR TAIL ROTOR INSPECTION		IAW S76 M.M.	16500.9H	65
A03		REISSUE	MAINTENANCE RELEASE			16501.6H	05
***** ALSO DUE AT : 29-OCT-17							
76351-09600-044 A231-00251	D	COLLECT	MAIN GEARBOX OIL SAMPLE			16545.2H	66

- REORDER MAY BE REQUIRED

OH = OVERHAUL LL = LIFE LIMIT

REPORT 21

MAINTENANCE DUE LIST
WITH REMARKS

Registration No. : VH-EXX A/F
 A/C Type/ ASSY No. : SIKORSKY S76C
 Serial No. : 760435 ATA --
 ASSY Keyword/Desc :

CURRENT PROJECTION DD-MMM-YYYY
 16476.8 500.0 FROM: 27-APR-2017
 91157.0 1500.0 TO : 27-APR-2019
 HOURS LANDINGS
 Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
76550-09006-107 2839	OH	GENERATOR	DC STARTER	#2	OVERHAUL	16592.1H	24
S76-G		PERFORM	100 HOUR "G" CHECK		DUAL CAT. CERT REQ'D	16599.4H	05
76104-08500-043 B335	B	LUBRICATE	SWASHPLATE			16650.7H	65
76650-09808-102 190164	B	INSPECT & LUBE	HYDRAULIC PUMP INTERNAL SPLINE	R/H	LONG SHAFT 15/2/98	16650.7H	29
76102-08000-061 G134-01160 *****	A	DISASSEMBLE AND INSPECT MAIN ROTOR SPINDLE		BLUE		16697.8H	65
ALSO DUE AT : 09-AUG-18							
76102-08000-061 G134-01236 *****	A	DISASSEMBLE AND INSPECT MAIN ROTOR SPINDLE		RED		16697.8H	65
ALSO DUE AT : 09-AUG-18							
76102-08000-061 G134-01243 *****	A	DISASSEMBLE AND INSPECT MAIN ROTOR SPINDLE		YELLOW		16697.8H	65
ALSO DUE AT : 03-AUG-18							
76102-08000-061 G134-02307 *****	A	DISASSEMBLE AND INSPECT MAIN ROTOR SPINDLE		BLACK		16697.8H	65
ALSO DUE AT : 03-AUG-18							
***** SB5206-202 B199-27415	76102-08000-061 LL	BEARING	G134-02307 OUTER RACE	ASSEMBLY SPINDLE		***** 16697.8H	65
BLACK							
***** SB5206-202 B199-27416	76102-08000-061 LL	BEARING	G134-01243 OUTER RACE	ASSEMBLY SPINDLE		***** 16697.8H	65
***** SB5206-202 B199-27475	76102-08000-061 LL	BEARING	G134-01236 OUTER RACE	ASSEMBLY SPINDLE		***** 16697.8H	65
***** SB5206-202 B199-27478	76102-08000-061 LL	BEARING	G134-01160 OUTER RACE	ASSEMBLY SPINDLE		***** 16697.8H	65
E017419.001 COMP.MTHD:	1	MANDATORY	FUSELAGE SKIN PATCH REPAIR INSPECTION			16699.0H	98

- REORDER MAY BE REQUIRED

OH = OVERHAUL LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. : VH-EXX A/F
 A/C Type/ ASSY No. : SIKORSKY S76C
 Serial No. : 760435 ATA --
 ASSY Keyword/Desc :

CURRENT PROJECTION DD-MMM-YYYY
 HOURS 16476.8 500.0 FROM: 27-APR-2017
 LANDINGS 91157.0 1500.0 TO : 27-APR-2019
 Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
***** MONITORING ADHOC MGB	76351-09600-044	A231-00251 PERFORM	GEARBOX MAIN 300 HR RECURRING INSP IAW ASB7 6-66-54			***** 16699.0H	05
S76-H		PERFORM	100 HOUR "H" CHECK		DUAL CAT. CERT REQ'D	16700.1H	05
76351-09600-044 A231-00251 *****	A	CLEAN/INSP CHIP DETECTOR WARNING SYSTEM				16749.5H	66
***** ALSO DUE AT : 19-NOV-17							
76150-09100-053 A086-02112	A	CARRY OUT	M/R BLADE 900 HR INSPECTION	YELLOW	MM CHAP 5.20.00	16751.8H	65
76150-09100-053 A086-02127	A	CARRY OUT	M/R BLADE 900 HR INSPECTION	RED		16751.8H	65
76150-09100-053 A086-02183	A	CARRY OUT	M/R BLADE 900 HR INSPECTION	BLACK	MM CHAP 5.20.00	16751.8H	65
76357-05600-041 A242-00286 *****	A	INSP. IGB CHIP DETECTOR/TEMPERATURE SENSOR				16751.8H	66
***** ALSO DUE AT : 02-MAR-17							
76357-05600-041 A242-00286 *****	B	CHANGE	INTERMEDIATE GEARBOX OIL			16751.8H	66
***** ALSO DUE AT : 02-MAR-17							
S76-J		PERFORM	100 HOUR "J" CHECK		IAW ESSO CHECK SHEET	16798.6H	05
S76-400H		CHANGE OIL	M/R DAMPER/ DAMPER RESERVIOR			16799.0H	05
76150-09100-053 A086-02113	A	CARRY OUT	M/R BLADE 900 HR INSPECTION	BLUE	MM CHAP 5.20.00	16800.2H	65
***** TR-900H COMP.MTHD:	76101-05501-042	A245-00296 MANDATORY	ASSEMBLY TAIL ROTOR BLADE INSP. T/R BLADES IAW COMP.MTLS MAN. TABLE 2-2 AIRFOIL REG.(G)			***** 16800.2H	98
***** TR-900H COMP.MTHD:	76101-05501-042	A245-00338 MANDATORY	ASSEMBLY TAIL ROTOR BLADE INSP. T/R BLADES IAW COMP.MTLS MAN. TABLE 2-2 AIRFOIL REG.(G)			***** 16800.2H	98

- REORDER MAY BE REQUIRED

OH = OVERHAUL

LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. :	VH-EXX	A/F							
A/C Type/ ASSY No. :	SIKORSKY S76C								
Serial No. :	760435	ATA --							
ASSY Keyword/Desc :									

HOURS	CURRENT	PROJECTION	DD-MMM-YYYY
16476.8	16476.8	500.0	FROM: 27-APR-2017
LANDINGS	91157.0	1500.0	TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F WO TRN
70BM047310 15552TEC	OH	TURBINE	FREE	#1		16855.0H 72
76550-09005-110 067	A	LUBRICATE	AC GENERATOR DRIVE SPLINES			16871.1H 24
***** ALSO DUE AT : 25-SEP-17						
76101-05501-042 A245-00338	B	INSPECT	TAIL ROTOR SPAR 65-21-00 PAR4A			16899.0H 65
76358-05600-042 A239-00119	C	INSPECT TGB	OUTPUT SHAFT @ FLANGE			16899.0H 66
76358-05600-042 A239-00119	D	RECORD TGB	OUTPUT SHAFT AXIAL MOVEMENT			16899.0H 66
*****	76150-09100-053	A086-02112	ASSEMBLY MAIN ROTOR BLADE			*****
AD/S-76/16	2	MANDATORY	MAIN ROTOR BLADE ROOT END INSP			16899.0H 98
COMP.MTHD: S76 ASB 76-65-18C			FOR FATIGUE CRACKING			
*****	76150-09100-053	A086-02113	ASSEMBLY MAIN ROTOR BLADE			*****
AD/S-76/16	2	MANDATORY	MAIN ROTOR BLADE ROOT END INSP			16899.0H 98
COMP.MTHD: S76 ASB 76-65-18C			FOR FATIGUE CRACKING			
*****	76150-09100-053	A086-02127	ASSEMBLY MAIN ROTOR BLADE			*****
AD/S-76/16	2	MANDATORY	MAIN ROTOR BLADE ROOT END INSP			16899.0H 98
COMP.MTHD: S76 ASB 76-65-18C			FOR FATIGUE CRACKING			
*****	76150-09100-053	A086-02183	ASSEMBLY MAIN ROTOR BLADE			*****
AD/S-76/16	2	MANDATORY	MAIN ROTOR BLADE ROOT END INSP			16899.0H 98
COMP.MTHD: S76 ASB 76-65-18C			FOR FATIGUE CRACKING			
S76-500H-02		INSPECT/REPLACE #2	HYDRAULIC SYSTEM FILTER			16899.0H 05
S76-500H-03		INSPECT/REPLACE #1	HYDRAULIC SYSTEM FILTER			16899.0H 05
S76-K		PERFORM	100 HOUR "K" CHECK		DUAL CAT. CERT REQ'D	16899.0H 05
76550-09006-107 2839	B	INSPECT STARTER GEN BRUSHES P/N 23081-1834		#2	23081-1834 FITTED 24-OCT-2006	16900.9H 24
RG-380E/44 40772972	A	CAPACITY TEST	MAIN BATTERY		FIRST FIT 18-NOV-16	16949.5H 24
***** ALSO DUE AT : 18-NOV-17						

- REORDER MAY BE REQUIRED

OH = OVERHAUL LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. : VH-EXX A/F
 A/C Type/ ASSY No. : SIKORSKY S76C
 Serial No. : 760435 ATA --
 ASSY Keyword/Desc :

HOURS CURRENT PROJECTION DD-MMM-YYYY
 LANDINGS 16476.8 500.0 FROM: 27-APR-2017
 91157.0 1500.0 TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
2071A100 T5711	A	DISASSMBLE MLG	INSPECT, RESEAL AND SERVICE	L/H	CHANGE S/STRUT FLUID	20-DEC-16	32
2071A100 T5760	A	DISASSMBLE MLG	INSPECT, RESEAL AND SERVICE	R/H	CHANGE S/STRUT FLUID	20-DEC-16	32
2071A175-01 B123	A	DISASSEMBLE,	DRAW BRACE & INSP. FOR COND.	L/H		20-DEC-16	32
2071A175-02 B158	A	DISASSEMBLE,	DRAW BRACE & INSP. FOR COND.	R/H		20-DEC-16	32
76250-02502-041 B323	A	INTERCONN. TUBE	REMOVE & INSPECT ROD ENDS			20-DEC-16	32
76306-07901-101 81201EK	A	REWEIGH	ENGINE FIRE EXTINGUISHER	R/H	2.31KGS	07-FEB-17	26
S76-6M		VISUALLY INSP.	EXTERNAL LIFERAFT SYSTEM		IAW ASI500-01/-02 MM	10-FEB-17	05
76357-05600-041 A242-00286	A	INSP. IGB CHIP	DETECTOR/TEMPERATURE SENSOR			02-MAR-17	66
*****	ALSO DUE AT : 16751.8H						
76357-05600-041 A242-00286	B	CHANGE	INTERMEDIATE GEARBOX OIL			02-MAR-17	66
*****	ALSO DUE AT : 16751.8H						
61-0478-9 B197	A	DEEP CYCLE	EMERG LIGHT BATTERY			03-MAR-17	24
40-412 2448	OH	WHEEL	MAIN WHEEL ASSEMBLY	R/H		12-MAR-17	32
40-412 2575	OH	WHEEL	MAIN WHEEL ASSEMBLY	L/H		12-MAR-17	32
453-0407 0193001	B	TEST ELT	TRANSMITTER			17-APR-17	25
453-0407 0193001	C	PERIOD MAINT.	ELT TRANSM. IAW PARTS 1 TO 4		IAW MFG OPERAT. MAN.	19-APR-17	25
898052 X-655302	A	REWEIGH/INSPECT	CABIN FIRE EXTINGUISHER	FLOOR	LAST WEIGHT 1.69 KGS	19-APR-17	26

- REORDER MAY BE REQUIRED

OH = OVERHAUL LL = LIFE LIMIT

REPORT 21

MAINTENANCE DUE LIST
WITH REMARKS

Registration No. : VH-EXX A/F
A/C Type/ ASSY No. : SIKORSKY S76C
Serial No. : 760435 ATA --
ASSY Keyword/Desc :

CURRENT PROJECTION DD-MMM-YYYY
16476.8 500.0 FROM: 27-APR-2017
91157.0 1500.0 TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
***** AD/S-76/66 PT. 4 COMP.MTHD: ASB76-32-26A	2071-235	BFG0666BIC MANDATORY	ROD END MLG POSITIONING ROD ASSEMBLY INSPECTION OF	POSITIONING ROD	REFER ASB76-32-26A	20-APR-17	98
***** AD/S-76/66 PT. 4 COMP.MTHD: ASB76-32-26A	2071-235	CPT337BIC MANDATORY	ROD END MLG POSITIONING ROD ASSEMBLY INSPECTION OF	POSITIONING ROD R/H	IAW ASB76-32-26A	20-APR-17	98
***** AD/S-76/66 PT. 4 COMP.MTHD: IAW ASB76-32-26A	2071-31	CPT1116AT MANDATORY	ROD ASSY MLG POSITIONING ROD ASSEMBLY INSPECTION OF	POSITIONING		20-APR-17	98
***** AD/S-76/66 PT. 4 COMP.MTHD: IAW ASB76-32-26A	2071-31	B351 MANDATORY	ROD ASSY MLG POSITIONING ROD ASSEMBLY INSPECTION OF	POSITIONING		20-APR-17	98
***** HIPSIEWB22-10H-34 B238	2071-31 A	CPT1116AT INSPECTION	ROD ASSY BOLT FOR CORROSION	POSITIONING		20-APR-17	32
***** HIPSIEWB22-10H-34 B241	2071-31 A	B351 INSPECTION	ROD ASSY BOLT FOR CORROSION	POSITIONING		20-APR-17	32
S76-6M-01		REMOVE & LUBE	BUTTERFLY COWL HINGE PINS			28-APR-17	05
S6145-61445-001 346308	A	INSPECT/TEST	VERTICAL SPEED INDICATOR	CPLT	IAW MFG TEST DATE	02-MAY-17	34
F-10R-MK1 323	OH	LIFERAFT	10 MAN	STARBOARD	LAST O/H 14 APR 15	11-MAY-17	25
F-10R-MK1 351	OH	LIFERAFT	10 MAN	PORT	LAST O/H 14 APR 15	11-MAY-17	25
DK120 SD11543	A	TEST	ACOUSTIC BEACON			30-MAY-17	25
***** 2978-9001-2 8551	76251-01103-102 # LL	SQUIB	941 BOTTLE EMERG FLOTATION BOTTLE	EMERGENCY FLOTATION LHR	DOM 05/2012 EXP 05/2017	31-MAY-17	32
***** 2978-9001-2 8554	76251-01103-102 # LL	SQUIB	950 BOTTLE EMERG FLOTATION BOTTLE	EMERGENCY FLOTATION RHR	DOM 05/2012	31-MAY-17	32

- REORDER MAY BE REQUIRED

OH = OVERHAUL LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. :	VH-EXX	A/F					
A/C Type/ ASSY No. :	SIKORSKY S76C						
Serial No. :	760435	ATA --					
ASSY Keyword/Desc :							

	HOURS	CURRENT	PROJECTION	DD-MMM-YYYY
	LANDINGS	16476.8	500.0	FROM: 27-APR-2017
		91157.0	1500.0	TO : 27-APR-2019

Excluded from this Report : DEFECTS

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
S76-36M-19		CARRY OUT	COMPASS SWING			31-MAY-17	05
76351-09600-044 A231-00251	C	CHANGE	MGB FILTER & INSPECT STUDS			23-JUN-17	66
501-1712-01 1147	A	CAPACITY TEST	POWER JET MODEL PS-855A		IAW JET INSTALL. MAN	25-JUN-17	34
40-413 1260	#	OH WHEEL	NOSE WHEEL ASSEMBLY			30-JUN-17	32
76358-05600-042 A239-00119	A	INSP. TGB CHIP	DETECTOR/TEMPERATURE SENSOR			18-JUL-17	66
76358-05600-042 A239-00119	B	CHANGE	TAIL GEARBOX OIL			18-JUL-17	66
AD/S-76/62. COMP.MTHD: IAW ASB76-55-16		MANDATORY	TAIL GEARBOX FORWARD FAIRING TO PYLON ATTACHMENT ANGLE		IAW ASB76-55-16A	18-JUL-17	98
S76-12M-09		INSPECT	AIRCRAFT FIRST AID KITS REPLACE EX PIRED & DAMAGED/WORN ITEMS			18-JUL-17	05
AD/GEN/37 COMP.MTHD:	10	MANDATORY	EMERGENCY EXITS OPERATION CHECK			19-JUL-17	98
S76-24M-02		REMOVE	WINDSCREEN WIPER CONVERTERS & FLEX DRIVES, CLEAN, LUB RICATE AND RE-INSTALL.			31-JUL-17	05
76000-24000-041 A320-00053	A	REMOVE TAILCONE	HEAT SHIELD FOR CORROSION CHCK		IAW MM CH.5-20-00	01-AUG-17	53
76251-01102-109 2949	A	INSPECT	PRESSURE TEST FLOAT BAG	32-70-02 L/H AFT	DOM OCT 2008	05-AUG-17	32
76251-01102-110 3292	A	INSPECT	PRESSURE TEST FLOAT BAG	32-70-02 R/H AFT	DOM: 29-SEP-2012	05-AUG-17	32
898052 Y-76647	A	REWEIGH/INSPECT	CABIN FIRE EXTINGUISHER			06-AUG-17	26
76251-01101-104 1217	A	INSPECT	PRESSURE TEST FLOAT BAG	32-70-02 L/H FWD	MM CHAP 5.20.00	10-AUG-17	32

- REORDER MAY BE REQUIRED

OH = OVERHAUL LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. :	VH-EXX	A/F				CURRENT	PROJECTION	DD-MMM-YYYY
A/C Type/ ASSY No. :	SIKORSKY S76C					16476.8	500.0	FROM: 27-APR-2017
Serial No. :	760435	ATA --				91157.0	1500.0	TO : 27-APR-2019
ASSY Keyword/Desc :								

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
76251-01101-105 2536	A	INSPECT	PRESSURE TEST FLOAT BAG	FWD	DOM JUN 2009	10-AUG-17	32
S76-24M-04A		INSPECT	PILOT YAW PEDALS - REMOVE AND DISASSEMBLE			12-AUG-17	05
S76-24M-04B		INSPECT	CO PILOT YAW PEDALS - REMOVE A ND DISASSEMBLE			12-AUG-17	05
S76-12M-02		PERFORM	ANNUAL INSPECTION		IAW ESSO CHECK SHEET	13-AUG-17	05
76351-09600-044 A231-00251	B	CHANGE	MAIN GEARBOX OIL			14-AUG-17	66
S76-24M-01		REMOVE	PLUMBING FROM KEEL BEAM, INSPE CT FOR CORROSION ANDTREAT WITH CORROSION INHIBITOR			19-AUG-17	05
S76-300H/12M-01		INSPECT/TEST	HEEL'S COMPONENTS/SYSTEM IAW L SI DOC #IC00565			19-AUG-17	05
***** ALSO DUE AT : 16498.7H							
S76-24M-05		PREFORM	INSPECT/TEXT PITOT/STATIC SYST EM IAW CAO 100.5			26-AUG-17	05
S76-3000H/48M-01		INSPECT	#1 ENG SUPPORTS/DECK LUGS		IAW M.M. CH. 5-20-00	26-AUG-17	05
S76-3000H/48M-02		INSPECT	#2 ENG SUPPORTS/DECK LUGS		IAW M.M. CH. 5-20-00	26-AUG-17	05
0401277050 128S0	A	INSPECT	TRIPOD	#1		10-SEP-17	51
0401277060 87S0	A	INSPECT	TRIPOD	#2		10-SEP-17	71
0401277070 228S0	A	INSPECT	BIPOD STRUT	#1		10-SEP-17	71
0401277080 111S0	A	INSPECT	BIPOD STRUT	#2		10-SEP-17	72
0401277090 106S0	A	INSPECT	DRAG STRUT	#1		10-SEP-17	72

- REORDER MAY BE REQUIRED

OH = OVERHAUL

LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. :	VH-EXX	A/F				CURRENT	PROJECTION	DD-MMM-YYYY
A/C Type/ ASSY No. :	SIKORSKY S76C				HOURS	16476.8	500.0	FROM: 27-APR-2017
Serial No. :	760435	ATA --			LANDINGS	91157.0	1500.0	TO : 27-APR-2019
ASSY Keyword/Desc :								

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
0401277090 209S0	A	INSPECT	DRAG STRUT	#2		10-SEP-17	72
0401277930 337S0	A	INSPECT	AFT STRUT	#2		10-SEP-17	72
0401277930 58S0	A	INSPECT	AFT STRUT	#1		10-SEP-17	72
***** M/R BLADE 3Y A086-02127	76150-09100-053 OH	BLADE	A086-02127 ASSEMBLY TRK IN STORE POST 11750 TSN	MAIN ROTOR BLADE		***** 10-SEP-17	65
***** M/R BLADE 3Y A086-02183	76150-09100-053 OH	BLADE	A086-02183 ASSEMBLY TRK IN STORE POST 11750 TSN	MAIN ROTOR BLADE		***** 10-SEP-17	65
76306-07901-101 81229EK	A	REWEIGH	ENGINE FIRE EXTINGUISHER	L/H	LAST WEIGHT 2.27KG	11-SEP-17	26
76550-09005-110 067	A	LUBRICATE	AC GENERATOR DRIVE SPLINES			25-SEP-17	24
***** ALSO DUE AT :	16871.1H						
2070A100 T-5510	A	DISASSEMBLE NLG INSPECT, RESEAL AND SERVICE			INSPECTION	20-OCT-17	32
A03		REISSUE	MAINTENANCE RELEASE			29-OCT-17	05
***** ALSO DUE AT :	16501.6H						
***** 897776-01 25591	76306-07901-101 LL	SQUIB	81229EK BOTTLE ENGINE FIRE BOTTLE	ENGINE FIRE EXTINGUISHER		***** 31-OCT-17	26
20020-11293 259023	A	CALIBRATION	AIRSPEED INDICATOR	CPILOT		11-NOV-17	39
RG-380E/44 40772972	A	CAPACITY TEST	MAIN BATTERY		FIRST FIT 18-NOV-16	18-NOV-17	24
***** ALSO DUE AT :	16949.5H						
76351-09600-044 A231-00251	A	CLEAN/INSP CHIP DETECTOR WARNING SYSTEM				19-NOV-17	66
***** ALSO DUE AT :	16749.5H						

- REORDER MAY BE REQUIRED

OH = OVERHAUL

LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. :	VH-EXX	A/F				CURRENT	PROJECTION	DD-MMM-YYYY
A/C Type/ ASSY No. :	SIKORSKY S76C				HOURS	16476.8	500.0	FROM: 27-APR-2017
Serial No. :	760435	ATA --			LANDINGS	91157.0	1500.0	TO : 27-APR-2019
ASSY Keyword/Desc :								

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F WO TRN
76306-07901-101 81201EK	OH	BOTTLE	ENGINE FIRE EXTINGUISHER	R/H	TEST DATE 09/02	20-NOV-17 26
S76-12M-05		TEST	HONEYWELL SPZ-7600 IFCS SYSTEM		CH. 22-15-02	20-NOV-17 05
***** 2799.4 BATTERY 111813	2799.4 LL	111813 BATTERY	BEACON AEROFIX 406 GPS I/O PLB-200	AEROFIX 406 GPS	I/O PLB-200 FIRST FIT 09-DEC-12 EXP 05/18	***** 09-DEC-17 25
***** 2799.4 BATTERY 111814	2799.4 LL	111814 BATTERY	BEACON AEROFIX 406 GPS I/O PLB-200	AEROFIX 406 GPS	I/O PLB-200 FIRST FIT 09-DEC-12 EXP 05/18	***** 09-DEC-17 25
S76-24M-03		INSPECT	MAIN LANDING GEAR DOOR HINGES & SWIVEL FITTING FOR CORROS ION DAMAGE & SECURITY			24-DEC-17 05
S76-100H/12M		PERFORM	LOW TAIL ROTOR BALANCE CH18-10 CH05 -00			31-DEC-17 05
***** ALSO DUE AT : 16499.0H						
S76-12M-03		REPLACE	PLTS WINDSHIELD WIPER RUBBER	PLT	P/N 55-1110-1	31-DEC-17 05
S76-12M-04		REPLACE	CPLTS WINDSHIELD WIPER RUBBER	CPLT	P/N 55-1110-1	31-DEC-17 05
S6145-61445-001 349337	A	INSPECT/TEST	VERTICAL SPEED INDICATOR	PLT		09-FEB-18 34
20020-11293 259033	A	CALIBRATION	AIRSPEED INDICATOR	39-10-01 PILOT	IAW MFG TEST DATA	19-FEB-18 39
S76-18M-01		CRACK CHECK	REMOVE TOP & BOTTOM SWIVEL EXPLOSIVE LINK			22-FEB-18 05
W33-7550-10A 912	A	INSPECT	TEST CLOCK	PLT	IAW MFG. TEST DATA	26-FEB-18 31
10420-11968E 149813	A	TEST ENCODING	ALTIMETER IAW FAR PT43 APPDX E			30-APR-18 34
*****	HEELS	EXX	HEELS	HELI EMERGENCY EGRESS LIGHTING		*****

- REORDER MAY BE REQUIRED

OH = OVERHAUL LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. :	VH-EXX	A/F							
A/C Type/ ASSY No. :	SIKORSKY S76C								
Serial No. :	760435	ATA --							
ASSY Keyword/Desc :									

HOURS	CURRENT	PROJECTION	DD-MMM-YYYY
16476.8	16476.8	500.0	FROM: 27-APR-2017
LANDINGS	91157.0	1500.0	TO : 27-APR-2019

Excluded from this Report : DEFECTS

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
6958-8 00591	A	CAPACITY TEST	HEELS POWER SUPPLY			25-MAY-18	33
*****	HEELS	EXX	HEELS	HELI EMERGENCY EGRESS LIGHTING		*****	
6958-8 00592	A	CAPACITY TEST	HEELS POWER SUPPLY			25-MAY-18	33
*****	76306-07901-101	81201EK	BOTTLE	ENGINE FIRE EXTINGUISHER		*****	
897776-01 26551	LL	SQUIB	ENGINE FIRE BOTTLE			31-MAY-18	26
*****	76306-07901-101	81201EK	BOTTLE	ENGINE FIRE EXTINGUISHER		*****	
897776-01 26567	LL	SQUIB	ENGINE FIRE BOTTLE			31-MAY-18	26
76251-00702-043 AA13701	A	MLG DOOR LINK	REMOVE ROD END & INSP. THREADS	R/H		12-JUL-18	32
76251-00702-043 AA13721	A	MLG DOOR LINK	REMOVE ROD END & INSP. THREADS	L/H	DOM 03/13	12-JUL-18	32
76102-08000-061 G134-01243	A	DISASSEMBLE AND INSPECT MAIN ROTOR SPINDLE		YELLOW		03-AUG-18	65
*****	ALSO DUE AT :	16697.8H					
76102-08000-061 G134-02307	A	DISASSEMBLE AND INSPECT MAIN ROTOR SPINDLE		BLACK		03-AUG-18	65
*****	ALSO DUE AT :	16697.8H					
76209-24004-049 B317-00143	A	REPLACE	STAB SUPP. BOLTS NAS626-30 X 4 55-10-00			04-AUG-18	55
76102-08000-061 G134-01160	A	DISASSEMBLE AND INSPECT MAIN ROTOR SPINDLE		BLUE		09-AUG-18	65
*****	ALSO DUE AT :	16697.8H					
76102-08000-061 G134-01236	A	DISASSEMBLE AND INSPECT MAIN ROTOR SPINDLE		RED		09-AUG-18	65
*****	ALSO DUE AT :	16697.8H					
76107-08100-043 B333	A	CARRY OUT	BIFILAR 3YR BOLT INSP 65-12-00			21-AUG-18	65
*****	76107-08001-045	D173-00204	ARM	SUPPORT BIFILAR LOWER		*****	
S76-3000H/36M	INSPECT	ATTACHMENT LUGS FOR CRACKS				21-AUG-18	05

- REORDER MAY BE REQUIRED

OH = OVERHAUL

LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. :	VH-EXX	A/F			CURRENT	PROJECTION	DD-MMM-YYYY
A/C Type/ ASSY No. :	SIKORSKY S76C				16476.8	500.0	FROM: 27-APR-2017
Serial No. :	760435	ATA --			91157.0	1500.0	TO : 27-APR-2019
ASSY Keyword/Desc :							

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
76104-08500-043 B335	A	CARRY OUT	SWASHPLATE 3 YEAR INSPECTION		MM CHAP 5.20.00	23-AUG-18	65
76104-08500-043 B335	C	CHECK	CURRENCY OF S76-36M 05 INSP.			24-AUG-18	65
S76-36M		PERFORM 36 MTH	INSP. (NOTE - CHECK WHEN S/ PLATE INSP ARE DUE)		IAW ESSO CHECK SHEET	24-AUG-18	05
S76-36M-21		REMOVE & INSPEC	ESCAPE WINDOWS - L/H CABIN & A FT CABIN AS PER 5-2 0-00			05-SEP-18	05
S76-36M-05		LEAK TEST	S.S. FUEL SYSTEM SUPPLY LINES		IAW MM CH. 28-20-02	07-SEP-18	05
S76-36M-20		CARRY OUT	TEST REMOTE CONTROL CIRCUIT BR EAKER			07-SEP-18	05
S76-36M-09		CAL CHECK	#1 ENGINE TORQUE INDIC SYSTEM		IIDS DATA PACKAGE	28-NOV-18	05
AD/RAD/47 COMP.MTHD:	4	MANDATORY	PERIODIC TESTING OF ATC TRANSPONDERS		IAW FAR PART 91-413	29-DEC-18	98
CAO 100.5 CLAUSE 3 COMP.MTHD:	ORIGINAL	MANDATORY	ATC TRANSPONDER SYSTEM WITH ACTIVE MODE "C" TEST			29-DEC-18	98
***** SB1138-102 D626-99430	76361-04007-042 LL	B354 BEARING	BEARING	SUPPORT		***** 30-DEC-18	66
***** 810-2007K SD11543	DK120 LL	SD11543 BATTERY	BEACON SONIC LOCATOR BATTERY	SONIC LOCATOR	EXPIRES FEB 2019	***** 28-FEB-19	25
***** 8162-2C 012757	HEELS A	EXX ORDER	HEELS HEELS BATTERY	HEELS	HELI EMERGENCY EGRESS LIGHTING TIMEX 31-MAY-19 AFT L/H DR	***** 31-MAR-19	33
***** 8162-2C 012758	HEELS A	EXX ORDER	HEELS HEELS BATTERY	HEELS	HELI EMERGENCY EGRESS LIGHTING EXP 31-MAY-2019 FWD R/H DR	***** 31-MAR-19	33
*****	HEELS	EXX	HEELS	HEELS	HELI EMERGENCY EGRESS LIGHTING	*****	

- REORDER MAY BE REQUIRED

OH = OVERHAUL LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. : VH-EXX A/F
A/C Type/ ASSY No. : SIKORSKY S76C
Serial No. : 760435 ATA --
ASSY Keyword/Desc :
HOURS 16476.8
LANDINGS 91157.0
CURRENT 500.0
PROJECTION 1500.0
DD-MMM-YYYY
FROM: 27-APR-2017
TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
8162-2C 012774	A	ORDER	HEELS BATTERY	SLIDING DR EXP	31-MAY-2019	31-MAR-19	33

- REORDER MAY BE REQUIRED

OH = OVERHAUL

LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. : VH-EXX ENG 1
 A/C Type/ ASSY No. : 0292001600
 Serial No. : 15552TEC ATA --
 ASSY Keyword/Desc : ENGINE ARRIEL 1S1

CURRENT PROJECTION DD-MMM-YYYY
 HOURS 5621.8 500.0 FROM: 27-APR-2017
 CYCLES 939.7 1500.0 TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
*****	70BM037370	15165	GENERATOR GAS			*****	
1S1-25-01		INSPECTION	VISUALLY INSPECT FREE TURBINE BLADES			5639.5H 16494.5H	05
1S1-30		INSPECT	ENGINE MAGNETIC PLUGS			5639.5H 16494.5H	05
1S1-300-02		PERFORM	ENGINE 300 HOUR PERIODIC INSP IAW ESSO CHECK SHEET			5643.7H 16498.7H	05
70BM037370 15165	A	INSPECT	T1 BLADES + COMBUSTION CHAMBER			5643.7H 16498.7H	72
1S1-100-01		LEAK CHECK	DECELERATION CONTROL UNIT			5644.0H 16499.0H	05
1S1-100-02		COLLECT	ENGINE OIL SAMPLE			5644.0H 16499.0H	05
1S1-100-03		CHECK	BLEED VALVE OPERATING THRESHOL D			5644.0H 16499.0H	05
1S1-300-03		PERFORM	REAR POINT VIBRATION CHECK IAW ARRIEL M.M. CHAP. 71-02-10-760-802-A01 PAGE 1308		LAST 9.5 MM/S	5644.0H 16499.0H	05
1S1-150-02		PERFORM	ENGINE 150 HOUR INSPECTION			5644.5H 16499.5H	05
0164540160 B243B	B	CARRY OUT	CHARACTERISTICS FCU POST TU183		POST TU-183 BY P/N	5645.7H 16500.7H	73
1S1-450-01		INSPECT & CLEAN	GAS GEN. REAR BEARING OIL STRA INER			5645.7H 16500.7H	05
1S1-450-02		PERFORM	CLOGGING CHECK OF REAR BEARING			5645.7H 16500.7H	05
1S1-450-03		RECORD	ENGINE OIL FLOW RESULT			5645.7H 16500.7H	05
1S1-500H/24M		CHANGE	ENGINE OIL			5745.2H 16600.2H	05

***** ALSO DUE AT : 25-JUN-18

- REORDER MAY BE REQUIRED

OH = OVERHAUL

LL = LIFE LIMIT

REPORT 21

MAINTENANCE DUE LIST
WITH REMARKS

Registration No. : VH-EXX ENG 1
 A/C Type/ ASSY No. : 0292001600
 Serial No. : 15552TEC ATA --
 ASSY Keyword/Desc : ENGINE ARRIEL 1S1

CURRENT PROJECTION DD-MMM-YYYY
 HOURS 5621.8 500.0 FROM: 27-APR-2017
 CYCLES 939.7 1500.0 TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
***** 2292401800 7344	70BM037370 LL	15165 FLANGE	NGV 2 (FRONT)	GENERATOR GAS		***** 5798.0H 16653.0H	72
***** 2500019278 7288	70BM037370 LL	15165 FLANGE	NGV2 (REAR)	GENERATOR GAS		***** 5798.0H 16653.0H	72
70BM037370 15165	OH	GENERATOR	GAS			5798.0H 16653.0H	72
***** 1S1-600	0164540160	B243B CLEAN & INSPECT	UNIT P2 CHAMBER OF THE ACCELERATION CONTROLLER STATUS	FUEL CONTROL CHECK MOD		***** 5895.9H 16750.9H	05
70BM027300 15552TEC	OH	COMPRESSOR	AXIAL			6000.0H 16855.0H	72
***** 0292253240 ADB7794AD	70BM037370 LL	15165 DISC	1ST STAGE TURBINE WHEEL	GENERATOR GAS		***** 1583.9C 91801.2L	72
1S1-500H/24M		CHANGE	ENGINE OIL			25-JUN-18	05
***** ALSO DUE AT :	5745.2H						
0174128170 C928B	OH	VALVE	DRAIN			31-JUL-18	72

- REORDER MAY BE REQUIRED

OH = OVERHAUL

LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. : VH-EXX ENG 2
 A/C Type/ ASSY No. : 0292005250
 Serial No. : 15097 ATA --
 ASSY Keyword/Desc : ENGINE ARRIEL 1S1

CURRENT PROJECTION DD-MMM-YYYY
 HOURS 9620.8 500.0 FROM: 27-APR-2017
 CYCLES 11039.7 1500.0 TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
*****	70BM037330	15517TEC	GENERATOR GAS			*****	
1S1-25-01		INSPECTION	VISUALLY INSPECT FREE TURBINE BLADES		POST TU 347	9638.5H 16494.5H	05
1S1-30		INSPECT	ENGINE MAGNETIC PLUGS			9638.5H 16494.5H	05
1S1-100-01		LEAK CHECK	DECELERATION CONTROL UNIT			9643.0H 16499.0H	05
1S1-100-03		CHECK	BLEED VALVE OPERATING THRESHOL D			9643.0H 16499.0H	05
1S1-150-02		PERFORM	ENGINE 150 HOUR INSPECTION			9643.5H 16499.5H	05
1S1-750-01		PERFORM	ENGINE 750 HOUR INSPECTION			9648.2H 16504.2H	05
1S1-750-04		REPLACE	ENGINE OIL FILTER P/N 95601581 80			9648.2H 16504.2H	05
1S1-750-05		CHECK & CLEAN	BLEED VALVE P2 FILTER			9648.2H 16504.2H	05
1S1-100-02		COLLECT	ENGINE OIL SAMPLE			9689.2H 16545.2H	05
1S1-300-03		PERFORM	REAR POINT VIBRATION CHECK IAW ARRIEL M.M. CHAP. 71-02-10-760-802-A01 PAGE 1308		LAST = 4.5MM/S	9689.2H 16545.2H	05
*****	70BM037330	15517TEC	GENERATOR GAS			*****	
MONITORING ADHOC MOD 3		INSPECTION	BOROSCOPE ROOT END FOR FLAKING			9689.2H 16545.2H	05
70BM037330 15517TEC	A	INSPECT	T1 BLADES + COMBUSTION CHAMBER			9693.1H 16549.1H	72
1S1-450-01		INSPECT & CLEAN	GAS GEN. REAR BEARING OIL STRA INER			9698.2H 16554.2H	05
1S1-450-02		PERFORM	CLOGGING CHECK OF REAR BEARING			9698.2H 16554.2H	05

- REORDER MAY BE REQUIRED

OH = OVERHAUL

LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. : VH-EXX ENG 2
 A/C Type/ ASSY No. : 0292005250
 Serial No. : 15097 ATA --
 ASSY Keyword/Desc : ENGINE ARRIEL 1S1

CURRENT PROJECTION DD-MMM-YYYY
 HOURS 9620.8 500.0 FROM: 27-APR-2017
 CYCLES 11039.7 1500.0 TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F WO TRN
1S1-450-03		RECORD	ENGINE OIL FLOW RESULT		LAST RESULT 150ML	9698.2H 05 16554.2H
1S1-300-02		PERFORM	ENGINE 300 HOUR PERIODIC INSP IAW ESSO CHECK SHEET			9793.5H 05 16649.5H
0164850970 C196B	B	CARRY OUT	CHARACTERISTICS FCU POST TU183			9843.1H 73 16699.1H
9560156790 458	OH	BLOWER	OIL COOLER			9863.4H 79 16719.4H
1S1-500H/24M		CHANGE	ENGINE OIL			9893.1H 05 16749.1H
***** ALSO DUE AT : 12-SEP-18						
1S1-750-06		INSPECT	IAW TASK 73-16-20-750-801-A01 CHECK CORRECT OPERATION OF DRAIN & OVERSPEED VALVE			9946.8H 05 16802.8H
*****	0164850970	C196B	UNIT FUEL CONTROL			*****
1S1-600		CLEAN & INSPECT	P2 CHAMBER OF THE ACCELERATION CONTROLLER CHECK MOD STATUS			9993.1H 05 16849.1H
1S1-500H/24M		CHANGE	ENGINE OIL			12-SEP-18 05
***** ALSO DUE AT : 9893.1H						

- REORDER MAY BE REQUIRED

OH = OVERHAUL

LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. : VH-EXX ENG 3
 A/C Type/ ASSY No. : 70BM047310
 Serial No. : 15552TEC ATA --
 ASSY Keyword/Desc : TURBINE FREE

CURRENT PROJECTION DD-MMM-YYYY
 HOURS 5621.8 500.0 FROM: 27-APR-2017
 CYCLES 5672.0 1500.0 TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F WO TRN
1S1-6000 MOD 4		OVERHAUL	MOD 4 6000 HOUR OVERHAUL			6000.0H 05 16855.0H
9609000166 9840591	LL	BEARING	FREE TURBINE			6000.0H 72 16855.0H
9609000166 9840593	LL	BEARING	FREE TURBINE			6000.0H 72 16855.0H

- REORDER MAY BE REQUIRED

OH = OVERHAUL LL = LIFE LIMIT