

REPORT 21

M A I N T E N A N C E D U E L I S T

WITH REMARKS

Registration No. : VH-EXZ A/F

A/C Type/ ASSY No. : SIKORSKY S76C

Serial No. : 760446 ATA --

ASSY Keyword/Desc :

HOURS15235.4

PROJECTION500.0

DD-MMM-YYYYFROM: 27-APR-2017

LANDINGS85189.0

1500.0

TO : 27-APR-2019

Open DEFECTS:

Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
S76-50H		PERFORM	50 HOUR INSPECTION		IAW ESSO CHECK SHEET	15248.5H	05
S76-50H-01		PERFORM	CHECK OF AHRS COOLING FAN OPER ATION			15248.5H	05
S76-25H-01		INSPECT	TAIL ROTOR SPAR IAW MM CH 5-20 -00			15248.9H	05
S76-25H-02		INSPECT	M/R BLADE SPINDLE CUFF IAW CH 5-20-00			15248.9H	05
S76-400H		CHANGE OIL	M/R DAMPER/ DAMPER RESERVIOR			15248.9H	05
76351-09600-044 A231-00071	D	COLLECT	MAIN GEARBOX OIL SAMPLE			15250.8H	66
76102-08000-061 G134-00867	A	DISASSEMBLE AND INSPECT MAIN ROTOR SPINDLE		BLUE		15266.9H	65
***** ALSO DUE AT : 14-DEC-17							
76102-08000-061 G134-00916	A	DISASSEMBLE AND INSPECT MAIN ROTOR SPINDLE		YELLOW		15266.9H	65
***** ALSO DUE AT : 14-DEC-17							
76102-08000-061 G134-00939	A	DISASSEMBLE AND INSPECT MAIN ROTOR SPINDLE		RED		15266.9H	65
***** ALSO DUE AT : 14-DEC-17							
76102-08000-061 G134-00945	A	DISASSEMBLE AND INSPECT MAIN ROTOR SPINDLE		BLACK		15266.9H	65
***** ALSO DUE AT : 14-DEC-17							
*****	76102-08000-061	G134-00945	ASSEMBLY	SPINDLE		*****	
SB5206-202 B199-27418	LL BEARING	OUTER RACE				15266.9H	65
*****	76102-08000-061	G134-00939	ASSEMBLY	SPINDLE		*****	
SB5206-202 B199-27451	LL BEARING	OUTER RACE				15266.9H	65
*****	76102-08000-061	G134-00867	ASSEMBLY	SPINDLE		*****	
SB5206-202 B199-27464	LL BEARING	OUTER RACE				15266.9H	65

REPORT 21

MAINTENANCE DUE LIST
WITH REMARKS

Registration No. : VH-EXZ	A/F								
A/C Type/ ASSY No. : SIKORSKY S76C									
Serial No. : 760446	ATA --								
ASSY Keyword/Desc :									

HOURS	CURRENT	PROJECTION	DD-MMM-YYYY
LANDINGS	15235.4	500.0	FROM: 27-APR-2017
	85189.0	1500.0	TO : 27-APR-2019

Excluded from this Report : DEFECTS

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
*****	76102-08000-061		G134-00916	ASSEMBLY	SPINDLE	*****	
SB5206-202	LL	BEARING	OUTER RACE			15266.9H	65
B199-27481							
S76-200H-01		INSPECTION	INSPECT ENGINE FLAME DETECTOR FOR CORROSION / CLEANLIN ESS			15298.3H	05
S76-100H		PERFORM	100 HOUR INSPECTION		IAW ESSO CHECK SHEET	15298.5H	05
S76-100H/12M		PERFORM	LOW TAIL ROTOR BALANCE CH18-10 CH05 -00			15298.5H	05
*****	ALSO DUE AT : 28-JUL-17						
76358-05600-042	#	OH	GEARBOX	TAIL S76C		15298.8H	66
A239-00374							
76358-05600-042	C	INSPECT TGB	OUTPUT SHAFT @ FLANGE			15299.1H	66
A239-00374							
76358-05600-042	D	RECORD TGB	OUTPUT SHAFT AXIAL MOVEMENT			15299.1H	66
A239-00374							
*****	76150-09100-053		A086-02072	ASSEMBLY	MAIN ROTOR BLADE	*****	
AD/S-76/16	2	MANDATORY	MAIN ROTOR BLADE ROOT END INSP FOR FATIGUE CRACKING			15299.1H	98
COMP.MTHD: S76 ASB 76-65-18C							
*****	76150-09100-053		A086-02128	ASSEMBLY	MAIN ROTOR BLADE	*****	
AD/S-76/16	2	MANDATORY	MAIN ROTOR BLADE ROOT END INSP FOR FATIGUE CRACKING			15299.1H	98
COMP.MTHD: S76 ASB 76-65-18C							
*****	76150-09100-053		A086-02129	ASSEMBLY	MAIN ROTOR BLADE	*****	
AD/S-76/16	2	MANDATORY	MAIN ROTOR BLADE ROOT END INSP FOR FATIGUE CRACKING			15299.1H	98
COMP.MTHD: S76 ASB 76-65-18C							
*****	76150-09100-053		A086-02184	ASSEMBLY	MAIN ROTOR BLADE	*****	
AD/S-76/16	2	MANDATORY	MAIN ROTOR BLADE ROOT END INSP FOR FATIGUE CRACKING			15299.1H	98
COMP.MTHD: S76 ASB 76-65-18C							
76351-09600-044	A	CLEAN/INSP	CHIP DETECTOR WARNING SYSTEM			15299.2H	66
A231-00071							
*****	ALSO DUE AT : 14-MAR-17						
*****	76351-09600-044		A231-00071	GEARBOX	MAIN	*****	

- REORDER MAY BE REQUIRED

OH = OVERHAUL

LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. : VH-EXZ A/F
 A/C Type/ ASSY No. : SIKORSKY S76C
 Serial No. : 760446 ATA --
 ASSY Keyword/Desc :
 HOURS 15235.4
 LANDINGS 85189.0
 CURRENT PROJECTION
 500.0
 1500.0
 DD-MMM-YYYY
 FROM: 27-APR-2017
 TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
MONITORING ADHOC MGB		PERFORM	300 HR RECURRING INSP IAW ASB7 6-66-54			15299.3H	05
***** TR-900H COMP.MTHD:	76101-05501-042	A245-00297 MANDATORY	ASSEMBLY TAIL ROTOR BLADE INSP. T/R BLADES IAW COMP.MTLS MAN. TABLE 2-2 AIRFOIL REG.(G)			15299.6H	98
S76-B		PERFORM	100 HOUR "B" CHECK			15300.3H	05
*****	ALSO DUE AT : 30-JUL-17						
76650-09808-102 190198	B	INSPECT & LUBE	HYDRAULIC PUMP INTERNAL SPLINE R/H			15300.6H	29
76650-09808-102 195668	B	INSPECT & LUBE	HYDRAULIC PUMP INTERNAL SPLINE L/H		LONG SHAFT	15331.5H	29
S76-200H		PERFORM	200 HOUR INSPECTION		IAW ESSO CHECK SHEET	15398.5H	05
76101-05501-042 A245-00231	B	INSPECT	TAIL ROTOR SPAR 65-21-00 PAR4A			15399.2H	65
76101-05501-042 A245-00297	B	INSPECT	TAIL ROTOR SPAR 65-21-00 PAR4A			15399.2H	65
S76-500H-02		INSPECT/REPLACE #2	HYDRAULIC SYSTEM FILTER			15399.2H	05
S76-500H-03		INSPECT/REPLACE #1	HYDRAULIC SYSTEM FILTER			15399.2H	05
***** S76-900H-01	76104-08500-043	B327 CHECK TORQUE	ASSEMBLY SWASHPLATE M/R SERVO EXPANDABLE PINS			15399.4H	05
76351-09600-044 A231-00071	OH	GEARBOX	MAIN			15400.1H	66
S76-C		PERFORM	100 HOUR "C" CHECK			15400.6H	05
*****	ALSO DUE AT : 11-SEP-17						
A03		REISSUE	MAINTENANCE RELEASE			15401.0H	05
*****	ALSO DUE AT : 27-JUL-17						

- REORDER MAY BE REQUIRED

OH = OVERHAUL

LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. :	VH-EXZ	A/F							
A/C Type/ ASSY No. :	SIKORSKY S76C								
Serial No. :	760446	ATA --							
ASSY Keyword/Desc :									

		CURRENT	PROJECTION	DD-MMM-YYYY
HOURS	15235.4	500.0		FROM: 27-APR-2017
LANDINGS	85189.0	1500.0		TO : 27-APR-2019
Open DEFECTS:			Last UPDATE TIMES:	26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
RG-380E/44 40638841 *****	A	CAPACITY TEST	MAIN BATTERY			15426.2H	24
ALSO DUE AT : 30-DEC-16							
S76-300H/12M-01 *****		INSPECT/TEST	HEEL'S COMPONENTS/SYSTEM IAW L SI DOC #IC00565			15450.7H	05
ALSO DUE AT : 01-JUL-17							
76550-09005-111 058 *****	A	LUBRICATE	AC GENERATOR DRIVE SPLINES			15469.4H	24
ALSO DUE AT : 26-OCT-16							
S76-D *****		PERFORM	100 HOUR "D" CHECK			15502.4H	05
ALSO DUE AT : 06-DEC-17							
S76-E		PERFORM	100 HOUR "E" CHECK		DUAL CAT. CERT REQ'D	15599.3H	05
76357-05600-041 A242-00027 *****	A	INSP. IGB CHIP	DETECTOR/TEMPERATURE SENSOR	66-20-00		15600.6H	66
ALSO DUE AT : 29-NOV-16							
76357-05600-041 A242-00027 *****	B	CHANGE	INTERMEDIATE GEARBOX OIL	66-20-00		15600.6H	66
ALSO DUE AT : 29-NOV-16							
76358-05600-042 A239-00374 *****	A	INSP. TGB CHIP	DETECTOR/TEMPERATURE SENSOR			15600.6H	66
ALSO DUE AT : 29-NOV-16							
76358-05600-042 A239-00374 *****	B	CHANGE	TAIL GEARBOX OIL			15600.6H	66
ALSO DUE AT : 29-NOV-16							
76102-08000-061 G134-00867	C	REPLACE M/ROTOR ELAST. BRG. RETENTION BOLTS		BLUE		15621.3H	65
76102-08000-061 G134-00916	C	REPLACE M/ROTOR ELAST. BRG. RETENTION BOLTS		YELLOW		15621.3H	65
76102-08000-061 G134-00939	C	REPLACE M/ROTOR ELAST. BRG. RETENTION BOLTS		RED		15621.3H	65
76102-08000-061 G134-00945	C	REPLACE M/ROTOR ELAST. BRG. RETENTION BOLTS		BLACK		15621.3H	65

- REORDER MAY BE REQUIRED

OH = OVERHAUL

LL = LIFE LIMIT

REPORT 21

MAINTENANCE DUE LIST
WITH REMARKS

Registration No. : VH-EXZ A/F
 A/C Type/ ASSY No. : SIKORSKY S76C
 Serial No. : 760446 ATA --
 ASSY Keyword/Desc :

HOURS 15235.4
 LANDINGS 85189.0
 CURRENT 500.0
 PROJECTION 1500.0
 DD-MMM-YYYY
 FROM: 27-APR-2017
 TO : 27-APR-2019
 Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
***** 76102-08001-045 G134-00867	76102-08000-061 LL	ASSEMBLY	G134-00867 SPINDLE/CUFF	ASSEMBLY	SPINDLE	***** 15621.3H	65
***** 76102-08001-045 G134-00916	76102-08000-061 LL	ASSEMBLY	G134-00916 SPINDLE/CUFF	ASSEMBLY	SPINDLE	***** 15621.3H	65
***** 76102-08001-045 G134-00939	76102-08000-061 LL	ASSEMBLY	G134-00939 SPINDLE/CUFF	ASSEMBLY	SPINDLE	***** 15621.3H	65
***** 76102-08001-045 G134-00945	76102-08000-061 LL	ASSEMBLY	G134-00945 SPINDLE/CUFF	ASSEMBLY	SPINDLE	***** 15621.3H	65
***** 76102-08003-103 D186-04401	76102-08000-061 LL	NUT	G134-00867 SPINDLE	ASSEMBLY	SPINDLE	***** 15621.3H	65
***** 76102-08003-103 D186-04418	76102-08000-061 LL	NUT	G134-00945 SPINDLE	ASSEMBLY	SPINDLE	***** 15621.3H	65
***** 76102-08003-103 D186-04426	76102-08000-061 LL	NUT	G134-00939 SPINDLE	ASSEMBLY	SPINDLE	***** 15621.3H	65
***** 76102-08003-103 D186-04439	76102-08000-061 LL	NUT	G134-00916 SPINDLE	ASSEMBLY	SPINDLE	***** 15621.3H	65
76550-09006-107 95044	B	INSPECT	STARTER GEN BRUSHES P/N 23081-1834	#2	23081-1834 FITTED	15636.9H	24
76351-09600-044 A231-00071	C	CHANGE	MGB FILTER & INSPECT STUDS			15648.4H	66
***** S76-3000H/60M-01		REPLACE	TAIL CONE ATTACHMENT BOLTS			15650.8H	05
***** 76150-09100-053 A086-02072	A	CARRY OUT	M/R BLADE 900 HR INSPECTION	BLACK	MM 5.20.00	15699.1H	65

- REORDER MAY BE REQUIRED

OH = OVERHAUL

LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. : VH-EXZ A/F
 A/C Type/ ASSY No. : SIKORSKY S76C
 Serial No. : 760446 ATA --
 ASSY Keyword/Desc :

HOURS 15235.4
 LANDINGS 85189.0
 CURRENT PROJECTION
 500.0
 1500.0
 DD-MMM-YYYY
 FROM: 27-APR-2017
 TO : 27-APR-2019
 Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F WO TRN
76150-09100-053 A086-02128	A	CARRY OUT	M/R BLADE 900 HR INSPECTION	BLUE	MM CH. 5.20.00	15699.1H 65
76150-09100-053 A086-02129	A	CARRY OUT	M/R BLADE 900 HR INSPECTION	RED	MM CH. 5.20.00	15699.1H 65
76150-09100-053 A086-02184	A	CARRY OUT	M/R BLADE 900 HR INSPECTION	YELLOW	MM CHAP 5.20.00	15699.1H 65
S76-F		PERFORM	100 HOUR "F" CHECK		DUAL CAT. CERT REQ'D	15699.3H 05
76351-09600-044 A231-00071 ***** ALSO DUE AT : 13-FEB-17	B	CHANGE	MAIN GEARBOX OIL			15713.8H 66
S76-6M-01		REMOVE & LUBE	BUTTERFLY COWL HINGE PINS			14-SEP-16 05
76251-01101-104 2565	A	INSPECT	PRESSURE TEST FLOAT BAG	L/H FWD	DOM OCT-2010	17-SEP-16 32
76251-01101-105 1383	A	INSPECT	PRESSURE TEST FLOAT BAG	R/H FWD	MM CHAP 5.20.00	17-SEP-16 32
76251-01102-101 1561	A	INSPECT	PRESSURE TEST FLOAT BAG	L/H AFT	DOM 6/95	18-SEP-16 32
76251-01102-110 2968	A	INSPECT	PRESSURE TEST FLOAT BAG	R/H AFT	DOM OCT-2008	18-SEP-16 32
76107-08100-043 D173-00125	A	CARRY OUT	BIFILAR 3YR BOLT INSP 65-12-00			24-SEP-16 65
S76-12M-02		PERFORM	ANNUAL INSPECTION		IAW ESSO CHECK SHEET	01-OCT-16 05
S76-24M-01		REMOVE	PLUMBING FROM KEEL BEAM, INSPE CT FOR CORROSION ANDTREAT WITH CORROSION INHIBITOR			04-OCT-16 05
S76-24M-04A		INSPECT	PILOT YAW PEDALS - REMOVE AND DISASSEMBLE			04-OCT-16 05
S76-24M-04B		INSPECT	CO PILOT YAW PEDALS - REMOVE A ND DISASSEMBLE			04-OCT-16 05

- REORDER MAY BE REQUIRED

OH = OVERHAUL

LL = LIFE LIMIT

REPORT 21

MAINTENANCE DUE LIST
WITH REMARKS

Registration No. : VH-EXZ A/F
 A/C Type/ ASSY No. : SIKORSKY S76C
 Serial No. : 760446 ATA --
 ASSY Keyword/Desc :

CURRENT PROJECTION DD-MMM-YYYY
 15235.4 500.0 FROM: 27-APR-2017
 HOURS LANDINGS 85189.0 1500.0 TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
76000-24000-041 A320-00064	A	REMOVE TAILCONE	HEAT SHIELD FOR CORROSION CHCK		IAW MM CH. 5-20-00	08-OCT-16	53
76104-08500-043 B327	A	CARRY OUT	SWASHPLATE 3 YEAR INSPECTION			14-OCT-16	65
76104-08500-043 B327	C	CHECK	CURRENCY OF S76-36M 05 INSP.			14-OCT-16	65
***** S76-3000H/36M	76107-08001-104	D173-00125 INSPECT	ARM SUPPORT BIFILAR ATTACHMENT LUGS FOR CRACKS			***** 14-OCT-16	05
S76-36M		PERFORM 36 MTH	INSP. (NOTE - CHECK WHEN S/ PLATE INSP ARE DUE)		IAW ESSO CHECK SHEET	14-OCT-16	05
S76-36M-10		CAL CHECK	#2 ENGINE TORQUE INDIC SYSTEM		IIDS DATA PACKAGE	14-OCT-16	05
40-412 1225	OH	WHEEL	MAIN WHEEL ASSEMBLY	L/H		26-OCT-16	32
76550-09005-111 058	A	LUBRICATE	AC GENERATOR DRIVE SPLINES			26-OCT-16	24
*****	ALSO DUE AT : 15469.4H						
61-0478-9 B196	A	DEEP CYCLE	EMERG LIGHT BATTERY			25-NOV-16	24
76357-05600-041 A242-00027	A	INSP. IGB CHIP	DETECTOR/TEMPERATURE SENSOR	66-20-00		29-NOV-16	66
*****	ALSO DUE AT : 15600.6H						
76357-05600-041 A242-00027	B	CHANGE	INTERMEDIATE GEARBOX OIL	66-20-00		29-NOV-16	66
*****	ALSO DUE AT : 15600.6H						
76358-05600-042 A239-00374	A	INSP. TGB CHIP	DETECTOR/TEMPERATURE SENSOR			29-NOV-16	66
*****	ALSO DUE AT : 15600.6H						
76358-05600-042 A239-00374	B	CHANGE	TAIL GEARBOX OIL			29-NOV-16	66
*****	ALSO DUE AT : 15600.6H						

- REORDER MAY BE REQUIRED

OH = OVERHAUL LL = LIFE LIMIT

REPORT 21

MAINTENANCE DUE LIST
WITH REMARKS

Registration No. : VH-EXZ A/F
 A/C Type/ ASSY No. : SIKORSKY S76C
 Serial No. : 760446 ATA --
 ASSY Keyword/Desc :

CURRENT PROJECTION DD-MMM-YYYY
 15235.4 500.0 FROM: 27-APR-2017
 HOURS LANDINGS 85189.0 1500.0 TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
76306-07901-101 81225EK	A	REWEIGH	ENGINE FIRE EXTINGUISHER	26-21-00 #1		30-NOV-16	26
***** 8162-2B 012605	HEELS A	EXZ ORDER	HEELS HEELS BATTERY	HELI EMERGENCY	EGRESS LIGHTING EXP DATE JAN-2017	***** 30-NOV-16	33
***** 8162-2B 012684	HEELS A	EXZ ORDER	HEELS HEELS BATTERY	HELI EMERGENCY	EGRESS LIGHTING EXP DATE JAN-2017	***** 30-NOV-16	33
***** 8162-2B 012698	HEELS A	EXZ ORDER	HEELS HEELS BATTERY	HELI EMERGENCY	EGRESS LIGHTING EXP DATE JAN-2017	***** 30-NOV-16	33
S76-24M-03		INSPECT	MAIN LANDING GEAR DOOR HINGES & SWIVEL FITTING FOR CORROS ION DAMAGE & SECURITY			13-DEC-16	05
76351-09600-044 A231-00071	C	CHANGE	MGB FILTER & INSPECT STUDS			19-DEC-16	66
***** RG-380E/44 40638841	ALSO DUE AT : A	15648.4H CAPACITY TEST	MAIN BATTERY			30-DEC-16	24
***** S76-18M-01	ALSO DUE AT : CRACK CHECK	15426.2H	REMOVE TOP & BOTTOM SWIVEL EXPLOSIVE LINK			11-JAN-17	05
453-0407 0232001	B	TEST ELT	TRANSMITTER			14-JAN-17	25
40-413 1218	#	OH WHEEL	NOSE WHEEL ASSEMBLY			24-JAN-17	32
***** 8162-2B 012605	HEELS LL	EXZ BATTERY	HEELS HEELS - BATTERY PACK	HELI EMERGENCY	EGRESS LIGHTING EXP DATE JAN-2017	***** 31-JAN-17	33
***** 8162-2B 012684	HEELS #	EXZ LL BATTERY	HEELS HEELS - BATTERY PACK	HELI EMERGENCY	EGRESS LIGHTING EXP DATE JAN-2017	***** 31-JAN-17	33

- REORDER MAY BE REQUIRED

OH = OVERHAUL LL = LIFE LIMIT

MAINTENANCE DUE LIST
WITH REMARKS

	CURRENT	PROJECTION	DD-MMM-YYYY
HOURS	15235.4	500.0	FROM: 27-APR-2017
LANDINGS	85189.0	1500.0	TO : 27-APR-2019
Open DEFECTS:		Last UPDATE	TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
*****	HEELS	EXZ	HEELS	HELI	EMERGENCY	EGRESS LIGHTING	*****
8162-2B 012698	# LL	BATTERY	HEELS - BATTERY PACK			EXP DATE JAN-2017	31-JAN-17 33
76306-07901-101 81178EK	A	REWEIGH	ENGINE FIRE EXTINGUISHER	#2		LAST 2.13 KG	13-FEB-17 26
76351-09600-044 A231-00071	B	CHANGE	MAIN GEARBOX OIL				13-FEB-17 66
*****	ALSO DUE AT : 15713.8H						
S76-12M-05		TEST	HONEYWELL SPZ-7600 IFCS SYSTEM			CH. 22-15-02	14-FEB-17 05
40-412 1362	OH	WHEEL	MAIN WHEEL ASSEMBLY	R/H			21-FEB-17 32
S76-6M		VISUALLY INSP.	EXTERNAL LIFERAFT SYSTEM			IAW ASI500-01/-02 MM	22-FEB-17 05
*****	76150-09100-053	A086-02128	ASSEMBLY	MAIN ROTOR BLADE			*****
M/R BLADE 3Y A086-02128	OH	BLADE	TRK IN STORE POST 11750	TSN			26-FEB-17 65
*****	76150-09100-053	A086-02129	ASSEMBLY	MAIN ROTOR BLADE			*****
M/R BLADE 3Y A086-02129	OH	BLADE	TRK IN STORE POST 11750	TSN			26-FEB-17 65
S76-36M-19		CARRY OUT	COMPASS SWING				13-MAR-17 05
76351-09600-044 A231-00071	A	CLEAN/INSP	CHIP DETECTOR WARNING SYSTEM				14-MAR-17 66
*****	ALSO DUE AT : 15299.2H						
76250-02502-041 B173	A	INTERCONN.	TUBE REMOVE & INSPECT ROD ENDS			IAW ASB76-32-26A	17-MAR-17 32
453-0407 0232001	C	PERIOD MAINT.	ELT TRANSM. IAW PARTS 1 TO 4			IAW MFG OPERAT. MAN.	12-APR-17 25
DK120 SD11432	A	TEST	ACOUSTIC BEACON				14-APR-17 25
*****	76150-09100-053	A086-02184	ASSEMBLY	MAIN ROTOR BLADE			*****

OH = OVERHAUL LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. : VH-EXZ A/F
 A/C Type/ ASSY No. : SIKORSKY S76C
 Serial No. : 760446 ATA --
 ASSY Keyword/Desc :

HOURS 15235.4
 LANDINGS 85189.0
 CURRENT PROJECTION
 500.0
 1500.0
 DD-MMM-YYYY
 FROM: 27-APR-2017
 TO : 27-APR-2019
 Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
M/R BLADE 3Y A086-02184	OH	BLADE	TRK IN STORE POST 11750 TSN			23-APR-17	65
AD/S-76/62. COMP.MTHD: IAW ASB76-55-16		MANDATORY	TAIL GEARBOX FORWARD FAIRING TO PYLON ATTACHMENT ANGLE		IAW ASB76-55-16A	26-APR-17	98
S6145-61445-001 343648	A	INSPECT/TEST	VERTICAL SPEED INDICATOR	PLT	IAW MFG TEST DATA	07-MAY-17	34
2070A100 T5540	A	DISASSEMBLE NLG	INSPECT, RESEAL AND SERVICE			15-MAY-17	32
2071A100 T-5659	A	DISASSMBLE MLG	INSPECT, RESEAL AND SERVICE	R/H	CHANGE S/STRUT FLUID	15-MAY-17	32
2071A100 T-5714	A	DISASSMBLE MLG	INSPECT, RESEAL AND SERVICE	L/H	CHANGE S/STRUT FLUID	15-MAY-17	32
2071A175-01 B133	A	DISASSEMBLE,	DRAW BRACE & INSP. FOR COND.	L/H	SERV ITEM FITTED	15-MAY-17	32
2071A175-02 B134	A	DISASSEMBLE,	DRAW BRACE & INSP. FOR COND.			15-MAY-17	32
76209-24004-049 B317-00150	A	REPLACE	STAB SUPP. BOLTS NAS626-30 X 4 55-10-00			16-MAY-17	55
***** M/R BLADE 3Y A086-02072	76150-09100-053 OH	BLADE	A086-02072 ASSEMBLY MAIN ROTOR BLADE TRK IN STORE POST 11750 TSN			***** 16-MAY-17	65
S76-36M-02		CAL CHECK	AC & DC BUS VOLT MONIT SYSTEM		TEST SCHED. #S76C-4	14-JUN-17	05
S76-36M-06		CAL CHECK	FUEL FLOW INDIC SYSTEM		IIDS DATA PACKAGE	14-JUN-17	05
S76-36M-07		CAL CHECK	#1 ENGINE T5 INDIC SYSTEM		IIDS DATA PACKAGE	14-JUN-17	05
S76-36M-16		CAL CHECK	GAS PRODUCER TACHOMETER SYSTEM		TEST SCHED #S76C-1	14-JUN-17	05
S76-36M-17		CAL CHECK	TRIPLE TACHOMETER SYSTEM		TEST SCHED. #S76C-2	14-JUN-17	05

- REORDER MAY BE REQUIRED

OH = OVERHAUL LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. : VH-EXZ A/F
 A/C Type/ ASSY No. : SIKORSKY S76C
 Serial No. : 760446 ATA --
 ASSY Keyword/Desc :
 HOURS 15235.4
 LANDINGS 85189.0
 CURRENT PROJECTION
 500.0
 1500.0
 DD-MMM-YYYY
 FROM: 27-APR-2017
 TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
S76-36M-18		CAL CHECK	IIDS OAT SYSTEM		TEST SCHED. #S76C-3	14-JUN-17	05
S76-36M-03		CAL CHECK	DC GENERATOR LOAD INDIC SYSTEM		TEST SCHED. #S76C-5	15-JUN-17	05
S76-36M-04		CAL CHECK	DUAL HYD INDICATING SYSTEM		TEST SCHED. #S76C-6	15-JUN-17	05
S76-36M-11		CAL CHECK	MAIN G/BOX OIL TEMP/PRESS SYST		TEST SCHED. #S76C-7	15-JUN-17	05
S76-36M-12		CAL CHECK	#1 ENGINE OIL TEMP/PRESS SYST		TEST SCHED. #S76C-8	15-JUN-17	05
S76-36M-01		REWEIGH	AIRCRAFT			17-JUN-17	05
S76-300H/12M-01		INSPECT/TEST	HEEL'S COMPONENTS/SYSTEM IAW L SI DOC #IC00565			01-JUL-17	05
***** ALSO DUE AT : 15450.7H							
501-1712-01 1192	A	CAPACITY TEST	POWER JET MODEL PS-855A			03-JUL-17	34
S76-12M-09		INSPECT	AIRCRAFT FIRST AID KITS REPLACE EX PIRED & DAMAGED/WORN ITEMS			26-JUL-17	05
A03		REISSUE	MAINTENANCE RELEASE			27-JUL-17	05
***** ALSO DUE AT : 15401.0H							
S76-60M-09		REPLACE	OIL COOLER RIGHT AFT ELBOW DUC T P/N 0401272820			27-JUL-17	05
S76-100H/12M		PERFORM	LOW TAIL ROTOR BALANCE CH18-10 CH05 -00			28-JUL-17	05
***** ALSO DUE AT : 15298.5H							
S76-B		PERFORM	100 HOUR "B" CHECK			30-JUL-17	05
***** ALSO DUE AT : 15300.3H							
898052 X-457265	A	REWEIGH/INSPECT	CABIN FIRE EXTINGUISHER		LAST REWEIGH 1.65 KG	21-AUG-17	26

- REORDER MAY BE REQUIRED

OH = OVERHAUL LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. :	VH-EXZ	A/F		CURRENT	PROJECTION	DD-MMM-YYYY
A/C Type/ ASSY No. :	SIKORSKY S76C			15235.4	500.0	FROM: 27-APR-2017
Serial No. :	760446	ATA --		LANDINGS	85189.0	1500.0
ASSY Keyword/Desc :						TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
898052 Y-609849	A	REWEIGH/INSPECT	CABIN FIRE EXTINGUISHER		1.63KG	21-AUG-17	26
S76-12M-03		REPLACE	PLTS WINDSHIELD WIPER RUBBER	PLT	P/N 55-1110-1	21-AUG-17	05
S76-12M-04		REPLACE	CPLTS WINDSHIELD WIPER RUBBER	CPLT	P/N 55-1110-1	21-AUG-17	05
AD/GEN/37 COMP.MTHD:	10	MANDATORY	EMERGENCY EXITS OPERATION CHECK			22-AUG-17	98
*****	2071-235		BFG0662BIC ROD END POSITIONING ROD			*****	
AD/S-76/66 PT. 4 COMP.MTHD: ASB76-32-26A		MANDATORY	MLG POSITIONING ROD ASSEMBLY INSPECTION OF	L/H	REFER ASB76-32-26A	23-AUG-17	98
*****	2071-235		BFG0667BIC ROD END POSITIONING ROD			*****	
AD/S-76/66 PT. 4 COMP.MTHD: ASB76-32-26A		MANDATORY	MLG POSITIONING ROD ASSEMBLY INSPECTION OF		REFER ASB76-32-26A	23-AUG-17	98
*****	2071-31		CPT1094AT ROD ASSY POSITIONING			*****	
AD/S-76/66 PT. 4 COMP.MTHD: IAW ASB76-32-26A		MANDATORY	MLG POSITIONING ROD ASSEMBLY INSPECTION OF			23-AUG-17	98
*****	2071-31		CPT1169-AT ROD ASSY POSITIONING			*****	
AD/S-76/66 PT. 4 COMP.MTHD: IAW ASB76-32-26A		MANDATORY	MLG POSITIONING ROD ASSEMBLY INSPECTION OF			23-AUG-17	98
*****	2071-31		CPT1169-AT ROD ASSY POSITIONING			*****	
HIPSIEWB22-10H-34 B231	A	INSPECTION	BOLT FOR CORROSION			23-AUG-17	32
*****	2071-31		CPT1094AT ROD ASSY POSITIONING			*****	
HIPSIEWB22-10H-34 B243	A	INSPECTION	BOLT FOR CORROSION	LH		23-AUG-17	32
*****	HEELS		EXZ HEELS HELI EMERGENCY EGRESS LIGHTING			*****	
8162-2B 013227	A	ORDER	HEELS BATTERY		EXP DATE 30 APR 19	06-SEP-17	33
S76-C		PERFORM	100 HOUR "C" CHECK			11-SEP-17	05
*****	ALSO DUE AT : 15400.6H						
S76-24M-02		REMOVE	WINDSCREEN WIPER CONVERTERS & FLEX DRIVES, CLEAN, LUB RICATE AND RE-INSTALL.			15-SEP-17	05

- REORDER MAY BE REQUIRED

OH = OVERHAUL

LL = LIFE LIMIT

REPORT 21

MAINTENANCE DUE LIST
WITH REMARKS

Registration No. :	VH-EXZ	A/F				CURRENT	PROJECTION	DD-MMM-YYYY
A/C Type/ ASSY No. :	SIKORSKY S76C				HOURS	15235.4	500.0	FROM: 27-APR-2017
Serial No. :	760446	ATA --			LANDINGS	85189.0	1500.0	TO : 27-APR-2019
ASSY Keyword/Desc :								

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
S76-24M-05		PREFORM	INSPECT/TEXT PITOT/STATIC SYST EM IAW CAO 100.5			19-SEP-17	05
S76-3000H/60M-01		REPLACE	TAIL CONE ATTACHMENT BOLTS			13-OCT-17	05
*****	ALSO DUE AT : 15650.8H						
*****	HEELS		HEELS	HELI EMERGENCY	EGRESS LIGHTING	*****	
8162-2B 013227	# LL	BATTERY	HEELS - BATTERY PACK		EXP DATE 30 APR 19	06-NOV-17	33
S76-36M-05		LEAK TEST	S.S. FUEL SYSTEM SUPPLY LINES		IAW MM CH. 28-20-02	12-NOV-17	05
S76-36M-20		CARRY OUT	TEST REMOTE CONTROL CIRCUIT BR EAKER			12-NOV-17	05
S76-D		PERFORM	100 HOUR "D" CHECK			06-DEC-17	05
*****	ALSO DUE AT : 15502.4H						
76102-08000-061 G134-00867	A	DISASSEMBLE AND INSPECT MAIN ROTOR SPINDLE		BLUE		14-DEC-17	65
*****	ALSO DUE AT : 15266.9H						
76102-08000-061 G134-00916	A	DISASSEMBLE AND INSPECT MAIN ROTOR SPINDLE		YELLOW		14-DEC-17	65
*****	ALSO DUE AT : 15266.9H						
76102-08000-061 G134-00939	A	DISASSEMBLE AND INSPECT MAIN ROTOR SPINDLE		RED		14-DEC-17	65
*****	ALSO DUE AT : 15266.9H						
76102-08000-061 G134-00945	A	DISASSEMBLE AND INSPECT MAIN ROTOR SPINDLE		BLACK		14-DEC-17	65
*****	ALSO DUE AT : 15266.9H						
76306-07901-101 81178EK	OH	BOTTLE	ENGINE FIRE EXTINGUISHER	#2	LAST HYDRO19-DEC-07	24-JAN-18	26
76251-00702-043 AA13700	A	MLG DOOR LINK	REMOVE ROD END & INSP. THREADS	R/H	DOM MAR 2013	22-FEB-18	32
76251-00702-043 AA13702	A	MLG DOOR LINK	REMOVE ROD END & INSP. THREADS	L/H	DOM MAR 2013	22-FEB-18	32

- REORDER MAY BE REQUIRED

OH = OVERHAUL LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. :	VH-EXZ	A/F			CURRENT	PROJECTION	DD-MMM-YYYY
A/C Type/ ASSY No. :	SIKORSKY S76C				15235.4	500.0	FROM: 27-APR-2017
Serial No. :	760446	ATA --			85189.0	1500.0	TO : 27-APR-2019
ASSY Keyword/Desc :							

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
S6145-61445-001 346304	A	INSPECT/TEST	VERTICAL SPEED INDICATOR	CPLT	IAW MFG TEST DATA	01-APR-18	34
***** 76361-04007-042 C348-00648	76361-04604-044 OH	C240-00772 BEARING	SHAFT SUPPORT	TAIL ROTOR		***** 19-MAY-18	66
***** SB1138-102 B626-64907	76361-04007-042 LL	C348-00648 BEARING	BEARING SUPPORT		FIRST FIT 19-MAY-13	***** 19-MAY-18	66
AD/RAD/47 COMP.MTHD:	4	MANDATORY	PERIODIC TESTING OF ATC TRANSPONDERS		FAR PART 91-413	09-JUN-18	98
CAO 100.5 CLAUSE 3 COMP.MTHD:	ORIGINAL	MANDATORY	ATC TRANSPONDER SYSTEM WITH ACTIVE MODE "C" TEST			09-JUN-18	98
10420-11968E 149335	A	TEST ENCODING	ALTIMETER IAW FAR PT43 APPDX E	PILOT		24-JUN-18	34
8503-S20LW 1015	A	INSP/TEST	ALTIMETER IAW FAR PT43 APPDX E	CPLT	IAW FAR PT43 APPDX E	30-JUN-18	34
S76-36M-08		CAL CHECK	#2 ENGINE T5 INDIC SYSTEM		IIDS DATA PACKAGE	04-JUL-18	05
76650-01801-103 1662	A	CARRY OUT	PROOF PRESS TEST BLOWDOWN BTL		DOM 4Q10	22-JUL-18	32
***** 452-0133 359453-063	453-0407 # LL	0232001 BATTERY	TRANSMITTE (ELT) EMERGENCY ELT	LOCATOR RADIO EXPIRY 01 AUG 2018	***** 01-AUG-18	25	
20020-11293 255759	A	CALIBRATION	AIRSPEED INDICATOR	PLTS		19-AUG-18	39
20020-11293 259055	A	CALIBRATION	AIRSPEED INDICATOR	CPLT		19-AUG-18	39
0401277050 122S0	A	INSPECT	TRIPOD	#1		22-AUG-18	51
0401277060 B206	A	INSPECT	TRIPOD	#2		22-AUG-18	72

- REORDER MAY BE REQUIRED

OH = OVERHAUL LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. : VH-EXZ A/F
 A/C Type/ ASSY No. : SIKORSKY S76C
 Serial No. : 760446 ATA --
 ASSY Keyword/Desc :

HOURS 15235.4
 LANDINGS 85189.0

CURRENT PROJECTION
 500.0
 1500.0

DD-MMM-YYYY
 FROM: 27-APR-2017
 TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
0401277070 B205	A	INSPECT	BIPOD STRUT	#1		22-AUG-18	71
0401277080 121S0	A	INSPECT	BIPOD STRUT	#2		22-AUG-18	72
0401277090 148S0	A	INSPECT	DRAG STRUT	#1		22-AUG-18	72
0401277090 196S0	A	INSPECT	DRAG STRUT	#2		22-AUG-18	72
0401277930 65S0	A	INSPECT	AFT STRUT	#2		22-AUG-18	72
0401277930 80S0	A	INSPECT	AFT STRUT	#1		22-AUG-18	72
S76-3000H/48M-01		INSPECT	#1 ENG SUPPORTS/DECK LUGS		IAW M.M. CH. 5-20-00	22-AUG-18	05
S76-3000H/48M-02		INSPECT	#2 ENG SUPPORTS/DECK LUGS		IAW M.M. CH. 5-20-00	22-AUG-18	05
S76-36M-21		REMOVE & INSPEC	ESCAPE WINDOWS - L/H CABIN & A FT CABIN AS PER 5-2 0-00			18-SEP-18	05
S76-36M-09		CAL CHECK	#1 ENGINE TORQUE INDIC SYSTEM		IIDS DATA PACKAGE	18-OCT-18	05
76306-07901-101 81225EK	OH	BOTTLE	ENGINE FIRE EXTINGUISHER	26-21-00 #1	HYDRO DATE 01/08/03	22-NOV-18	26
***** 810-2007K SD11432	DK120 LL	SD11432 BATTERY	BEACON SONIC LOCATOR BATTERY	SONIC LOCATOR	EXPIRY FEB 2019	***** 28-FEB-19	25
S76-1000H/36M		REPLACE	T/R CABLE SET & TURNBARRELS 2			16-MAR-19	05
S76-60M-07		REPLACE	NO 1 ENG BAY FLEX HOSES			13-APR-19	05
S76-60M-08		REPLACE	NO 2 ENG BAY FLEX HOSES			13-APR-19	05

REPORT 21

M A I N T E N A N C E D U E L I S T
REORDER SCHEDULE

Registration No. : VH-EXZ A/F
A/C Type/ ASSY No. : SIKORSKY S76C
Serial No. : 760446 ATA --
ASSY Keyword/Desc :

HOURS 15235.4
LANDINGS 85189.0

CURRENT PROJECTION
500.0
1500.0

DD-MMM-YYYY
FROM: 27-APR-2017
TO : 27-APR-2019

Open DEFECTS:

Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART	KEYWORD	DESCRIPTION	VENDOR(S)			QUANTITY TO ORDER
			1	2	3	
40-413	WHEEL	NOSE WHEEL ASSEMBLY	08	08	410	1
76358-05600-042	GEARBOX	TAIL S76C	4444	08	902	1

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. : VH-EXZ ENG 1
 A/C Type/ ASSY No. : 0292001600
 Serial No. : 15059 ATA --
 ASSY Keyword/Desc : ENGINE ARRIEL 1S1

CURRENT PROJECTION DD-MMM-YYYY
 HOURS 6425.9 500.0 FROM: 27-APR-2017
 CYCLES 10463.3 1500.0 TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
*****	70BM037330	3121	GENERATOR GAS			*****	
1S1-25-01		INSPECTION	VISUALLY INSPECT FREE TURBINE BLADES			6439.4H 15248.9H	05
1S1-30		INSPECT	ENGINE MAGNETIC PLUGS			6439.4H 15248.9H	05
1S1-100-01		LEAK CHECK	DECELERATION CONTROL UNIT			6489.0H 15298.5H	05
1S1-100-02		COLLECT	ENGINE OIL SAMPLE			6489.0H 15298.5H	05
1S1-100-03		CHECK	BLEED VALVE OPERATING THRESHOL D			6489.0H 15298.5H	05
1S1-300-03		PERFORM	REAR POINT VIBRATION CHECK IAW ARRIEL M.M. CHAP. 71-02-10-760-802-A01 PAGE 1308		LAST 12MM/SEC	6489.0H 15298.5H	05
1S1-150-02		PERFORM	ENGINE 150 HOUR INSPECTION			6539.0H 15348.5H	05
1S1-750-01		PERFORM	ENGINE 750 HOUR INSPECTION			6540.4H 15349.9H	05
1S1-750-04		REPLACE	ENGINE OIL FILTER P/N 95601581 80			6540.4H 15349.9H	05
1S1-750-05		CHECK & CLEAN	BLEED VALVE P2 FILTER			6540.4H 15349.9H	05
1S1-750-06		INSPECT	IAW TASK 73-16-20-750-801-A01 CHECK CORRECT OPERATION OF DRAIN & OVERSPEED VALVE			6540.4H 15349.9H	05
1S1-750		LUBRICATE	POWER OUTPUT FLANGE SPLINE			6540.7H 15350.2H	05
1S1-300-02		PERFORM	ENGINE 300 HOUR PERIODIC INSP IAW ESSO CHECK SHEET			6689.0H 15498.5H	05
70BM037330 3121	A	INSPECT	T1 BLADES + COMBUSTION CHAMBER			6689.0H 15498.5H	72

- REORDER MAY BE REQUIRED

OH = OVERHAUL

LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. : VH-EXZ ENG 1
 A/C Type/ ASSY No. : 0292001600
 Serial No. : 15059 ATA --
 ASSY Keyword/Desc : ENGINE ARRIEL 1S1

CURRENT PROJECTION DD-MMM-YYYY
 HOURS 6425.9 500.0 FROM: 27-APR-2017
 CYCLES 10463.3 1500.0 TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
0164850970 1539	B	CARRY OUT	CHARACTERISTICS FCU POST TU183			6689.2H 15498.7H	73
1S1-450-01		INSPECT & CLEAN	GAS GEN. REAR BEARING OIL STRA INER			6689.2H 15498.7H	05
1S1-450-02		PERFORM	CLOGGING CHECK OF REAR BEARING			6689.2H 15498.7H	05
1S1-450-03		RECORD	ENGINE OIL FLOW RESULT			6689.2H 15498.7H	05
1S1-500H/24M		CHANGE	ENGINE OIL			6788.8H 15598.3H	05
***** ALSO DUE AT : 09-JUN-18							
***** 029225A2S0 3121	70BM037330 A	3121 TRACKING	GENERATOR GAS 2ND STAGE TURBINE BLADE			***** 6832.4H 15641.9H	72
***** 1S1-600	0164850970	1539 CLEAN & INSPECT	UNIT FUEL CONTROL P2 CHAMBER OF THE ACCELERATION CONTROLLER CHECK MOD STATUS			***** 6888.8H 15698.3H	05
1S1-500H/24M		CHANGE	ENGINE OIL			09-JUN-18	05
***** ALSO DUE AT : 6788.8H							

- REORDER MAY BE REQUIRED

OH = OVERHAUL

LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. : VH-EXZ ENG 2
 A/C Type/ ASSY No. : 0292001600
 Serial No. : 15547TEC ATA --
 ASSY Keyword/Desc : ENGINE ARRIEL 1S1

CURRENT PROJECTION DD-MMM-YYYY
 HOURS 10734.1 500.0 FROM: 27-APR-2017
 CYCLES 912.4 1500.0 TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
*****	70BM037370	15092	GENERATOR GAS			*****	
1S1-25-01		INSPECTION	VISUALLY INSPECT FREE TURBINE BLADES			10747.6H 15248.9H	05
1S1-30		INSPECT	ENGINE MAGNETIC PLUGS			10747.6H 15248.9H	05
1S1-100-01		LEAK CHECK	DECELERATION CONTROL UNIT			10749.4H 15250.7H	05
1S1-100-03		CHECK	BLEED VALVE OPERATING THRESHOL D			10749.4H 15250.7H	05
1S1-300-03		PERFORM	REAR POINT VIBRATION CHECK IAW ARRIEL M.M. CHAP. 71-02-10-760-802-A01 PAGE 1308		6MM/S	10749.4H 15250.7H	05
1S1-100-02		COLLECT	ENGINE OIL SAMPLE			10749.5H 15250.8H	05
1S1-150-02		PERFORM	ENGINE 150 HOUR INSPECTION			10847.2H 15348.5H	05
1S1-300-02		PERFORM	ENGINE 300 HOUR PERIODIC INSP IAW ESSO CHECK SHEET			10847.4H 15348.7H	05
70BM037370 15092	A	INSPECT	T1 BLADES + COMBUSTION CHAMBER			10847.4H 15348.7H	72
1S1-450-01		INSPECT & CLEAN	GAS GEN. REAR BEARING OIL STRA INER			10847.9H 15349.2H	05
1S1-450-02		PERFORM	CLOGGING CHECK OF REAR BEARING			10847.9H 15349.2H	05
1S1-450-03		RECORD	ENGINE OIL FLOW RESULT			10847.9H 15349.2H	05
0164850970 B578B	B	CARRY OUT	CHARACTERISTICS FCU POST TU183		POST TU183	10997.4H 15498.7H	73
1S1-500H/24M		CHANGE	ENGINE OIL			11047.4H 15548.7H	05

***** ALSO DUE AT : 20-MAY-18

- REORDER MAY BE REQUIRED

OH = OVERHAUL

LL = LIFE LIMIT

REPORT 21

M A I N T E N A N C E D U E L I S T
WITH REMARKS

Registration No. : VH-EXZ ENG 2
 A/C Type/ ASSY No. : 0292001600
 Serial No. : 15547TEC ATA --
 ASSY Keyword/Desc : ENGINE ARRIEL 1S1

CURRENT PROJECTION DD-MMM-YYYY
 HOURS 10734.1 500.0 FROM: 27-APR-2017
 CYCLES 912.4 1500.0 TO : 27-APR-2019

Open DEFECTS: Last UPDATE TIMES: 26-APR-2017

Excluded from this Report : DEFECTS

PART NUMBER SERIAL NUMBER	SUFFIX/ REVISION	KEYWORD/ CATEGORY	DESCRIPTION	REFERENCE LOCATION	REMARKS TOLERANCE	DUE ASSY DUE A/F	ATA WO TRN
*****	0164850970	B578B	UNIT	FUEL CONTROL		*****	
1S1-600		CLEAN & INSPECT	P2 CHAMBER OF THE ACCELERATION CONTROLLER STATUS	CHECK MOD		11147.4H 15648.7H	05
1S1-500H/24M		CHANGE	ENGINE OIL			20-MAY-18	05
***** ALSO DUE AT : 11047.4H							