

IRG-17-080 Lot D - Misc. Sized Casing Inventory

IRG	MMR SED #	Tracking #	Lot	Lot Category	QTY	Item	Size	DESCRIPTION	Estimated Weight (kgs)	Grade	Comments
17-080	16123	16-196	D	Casing	2	Casing	5	CASING, SEAMLESS, (LINER), 5", 15.00 LB/FT, PERFORATED GRADE L-80, HYDRIL 513 CONNECTIONS, RANGE 3 DR# CWS-003-11, 13.86 and 14.36 mtr FULL JOINT	280		loose
17-080	16092	16-206	D	Casing	1	Casing	5 1/2	Casing, 5-1/2", 20 ppf, Vam Top HC, L-80 1% Cr, R 3, PAL 1, CPT 2. DR# KSB-112-16	369.33		loose
17-080	16123	16-196	D	Casing	2	Casing	5 1/2	CASING, 5-1/2", 17# LB/FT, 1% CHROME L80, HYDRIL 521, BOX X PIN,RANGE 3 QA/QC DR#CWS-017-16	660		loose
17-080	16123	16-196	D	Casing	2	Casing	5 1/2	CASING, 5-1/2", 17# LB/FT, 1% CHROME L80, HYDRIL 521, BOX X PIN,RANGE 3 QA/QC DR#CWS-014-16	660		loose
17-050	16035	16-195	D	Casing	2	Casing	5 1/2	Vam Top HC, L-80 1% Cr, R 3, PAL 1, CPT 2., DR# KSB-70-16		L-80 1Cr	Loose
17-080	16092	16-206	D	Casing	2	Casing	9 5/8	CASING, 9 5/8" 47 PPF TN-110HC HYDRIL WEDGE 563 R3 PAL 3/ CTP 2 DR# KSB-90-16	1735.84		loose
17-080	16092	16-206	D	Casing	1	Casing	9 5/8	CASING, 9 5/8" 47 PPF TN-110HC HYDRIL WEDGE 563 R3 PAL 3/ CTP 2 DR# KSB-92-16 joint with out 1 meter cut off piece	867.92		loose
17-080	16092	16-206	D	Casing	1	Casing	9 5/8	CASING, 9-5/8", 47 LB/FT, SM-110TT, VAM TOP HC ND, R3, PAL 1, CTP 2 CUT OFF	811.00		loose
17-080	16091	17-218	D	Casing	2	Casing	9 5/8	CASING, 9 5/8" 47 PPF TN-110HC HYDRIL WEDGE 563 R3 PAL 3/ CTP 2 DR# KSB-020-17	1,700.00		loose
17-080	16123	16-196	D	Casing	1	Casing	9 5/8	CASING, 9-5/8", 47 LB/FT, TN-110TT, Hydril 563, R3, PAL 1, CTP 2 DR# CWS-027-12, mtr FULL JOINT	850		loose
17-080	16106	17-223	D	Casing	1	Casing	9 5/8	CSG,9-5/8,47,SM-110TT,VMTOPHCND,R3			
17-080	16092	16-206	D	Casing	2	Casing	10 3/4	CASING, 10-3/4" 60.7# L-80 1Cr VamTop KX R3 Joints PAL 2 / CTP 2 DR# KSB-122-16	2241.82		loose
17-080	16092	16-206	D	Casing	2	Casing	10 3/4	CASING, 10-3/4" 60.7# L-80 1Cr VamTop KX R3 Joints PAL 2 / CTP 2 DR# KSB-02-17	2200.00		loose
17-080	16092	16-206	D	Casing	2	Casing	10 3/4	10-3/4" 60.3# L80 Vam Top KX Box x Box coupling Removed from 'CASING, 10-3/4" DR_KSB_04-17	60.00		loose
17-050	16035	16-195	D	Casing	1	Casing	10 3/4	VamTop KX R3 Joints PAL 2 / CTP 2, DR# KSB-66-16		L-80 1Cr	Assembly
17-050	16035	16-195	D	Casing	1	Casing	10 3/4	VamTop KX R3 Joints PAL 2 / CTP 2 (Signed Landing Joint), DR# KSB-69-16		L-80 1Cr	Loose
17-050	16035	16-195	D	Casing	2	Casing	13 3/8	Hydril 523. Average joint length 42.01 ft., DR# KSB-66-16		-	Loose
17-050	16035	16-195	D	Casing	12	Casing	13 3/8	VAM SLIJ-II, special drift 12.25", R3 joint (11.58m per joint), DR# KSB-72-16		P110	Loose
17-050	16035	16-195	D	Casing	10	Casing	13 3/8	VAM SLIJ-II, special drift 12.25", R3 joint (11.58m per joint), DR# KSB-72-16		P110	Loose
17-080	16092	16-206	D	Casing	2	Casing	13 5/8	CASING, 13-5/8", 88.20 LB./FT., GRADE P-110, SEAMLESS, VAM TOP KX CONNECTIONS, BOX X PIN, RANGE 3 LENGTH DR# KSB-89-16	3257.48		loose
17-080	16091	17-218	D	Casing	1	Casing	13 5/8	CASING, 13-5/8", 88.20 LB./FT., GRADE P-110, SEAMLESS, VAM TOP KX CONNECTIONS, BOX X PIN, RANGE 3 LENGTH DR# KSB-12-17	1,500.00		loose
17-080	16123	16-196	D	Casing	2	Casing	13 5/8	CASING, 13-5/8", 88.20 LB./FT., GRADE P-110, SEAMLESS, VAM TOP KX CONNECTIONS, BOX X PIN, RANGE 3 LENGTH. DR # CWS-039-14	3400		loose
17-080	16123	16-196	D	Casing	1	Casing	13 5/8	CASING, 13-5/8", 88.20 LB./FT., GRADE P-110, SEAMLESS, VAM TOP KX CONNECTIONS, BOX X PIN, RANGE 3 LENGTH. DR # CWS-035-15	1700		loose

IRG-17-080 Lot D - Misc. Sized Casing Inventory

IRG	MMR SED #	Tracking #	Lot	Lot Category	QTY	Item	Size	DESCRIPTION	Estimated Weight (kgs)	Grade	Comments
17-080	16123	16-196	D	Casing	1	Casing	13 5/8	CASING, 13-5/8", 88.20 LB./FT., GRADE P-110, SEAMLESS, VAM TOP KX CONNECTIONS, BOX X PIN, RANGE 3 LENGTH. DR # CWS-035-15	1700		loose
17-050	16035	16-195	D	Casing	3	Casing	13 5/8	SEAMLESS, VAM TOP KX, CONNECTIONS, BOX X PIN, RANGE 3 LENGTH, DR# KSB-73-16		P110	Loose
17-050	16035	16-195	D	Casing	7	Casing	13 5/8	SEAMLESS, VAM TOP KX, CONNECTIONS, BOX X PIN, RANGE 3 LENGTH, DR# KSB-74-16		P110	Loose
17-050	16035	16-195	D	Casing	2	Casing	13 5/8	SEAMLESS, VAM TOP KX, CONNECTIONS, BOX X PIN, RANGE 3 LENGTH, DR# KSB-77-16		P110	Loose
17-050	16035	16-195	D	Casing	2	Casing	16	R3 TENARIS-HYDRIL 521 SEAMLESS STEEL CASING PAL 2, CTP 2, DR# KSB-70-16		L80	Loose
17-080	16092	16-206	D	Casing	3	Casing	18 5/8	Casing, 18-5/8", 87.5 ppf, J-55N, BTC, Range 3, ERW DR# KSB 87-16	5002.27		loose
17-080	16091	17-218	D	Casing	1	Casing	18 5/8	Casing, 18-5/8", 87.5 ppf, J-55N, BTC, Range 3, ERW DR# KSB-024-17	1,100.00		Assembly
17-080	16091	17-218	D	Casing	2	Casing	18 5/8	Casing, 18-5/8", 87.5 ppf, J-55N, BTC, Range 3, ERW DR_KSB_028-17	1,800.00		loose
17-080	16091	17-218	D	Casing	1	Casing	18 5/8	Casing, 18-5/8", 87.5 ppf, J-55N, BTC, Range 3, ERW DR_KSB_027-17	1,800.00		loose
17-080	16123	16-196	D	Casing	2	Casing	18 5/8	CASING, 18-5/8", 87.5 ppf, J-55N, BTC, Range 3, DR# CWS-034-14	3500		loose
17-080	16123	16-196	D	Casing	1	Casing	18 5/8	CASING, 18-5/8", 87.5 ppf, J-55N, BTC, Range 3, DR# CWS-017-15	1750		loose
17-080	16123	16-196	D	Casing	2	Casing	18 5/8	CASING, 18-5/8", 87.5 ppf, J-55N, BTC, Range 3, DR# CWS-018-15	3500		loose
17-050	16035	16-195	D	Casing	1	Casing	18 5/8	J-55N, BTC, Range 3, ERW, CUT OFF - 18 5/8" BTC Pin x Pin full length joints		J55N	Loose
17-050	16035	16-195	D	Casing	3	Casing	18 5/8	BTC, Range 3, ERW, CUT OFF - 18 5/8" BTC Pin x blank end		J55N	Loose
17-050	16035	16-195	D	Casing	3	Casing	18 5/8	BTC, Range 3, ERW, CUT OFF - 18 5/8" blank end x blank end		J55N	Loose
17-050	16035	16-195	D	Casing	1	Casing	18 5/8	BTC, Range 3, ERW, CUT OFF - 18 5/8" BTC Box (damaged) x blank end		J55N	Loose
17-050	16035	16-195	D	Casing	3	Casing	18 5/8	BTC, Range 3, ERW, DR# KSB-75-16		J55N	Loose
17-050	16035	16-195	D	Casing	3	Casing	18 5/8	NORMALIZED, SMLS, BTC API BOX X PIN, DR# CWS-008-12		J55N	Loose
17-050	16035	16-195	D	Casing	1	Casing	18 5/8	NORMALIZED, SMLS, BTC API BOX X PIN, DR# CWS-009-12 / DR#CWS-014-12			Assembly
17-080	16092	16-206	D	Casing	3	Pup	3 1/2	CSG,3-1/2IN,9.2PPF,P110,HYD511,BP,R2 PUP JOINT, 10FT, 3-1/2" 9.2PPF P-110 RANGE 2, PAL 1, CTP 2 TENARISHYDRIL 511 FLUSH JOINT PIPE DR# KSB-115-16	125.23		loose
17-080	16092	16-206	D	Casing	2	Pup	3 1/2	PUP,3-1/2IN,9.2PPF,P110,HYD511,BP,1.8M PUP JOINT, 6FT, 3-1/2" 9.2PPF P-110, PAL 1, CTP 2 TENARISHYDRIL 511 FLUSH JOINT PIPE DR# KSB-116-16	50.09		loose
17-080	16092	16-206	D	Casing	4	Pup	3 1/2	CSG,3-1/2IN,9.2PPF,P110,HYD511,BP,R2 PUP JOINT, 5FT, 3-1/2" 9.2PPF P-110 RANGE 2, PAL 1, CTP 2 TENARISHYDRIL 511 FLUSH JOINT PIPE DR# KSB-117-16	83.48		loose
17-080	16092	16-206	D	Casing	2	Pup	3 1/2	PUP,3-1/2IN,9.2PPF,TSH,W511,BxP1CR,0.45M DR# KSB-119-16	12.52		loose
17-080	16092	16-206	D	Casing	2	Pup	3 1/2	PUP,3-1/2IN,9.2PPF,P110,HYD511,BP,1.8M PUP JOINT, 6FT, 3-1/2" 9.2PPF P-110, PAL 1, CTP 2 TENARISHYDRIL 511 FLUSH JOINT PIPE DR# KSB-126-16	50.09		loose
17-080	16092	16-206	D	Casing	1	Pup	3 1/2	CSG,3-1/2IN,9.2PPF,P110,HYD511,BP,R2 PUP JOINT, 5FT, 3-1/2" 9.2PPF P-110 RANGE 2, PAL 1, CTP 2 TENARISHYDRIL 511 FLUSH JOINT PIPE DR# KSB-127-16	20.87		loose
17-080	16092	16-206	D	Casing	1	Pup	3 1/2	Pup Joint, 3-1/2in 9.2 ppf VAM TOP BxP, L-80 1CR, 3m (118in +/-3in), PAL1 CTP2 DR# KSB 09-17	60.00		loose
17-080	16091	17-218	D	Casing	1	Pup	3 1/2	Pup Joint, 2.5m, 3-1/2" 9.2ppf P-110, with TK-2 internal coating, PAL 1, CTP 2 Tenarishydril 511 flush joint pipe DR# KSB-13-17	23.30		loose

IRG-17-080 Lot D - Misc. Sized Casing Inventory

IRG	MMR SED #	Tracking #	Lot	Lot Category	QTY	Item	Size	DESCRIPTION	Estimated Weight (kgs)	Grade	Comments
17-080	16091	17-218	D	Casing	1	Pup	3 1/2	PUP JOINT, 6FT, 3-1/2" 9.2PPF P-110 RANGE 2, PAL 1, CTP 2 TENARISHYDRIL 511 FLUSH JOINT PIPE DR# KSB-14-17	23.30		loose
17-080	16091	17-218	D	Casing	2	Pup	3 1/2	CSG,3-1/2IN,9.2PPF,P110,HYD511,BP,R2 PUP JOINT, 5FT, 3-1/2" 9.2PPF P-110 RANGE 2, PAL 1, CTP 2 TENARISHYDRIL 511 FLUSH JOINT PIPE DR# KSB-127-16	23.30		loose
17-080	16091	17-218	D	Casing	1	Pup	3 1/2	PUP JOINT, 10FT, 3-1/2" 9.2PPF P-110 RANGE 2, PAL 1, CTP 2 TENARISHYDRIL 511 FLUSH JOINT PIPE DR# KSB-022-17	40.00		box
17-080	16091	17-218	D	Casing	1	Pup	3 1/2	PUP JOINT, 8FT, 3-1/2" 9.2PPF P-110 RANGE 2, PAL 1, CTP 2 TENARISHYDRIL 511 FLUSH JOINT PIPE 'DR KSB 026--17	20.00		loose
17-080	16123	16-196	D	Casing	2	Pup	4 1/2	PUP JOINT, 4 1/2" 15.50# L-80 BTS-6 , 3M (9.84') w/ shorter upset to allow latching of CL Protectors (upset length: 3.535" +/-1/8") For OPF WI DR#OWS-004-04	75		Wooden pallet
17-080	16123	16-196	D	Casing	2	Pup	4 1/2	PUP JOINT, 4-1/2", 15.5 PPF, L80-1CR, BTS-6 , BOX x PIN, 1 MTR Length, DR#OWS-003-04	80		Loose in container TRLU 2780475
17-080	16092	16-206	D	Casing	1	Pup	5 1/2	PUP JOINT, 5-1/2", 23 #, 1CR80, VAM TOP HC, BOX X PIN, 2.0 M LONG PAL 1, CTP 2 DR# KSB-129-16	68.46		loose
17-080	16092	16-206	D	Casing	1	Pup	5 1/2	PUP JOINT, 5-1/2", 17 #, 1CR80, VAM TOP HC, BOX X PIN, 6.0 M LONG DR# KSB 93-16	152.27		loose
17-080	16091	17-218	D	Casing	1	Pup	5 1/2	Pup Joint: 5.500" 20.00# L80-1Cr VAM TOP HC Box x Pin x 1.5m (+/- 7.6cm) PAL 1, CTP2. DR# KSB-018-17	57.00		loose
17-080	16123	16-196	D	Casing	1	Pup	5 1/2	PUP JOINT, 5-1/2", 17#, L-80 (1% CHROME), HYDRIL 521, 9M LONG QA/QC DR-CWS-019-16	230		loose
17-080	16123	16-196	D	Casing	1	Pup	5 1/2	PUP JOINT, 5-1/2", 17#, L-80 (1% CHROME), HYDRIL 521, 9M LONG Tuboscope report#21, QA/QC DR-CWS-037-14	230		loose
17-080	16123	16-196	D	Casing	1	Pup	5 1/2	PUP JOINT, 5-1/2" 17 LBS/FT, 1CR80, HYDRIL 521 BOX X PIN, 3 METERS LONG QA/QC DR#DR-CWC-025-15 , Tuboscope inspection report#15	40		Wooden pallet
17-080	16123	16-196	D	Casing	1	Pup	5 1/2	PUP JOINT, 5-1/2", 17#, L-80 (1% CHROME), HYDRIL 521, 1M LONG QA/QC DR#DR-CWC-030-15 Tuboscope inspection report#21 dated 28-July-15	34		Loose in container TRLU 2780475
17-080	16092	16-206	D	Casing	5	Pup	5 1/2	CASING, PUP JOINT, 5-1/2", 17 LB/FT, GRADE L80, VAM TOP HC BOX X PIN, LENGTH = 6M; PAL 1 / CTP 2, MAX COUPLING LENGTH = 10.866" DR# KSB 125-16	758.98		loose
17-080	16123	16-196	D	Casing	2	Pup	5 1/2	CASING, PUP JOINT, 5-1/2", 17LB/FT, GRADE L80, VAM TOP HC BOX X PIN, LENGTH - 2m; PAL 1/CTP 2; MAX COUPLING LENGTH = 10.866" CWS-014-13	120		Wooden pallet
17-080	16092	16-206	D	Casing	1	Pup	9 5/8	PUP JOINT 9.625", 47.00 lb/ft, P110, Tenaris-Hydril W563 box (coupling) x pin x 10 ft long (+/- 3") PAL 3, CTP2 DR# KSB-92-16	210.49		loose
17-050	16035	16-195	D	Casing	1	Pup	9 5/8	Tenaris-Hydril W563 box (coupling) x pin x 20 ft long (+/- 3") PAL 3, CTP2, DR# KSB-69-16		P110	Loose
17-080	16092	16-206	D	Casing	2	Pup	9 5/8	PUP JOINT, CASING, 9-5/8", 47.00 LB./FT., GRADE P-110HC, SEAMLESS, VAM TOP HC ND CONNECTIONS, BOX X PIN, 3 METER LENGTH. DR KSB 05-17	500.00		loose
17-080	16092	16-206	D	Casing	1	Pup	10 3/4	PUP JOINT 10.750", 60.70 lb/ft, L80, Vam Top KX box (coupling) x pin x 20 ft long (+/- 3") PAL 2, CTP2 DR# KSB-121-16	550.82		loose
17-050	16035	16-195	D	Casing	1	Pup	10 3/4	Vam Top KX box (coupling) x pin x 20 ft long (+/- 3") PAL 2, CTP2, DR# KSB-69-16		L80	Loose

IRG-17-080 Lot D - Misc. Sized Casing Inventory

IRG	MMR SED #	Tracking #	Lot	Lot Category	QTY	Item	Size	DESCRIPTION	Estimated Weight (kgs)	Grade	Comments
17-050	16035	16-195	D	Casing	1	Pup	10 3/4	Vam Top KX box (coupling) x pin x 10 ft long (+/- 3") PAL 2, CTP2, DR# KSB-69-16		L80	Loose
17-080	16092	16-206	D	Casing	2	Pup	13 5/8	PUP JOINT 13.625", 88.20 lb/ft, P110, Vam Top KX box (coupling) x pin x 10 ft long (+/- 3") PAL 1, CTP1 DR# KSB-90-16	790.00		loose
17-080	16092	16-206	D	Casing	1	Pup	13 5/8	13-5/8" 88.2 PPF P-110 VAM TOP KX 2M PUP JOINT, PIN X PIN DR# KSB-91-16	260.12		loose
17-080	16092	16-206	D	Casing	1	Pup	13 5/8	PUP JOINT 13.625", 88.20 lb/ft, P110, Vam Top KX box (coupling) x pin x 10 ft long (+/- 3") PAL 1, CTP1 DR# KSB 100-16	400.18		loose
17-080	16092	16-206	D	Casing	1	Pup	13 5/8	PUP JOINT 13.625", 88.20 lb/ft, P110, Vam Top KX box (coupling) x pin x 20 ft long (+/- 3") PAL 1, CTP1 Rejected. Pin end thread damage. Broken out form FC assembly #WFT-216) DR# KSB-97-16	800.36		loose
17-080	16092	16-206	D	Casing	1	Pup	13 5/8	PUP JOINT 13.625", 88.20 lb/ft, P110, Vam Top KX box (coupling) x pin x 20 ft long (+/- 3") PAL 1, CTP1 DR# KSB-88-16	800.00		loose
17-080	16092	16-206	D	Casing	1	Pup	13 5/8	PUP JOINT, CASING, 13-5/8", 88.20 LB./FT., GRADE P-110, SEAMLESS, VAM TOP KX CONNECTIONS, BOX X PIN, 3 METER LENGTH. DR# KSB-90-16	395.00		loose
17-080	16092	16-206	D	Casing	1	Pup	13 5/8	PUP JOINT, CASING, 13-5/8", 88.20 LB./FT., GRADE P-110, SEAMLESS, VAM TOP KX CONNECTIONS, BOX X PIN, 6 METER LENGTH DR# KSB-90-16	787.56		loose
17-080	16092	16-206	D	Casing	1	Pup	13 5/8	Pup joint, casing, 13-5/8", 88.20 #,P110 BxP 7.5 (Rejected. No shoulder during coupling make up), DR# KSB-123-16	960.44		loose
17-080	16123	16-196	D	Casing	1	Pup	13 5/8	PUP JOINT, CASING, 13-5/8", 88.20 LB./FT., GRADE P-110, SEAMLESS, VAM TOP KX CONNECTIONS, BOX X PIN, 6 METER LENGTH DR# CWS-002-13	820		loose
17-080	16123	16-196	D	Casing	1	Pup	13 5/8	PUP JOINT, CASING, 13-5/8", 88.20 LB./FT., GRADE P-110, SEAMLESS, VAM TOP KX CONNECTIONS, BOX X PIN, 3 METER LENGTH DR# CWS-002-13	400		loose