

IRG	MMR SED #	Tracking #	Lot	Lot Category	QTY	Item	Size	DESCRIPTION	Additional Parts Included	Estimated Weight (kgs)	Grade	Comments
17-050	16035	16-195	H	Accessory	1	Assembly	4 1/2	SGM-FS ASSY, NPQG/NHQQ/NMQG, SINGLE, TUBING, 4130/4140[80], QCP-10063261 DR# KSB-67-16			-	Assembly
17-080	16123	16-196	H	Accessory	1	Assembly	7	Part of ASSEMBLY, TOOL, RUNNING, RETRIEVING, 7", PART NO. 2115455-01-21, TUBING HANGER RUNNING TOOL, WITH OVERSHOT LOCKDOWN RING RUNNING TOOL CONSISTS: Upper Running Tool 11" NOM w/7" #26 TC-II/A, P/N 2206560-01, S/N: 45788878-1 CWS-032-13 Rev.1 (Tuboscope Rpt#02-1, date 04-Aug-13)		85		Loose in container TRLU 2780475
17-080	16103	17-226	H	Accessory	1	Assembly	11	ASSEMBLY, HANGER, TUBING, 11" NOMINAL, MANUFACTURER CAMERON IRON WORKS THREADED WITH 7", 29.00 LB./FT. VAM TOP HC, PIN DRAWING NO.M07026VAMTOP REV.0, SEAL OVERLAY EPT103.2, THREAD OVERLAY EFT153, BOX DRAWING M07027VAMTOP REV.0, SEAL OVERLAY EPT2. assy PN: 2206427-01-01, assy SN: 110560680-2 Retrieved from Z-1 AGS 55101		400		Connection Type: Tubing Hanger
17-080	16092	16-206	H	Accessory	1	Assembly		Assembly, Lower Wear Bushing, combined w/ double o ring retention, 18-3/4" NOM, F Type SSMC 2 stage compact housing, 17.59" min bore PN 2229831-02-01; SN 112811189-001 DR# YUZ-09-16		300.00		pkg
17-080	16103	17-226	H	Accessory	1	Assembly		<i>PUP JOINT STAND Assy - retrieved from Z-1</i>	•(1 qty) PUP JOINT, CASING, SEAMLESS, 7", 29 LB/FT, GRADE L-80, SEAMLESS, VAM TOP HC CONNECTIONS, BOX X PIN, 1 mtr LONG Retrieved from Z-1 (Workover in 2015) •(1 qty) PUP JOINT, CASING, SEAMLESS, 7", 29 LB/FT, GRADE L-80, SEAMLESS, VAM TOP HC CONNECTIONS, BOX X PIN, 6 mtr LONG Retrieved from Z-1 (Workover in 2015)	500		
17-080	16103	17-226	H	Accessory	1	Assembly		<i>GLM-001 Assy (Dump Kill Valve) - retrieved from Z-1</i>	•(1 qty) ORIENTING "BGLO-1.0R" SIDE POCKET MANDREL W/MACHINED POCKET FOR 1" VALVE AND BK-2 SERIES LATCH PROFILE PRODUCT FAMILY: H98110 SIZE: 7" OD: 8.375" ID: 5.182" DRIFT: 5.687" CONNECTION UP: 7" 26 LB/FT TC-II/A BOX, CONNECTION DOWN: 7" 26 LB/FT TC-II/A PIN MATERIAL: 13 CR 16-22 RC INTERNAL TEST: 6,000 PSI LENGTH: 103.17" THREADS TO ANNOUNCED (PO # C-59949-03-2003) Retrieved from Z-1 (Workover in 2015) •(2 qty) COUPLING, FLOW, TUBING, 7", 26 ppf, GRADE L-80, ATLAS BRADFORD TC-II/A CONNECTION, 2 MTR LONG Retrieved from Z-1 (Workover in 2015) •(1 qty) PUP JOINT, CASING, SEAMLESS, 7", 26 PPF, GRADE L-80, ATLAS BRADFORD TC-II/A CONNECTIONS, 1 MTR LONG Retrieved from Z-1 (Workover in 2015) •(2 qty) Installed inside Mandrel BFLO-1.0R WIRELINE RETRIEVABLE "JM-SOR" DUMP/KILL VALVE SIZE: 1" MATERIAL: NACE PACKING: NEOPRENE PACKING PORT SIZE: 1/8" TO 3/8" WEIGHT: 4 LBS. INCLUDES: DOUBLE REVERSE FLOW METAL TO METAL CHECKS SETTING: PRESSURE: 500 - 4,000 PSI DIFFERENTIAL REQUIRES: RFK-2 PORTED LATCH (INSTALLED IN ITEM # 1); (PO # C-59949-03-2003) Retrieved from Z-1 (Workover in 2015) •(1 qty) Installed inside Mandrel BFLO-1.0R MODEL "BEK-2" WIRELESS LATCH, PORTED THROUGH RUN HEAD SIZE: 1" MATERIAL: NACE WEIGHT: 2 LBS. (INSTALLED IN ITEM # 1) (PO # C-59949-03-2003) Retrieved from Z-1 (Workover in 2015)	1,000		

IRG	MMR SED #	Tracking #	Lot	Lot Category	QTY	Item	Size	DESCRIPTION	Additional Parts Included	Estimated Weight (kgs)	Grade	Comments
17-080	16103	17-226	H	Accessory	1	Assembly		GLM-002 Assy (Circulating Valve) - WASHOUT - retrieved from Z-1	• (1 qty) CROSSOVER, 7", 26.00 LB./FT., GRADE L-80, ATLAS BRADFORD TC-II/A BOX x VAM TOP HC PIN, 1 METER LENGTH Retrieved from Z-1 (Workover in 2015) • (2 qty) MANDREL,POCKET, SIDE, ORIENTING "BFLO-1.0RPG", MANUFACTURER: BAKER OIL TOOLS, P/N: H868676375, WITH MACHINED POCKET FOR 1" PRESSURE GAUGE WITHOUT FLOW PORTS, FAMILY: H98110, SIZE 7", OD: 8.375", ID: 5.812", DRIFT: 5.687", CONNECTION UP: 7" 26 LB/FT VAM TOP HC BOX, CONNECTION DOWN: 7" 26 LB/FT VAM TOP HC PIN, MATERIAL: 13CR 18-22 RC, INTERNAL TEST: 6,000 PSI, LENGTH: 103.17", STANDARD QUALITY PLAN. "THESE PARTS WERE SENT FROM SAKHALIN BACK TO THE US FOR REPAIR, AND ARE NOW BEING RETURNED TO SAKHALIN ISLAND FOR USE, S/N: 3553-04C washout Retrieved from Z-1 (Workover in 2015) • (1 qty) COUPLING, FLOW, CASING, 7", 26.00 LB./FT., GRADE L-80, SEAMLESS, VAM TOP HC CONNECTIONS, BOX X PIN, 2 METER LENGTH.Retrieved from Z-1 (Workover in 2015) • (2 qty) CROSSOVER, SIZE 7", 26 LB/FT, GRADE L-80, VAM TOP HC BOX x ATLAS BRADFORD TC-II/A PIN, INTEGRAL JOINT CONNECTION, 1 MTR LENGTH; Retrieved from Z-1 (Workover in 2015) • (1 qty) VALVE, LIFT, GAS, WIRELINE RETRIEVABLE, MFG: BAKER, P/N: H860169999N97, CIRCULATING, BCV-1DC (1"), NICKEL-COPPER ALLOY, VITON, MOLY-GLASS FILLED TEFLON VEE PKG., 2 (2) REVERSE FLOW CHECK VALVES, CIRCULATES FLUID/GAS THROUGH BOTH TOP & BOTTOM, REQUIRES PORTED LATCH, 0.153 SQ IN FLOW AREA, 350 DEG F TEMP RATING, XOM QUALITY PLAN; (installed inside GLM S/N: 3553-04C) Retrieved from Z-1 (Workover in 2015) • (1 qty) LATCH, WIRELINE, MODEL "BEK-2", MANUFACTURER: BAKER OIL TOOLS, P/N: H890269999N97, PORTED THROUGH RUN HEAD, SIZE 1", MATERIAL: NACE, WEIGHT: 2 LBS; (installed inside GLM S/N: 3553-04C) Retrieved from Z-1 (Workover in 2015)	1,000		
17-080	16123	16-196	H	Accessory	1	Bushing	13 5/8	BUSHING, WEAR, 13-5/8" NOM., 12.555" MIN. BORE, PART NO. 2206529-01, FOR TYPE IC-2 BOWL PROFILE, CUTTINGS AND ERD WELLHEAD PROTECTION. DR # CWS-013-16. Rejected by Cameron (from Cond. 02 to Cond. 04 scrap)		32		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Bushing	13 5/8	BUSHING, WEAR, 13-5/8"; NOM., 12.555" MIN. BORE, MANUFACTURER CAMERON IRON WORKS, PART NO. 2206529-03, FOR TYPE IC-2 BOWL PROFILE, CUTTINGS AND ERD WELLHEAD PROTECTION, WITH GROOVE FOR LOCK SCREW. DR # CWS-013-16. Rejected by Cameron (from Cond. 02 to Cond. 04 scrap)		40		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Bushing	13 5/8	WEAR BUSHING, FOR 13-5/8 NOM. TYPE IC-2 BOWL PROFILE, P/N 2206529-04 (CUTTINGS & ERD WELLHEADS). MIN. BORE 12.555 (WITH GROOVE FOR LOCK SCREW) 27" LONG, S/N: 120377380001 QA/QC DR # CWS-012-16		66		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Bushing	13 5/8	WEAR BUSHING, FOR 13-5/8 NOM. TYPE IC-2 BOWL PROFILE, P/N 2206529-04 (CUTTINGS & ERD WELLHEADS). MIN. BORE 12.555 (WITH GROOVE FOR LOCK SCREW) 27" LONG, S/N:112819069002 QA/QC DR#CWS-014-15		64		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Bushing	13 5/8	WEAR BUSHING, FOR 13-5/8 NOM. TYPE IC-2 BOWL PROFILE, P/N 2206529-04 (CUTTINGS & ERD WELLHEADS). MIN. BORE 12.555 (WITH GROOVE FOR LOCK SCREW) 27" LONG, S/N: 112819069001 DR # CWS-013-16. Rejected by Cameron (from Cond. 02 to Cond. 04 scrap)		64		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Bushing	13 5/8	WEAR BUSHING, FOR 13-5/8 NOM. TYPE IC-2 BOWL PROFILE, P/N 2206529-04 (CUTTINGS & ERD WELLHEADS). MIN. BORE 12.555 (WITH GROOVE FOR LOCK SCREW) 27" LONG, S/N:111597527 DR # CWS-044-14		90		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Bushing	13 5/8	WEAR BUSHING, FOR 13-5/8 NOM. TYPE IC-2 BOWL PROFILE, P/N 2206529-04 (CUTTINGS & ERD WELLHEADS). MIN. BORE 12.555 (WITH GROOVE FOR LOCK SCREW) 27" LONG DR # CWS-044-14 Rev.01		90		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Bushing	18 3/4	BUSHING, WEAR, 18-3/4" NOM., 17.625" MIN. BORE, PART NO. 2206533-01, O-RING RETENTION, FOR 18" NOM. TYPE S BOWL PROFILE, WELDMENT, FOR ERD WELLHEAD PROTECTION QA/QC DR # CWS-040-13		24		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Bushing	18 3/4	BUSHING, WEAR, 18-3/4" NOM., 16.880" MIN. BORE, PART NO. 2206533-01, O-RING RETENTION, FOR 18" NOM. TYPE S BOWL PROFILE, WELDMENT, FOR ERD WELLHEAD PROTECTION, S/N: 112039519-1 DR # CWS-013-16. Rejected by Cameron (from Cond. 02 to Cond.04 scrap)		61		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Busing	13 5/8	BUSHING, WEAR, 13-5/8" NOM., 12.555" MIN. BORE, PART NO. 2206529-01, FOR TYPE IC-2 BOWL PROFILE, CUTTINGS AND ERD WELLHEAD PROTECTION. DR # CWS-013-16. Rejected by Cameron (from Cond. 02 to Cond. 04 scrap)		90		Loose in container TRLU 2780475

IRG	MMR SED #	Tracking #	Lot	Lot Category	QTY	Item	Size	DESCRIPTION	Additional Parts Included	Estimated Weight (kgs)	Grade	Comments
17-080	16123	16-196	H	Accessory	1	Busing	13 5/8	BUSHING, WEAR, 13-5/8", NOM., 12.555" MIN. BORE, MANUFACTURER CAMERON IRON WORKS, PART NO. 2206529-03, FOR TYPE IC-2 BOWL PROFILE, CUTTINGS AND ERD WELLHEAD PROTECTION, WITH GROOVE FOR LOCK SCREW. DR # CWS-013-16. Rejected by Cameron (from Cond. 02 to Cond. 04 scrap)		43		Loose in container TRLU 2780475
17-050	16035	16-195	H	Accessory	1	Casing	18 5/8	BTC, DR# YUZ-05-16			J55N	Assembly
17-080	16123	16-196	H	Accessory	1	Centralizer	5 1/2	CENTRALIZER, SPIR-O-LIZER, 5 1/2" X 8.00" OD (8 1/4" CENTRALIZER MACHINED TO 8.00") DR # CWS-038-15		8		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Centralizer	6 5/8	CENTRALIZER, 6-5/8" X 7.875" OD, SPIR-O-LIZER, ZINC ALLOY, SUPPLIER: DOWNHOLE PRODUCTS QA/QC DR # CWS-027-13		6		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	5	Centralizer	7	CENTRALIZER, 7", WEATHERFORD, PART # RCLQ7000-8375, ROLLER, LOTORQ, FOR 8 -3/8" HOLE DR# CWS-005-14		5		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Centralizer	9 5/8	CENTRALIZER, SPIRALGLIDER, 9-5/8" X 12" OD, SPIRAL, HEAVY DUTY, SLIP-ON TYPE PART NO. 584074 QA/QC DR-CWS-010-16		10		Box in container TRLU 2780475
17-050	16035	16-195	H	Accessory	11	Centralizer	9 5/8	CENTRALIZER, BOW SPRING MODEL RC113 9-5/8 STRAIGHT SLIP-ON LAP-WELDED ROTATING WITH 6036095 STOP COLLAR INSIDE, 3/16 X 5 END BANDS, WITH 36R BOWS 13.375 OD, CARBON STEEL, DR# KSB-71-16			-	Package
17-080	16123	16-196	H	Accessory	1	Centralizer	13 5/8	CENTRALIZER, 13-5/8", PART # 9019483, SPIRAGLIDER, HEAVY DUTY, W/SPIRAL VANES, FOR 17-1/2" HOLE QA/QC DR # DR-CWS-009-16		18		Box in container TRLU 2780475
17-080	16092	16-206	H	Accessory	2	Centralizer		CENTRALIZER, BOW SPRING MODEL RC113 9-5/8 STRAIGHT SLIP-ON LAP-WELDED ROTATING WITH 6036095 STOP COLLAR INSIDE, 3/16 X 5 END BANDS, WITH 36R BOWS 13.375 OD, CARBON STEEL Installed on 9-5/8" casing IPES# old 676204 / new 755349 DR# KSB-90-16		7.00		loose
17-080	16092	16-206	H	Accessory	2	Centralizer		CENTRALIZER, 13-5/8", WEATHERFORD, PART NO. 800706, SPIRAGLIDER, HEAVY DUTY, W/SPIRAL VANES, FOR 17-1/2" HOLE. DR# YUZ_01-17		150.00		loose
17-080	16092	16-206	H	Accessory	1	Control Hose		2" ID x 18 Meters BOP Control Hose		407.00		loose
17-050	16035	16-195	H	Accessory	1	Control Line	1/4	1/4 in. OD x 0.049 in. WT, I-825 w/ Santoprene 11mm x 11mm TEC w/ metal Spool, (4500 m), DR# YUZ-06-16			-	-
17-080	16123	16-196	H	Accessory	11	Control Line Protector	5 1/2	PROTECTOR, CONTROL LINE, 5-1/2", PART NO. 2255-044; TUBE-TEC, 5 - 1/2" CAST IRON, 7.244" OD INCLUDES TOOLING CHARGE, SUITABLE TO PROTECT 1 X 11MM SQUARE AND 1 X 0.410" OD CONTROL LINE ACROSS A 5-1/2", 17-20 LB/FT, VAM TOP HC COUPLING.PART, TUBE TEC PN B5500-277-T1 QA/QC DR#CWS-004-14		66		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	2	Control Line Protector	5 1/2	CONTROL LINE PROTECTOR FOR 5-1/2"; 17-23# VAM TOP HC TUBING. PROTECTORS TO ACCOMMODATE (1) 11 MM X 11 MM ENCAPSULATED LINE, (1) 0.410" ENCAPSULATED LINE AND, (1) 0.535" ENCAPSULATED LINE. TUBE-TEC P/N: B5500-277-T1. DR# OWS-002-11		12		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	7	Control Line Protector	5 1/2	CONTROL LINE PROTECTOR FOR 5-1/2"; 17-23# VAM TOP HC TUBING. PROTECTORS TO ACCOMMODATE (1) 11 MM X 11 MM ENCAPSULATED LINE, (1) 0.410" ENCAPSULATED LINE AND, (1) 0.535" ENCAPSULATED LINE, TUBE-TEC P/N: B5500-277-T1 DR# OWS-05-11		42		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	21	Control Line Protector	5 1/2	PROTECTOR, CONTROL LINE, 5-1/2", PART NO. 2255-044; TUBE-TEC, 5 - 1/2" CAST IRON, 7.244" OD INCLUDES TOOLING CHARGE, SUITABLE TO PROTECT 1 X 11MM SQUARE AND 1 X 0.410" OD CONTROL LINE ACROSS A 5-1/2", 17-20 LB/FT, VAM TOP HC COUPLING.PART, TUBE TEC PN B5500-277-T1		126		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	4	Control Line Protector	5 1/2	CONTROL LINE PROTECTOR FOR 5-1/2"; 17-23# VAM TOP HC TUBING. PROTECTORS TO ACCOMMODATE (1) 11 MM X 11 MM ENCAPSULATED LINE, (1) 0.410" ENCAPSULATED LINE AND, (1) 0.535" ENCAPSULATED LINE, TUBE-TEC P/N: B5500-277-T1 DR# CWS-011-13		24		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	4	Control Line Protector	5 1/2	Protector, Roller Control Line 5-1/2 latch on 8.250 OD FOR 11 X 11 CONTROL LINE & 11MM OD CONTROL LINE, PN: RCLP55008250A002. DR# CWS-012-13		48		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	3	Control Line Protector	5 1/2	Protector, Roller Control Line 5-1/2 latch on 8.250 OD FOR 11 X 11 CONTROL LINE & 11MM OD CONTROL LINE, PN: RCLP55008250A002. DR#CWS-019-13		36		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	2	Control Line Protector	5 1/2	CONTROL LINE PROTECTOR FOR 5-1/2"; 17-23# VAM TOP HC TUBING. PROTECTORS TO ACCOMMODATE (1) 11 MM X 11 MM ENCAPSULATED LINE, (1) 0.410" ENCAPSULATED LINE AND, (1) 0.535" ENCAPSULATED LINE, TUBE-TEC P/N: B5500-277-T1 DR# CWS-034-13		12		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Control Line Protector	5 1/2	5-1/2" X/C CONTROL LINE PROTECTOR TO ACCOMMODATE SCSSV (11M MM X 11MM), TEC (0.410" DIA) & FLAT PACK (1.114" X 0.433") LINES, P/N: PCP-7555-12-03 DR# OWS-031-10		1		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	2	Control Line Protector	7	7" CONTROL LINE PROTECTOR, TUBE-TEC, 7" CAST IRON, 8.405" OD, NOVA P/N: 2270-019 (INCLUDES TOOLING CHARGE, SUITABLE TO PROTECT 2x 0.410" CONTROL LINE ACROSS A 7", 26-29 LB/FT, VAM TOP HC COUPLING), TUBE-TEC P/N: A7000-A86-T3 DR# CWS-011-15 Rev.02		10		Box in container TRLU 2780475

IRG	MMR SED #	Tracking #	Lot	Lot Category	QTY	Item	Size	DESCRIPTION	Additional Parts Included	Estimated Weight (kgs)	Grade	Comments
17-080	16123	16-196	H	Accessory	2	Control Line Protector	7	7" CONTROL LINE PROTECTOR, TUBE-TEC, 7" CAST IRON, 8.405" OD, NOVA P/N: 2270-019 (INCLUDES TOOLING CHARGE, SUITABLE TO PROTECT 2x 0.410" CONTROL LINE ACROSS A 7", 26-29 LB/FT, VAM TOP HC COUPLING), TUBE-TEC P/N: A7000-A86-T3 DR# CWS-034-15		10		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	19	Control Line Protector	7	7" CONTROL LINE PROTECTOR, TUBE-TEC, 7" CAST IRON, 8.405" OD, NOVA P/N: 2270-019 (INCLUDES TOOLING CHARGE, SUITABLE TO PROTECT 2x 0.410" CONTROL LINE ACROSS A 7", 26-29 LB/FT, VAM TOP HC COUPLING) TUBE-TEC P/N: A7000-A86-T3 QA/QC DR# CWS-003-16		95		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	4	Control Line Protector	7	7" CONTROL LINE PROTECTOR, TUBE-TEC, 7" CAST IRON, 8.405" OD, NOVA P/N: 2270-019 (INCLUDES TOOLING CHARGE, SUITABLE TO PROTECT 2x 0.410" CONTROL LINE ACROSS A 7", 26-29 LB/FT, VAM TOP HC COUPLING), TUBE-TEC P/N: A7000-A86-T3 QA/QC DR#CWS-020-16		20		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	188	Control Line Protector	7	7" CONTROL LINE PROTECTOR, TUBE-TEC, 7" CAST IRON, 8.405" OD, NOVA P/N: 2270-019 (INCLUDES TOOLING CHARGE, SUITABLE TO PROTECT 2x 0.410" CONTROL LINE ACROSS A 7", 26-29 LB/FT, VAM TOP HC COUPLING), TUBE-TEC P/N: A7000-A86-T3 Retrieved from Z-12		940		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	360	Control Line Protector	7	7" CONTROL LINE PROTECTOR, TUBE-TEC, 7" CAST IRON, 8.405" OD, NOVA P/N: 2270-019 (INCLUDES TOOLING CHARGE, SUITABLE TO PROTECT 2x 0.410" CONTROL LINE ACROSS A 7", 26-29 LB/FT, VAM TOP HC COUPLING), TUBE-TEC P/N: A7000-A86-T3 Retrieved from Z-12		1800		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Coupling	5 1/2	FLOW COUPLING, 5-1/2", 17 LB/FT, 1%CHROME L80, VAM TOP HC, PIN X PIN, 2.0 M LONG, PAL 1, CTP 2 QA/QC DR#DR-CWC-027-15 Tuboscope report#16 dated 25 July.15		96		Wooden pallet
17-080	16123	16-196	H	Accessory	6	Coupling	5 1/2	COUPLING, SIZE 5-1/2", 17 LB/FT, GRADE L-80; VAM TOP HC BOX X BOX, CTP 2; MAX COUPLING LENGTH = 10.866" DR CWS-004-13		54		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	5	Coupling	5 1/2	COUPLING, SIZE 5-1/2", 17 LB/FT, GRADE L-80; VAM TOP HC BOX X BOX, CTP 2; MAX COUPLING LENGTH = 10.866" DR CWS-013-13		45		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Coupling	5 1/2	COUPLING, 5-1/2", 17 LB/FT, 1% CHROME L80, VAM TOP HC, BOX X BOX DR # CWS-018-14		9		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Coupling	7	Flow Coupling: 7.000" 26.00# L80-1Cr VAM TOP HC Pin x Pin x 2m (+/- 7.6cm) PAL 1, CTP2. (SCRAP) DR #KSB-21-16		145		Wooden pallet
17-080	16123	16-196	H	Accessory	1	Coupling, Casing	7	COUPLING, CASING, 7", 26.00 LB./FT., GRADE L-80, SEAMLESS, VAM TOP HC CONNECTIONS, BOX X BOX. DR# CWS-029-13		5		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Coupling, Casing	7	COUPLING, CASING, 7", 29.00 LB./FT., GRADE L-80, VAM TOP HC CONNECTIONS, BOX X BOX. CWS-012-12		5		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Coupling, Casing	7	COUPLING, CASING, 7", 29.00 LB./FT., GRADE L-80, VAM TOP HC CONNECTIONS, BOX X BOX. CWS-002-12		5		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	2	Coupling, Casing	13 5/8	COUPLING, CASING, 13-5/8", 88.20 LB./FT., GRADE P-110, VAM TOP KX CONNECTIONS, BOX X BOX. DR # CWS-012-14		20		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	CrossOver	4 1/2	CROSSOVER, 4-1/2" REG PIN X HT38 PIN, S/N: 189615 Tuboscope Insp Rpt # KS011411, on 23-Jan-2014		103		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	CrossOver	5 1/2	CROSSOVER, 1CR80, 5-1/2" 17PPF VAM TOP HC BOX X 7" 26 PPF VAM HC TOP PIN ,1M, S/N:050228-020-12 QA/QC DR#CWS-042-15		90		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	CrossOver	5 7/8	CROSSOVER, CIRCULATING SWEDGE, 5-7/8" XT-57 BOX X 6-5/8" 24LB/FT HYDRIL-521 PIN, GRADE P-110, LENGTH: 28 INCHES. MFR: STEWART TUBULARS (FOR PRE-DRILLED LINER), S/N: ENL 300281-B Tuboscope report#1 QA/QC DR#CWS-050-14		80		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	CrossOver	5 7/8	CROSSOVER, CIRCULATING SWEDGE, 5-7/8" XT-57 PIN X 7", 26 PPF HYDRIL-521 BOX, GRADE P-110, LENGTH: 28 INCHES, S/N: ENL 70701B-1 QA/QC DR-CWS-004-16, <i>Rejected on NC-4</i>		225		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	CrossOver	5 7/8	CROSSOVER, 5-7/8" X 7", API-5CT, GRADE P-110, 5-7/8" GRANT PRIDECO XT-57 BOX X 7", 29.00 LB/FT VAM TOP HC PIN (APPROX. 1 M LONG), S/N: ENL 61262A-2 Tuboscope report#09, QA/QC DR#CWS-002-15		111		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	CrossOver	6 5/8	CROSSOVER, 6-5/8", 24 PPF, HYDRIL 521, BOX x 5-1/2", 17 PPF, HYDRIL 521, PIN, L-80, -1M LONG DR# CWS-032-15		82		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	CrossOver	6 5/8	X-OVER, Grant Prideco 6-5/8" XT-69 box x 9-5/8" 47# Tenaris Hydril Wedge 563 pin, 4145-120 min yield, 1m, S/N: ENL 112144C-2 QA/QC DR#CWS-013-14 Rev.2, Tuboscope Rep.#26		180		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	CrossOver	6 5/8	CROSSOVER, 6-5/8", XT-69 PIN x 7", 26 PPF, VAM TOP HC BOX, 4145-125, 1M LENGTH. S/N: ENL 101189-1		123		Loose in container TRLU 2780475

IRG	MMR SED #	Tracking #	Lot	Lot Category	QTY	Item	Size	DESCRIPTION	Additional Parts Included	Estimated Weight (kgs)	Grade	Comments
17-080	16123	16-196	H	Accessory	1	CrossOver	7	SUB, CROSSOVER, SIZE 7", 29 LB/FT, GRADE L-80, VAM TOP HC BOX X ATLAS BRADFORD TCII/A PIN, INTEGRAL JOINT CONNECTION, 3 FT LENGTH. Retrieved from Z-2 Tuboscope Report#09, QA/QC DR#CWS-001-15		65		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	CrossOver	7	CROSSOVER, 7", 26.00 LB/FT, GRADE P-110, HYDRIL 521 PIN X 7", 26.00 LB/FT, VAM TOP HC PIN, 1 METER LENGTH, S/N: ENL-120 DR-CWS-025-14		50		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	CrossOver	7	CROSSOVER, 7" X 13-5/8", GRADE P-110, GRANT PRIDECO XT-57 BOX X 88.20 LB./FT. VAM TOP KX PIN, SUB LENGTH S/N: ENL 300278-A Tuboscope Report#15 (18-Aug-14) QA/QC DR#OWS-001-14		530		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	CrossOver	7	COUPLING CROSSOVER 7", 26.00 LB/FT, L-80, VAM TOP HC BOX x 7" 26.00 LB/FT NEW VAM TOP BOX DR-CWSD-020-14		5		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	CrossOver	7	CROSSOVER 7.000x4.250 4145-120, XT-57 Box x 5-1/2", 23.00 ppf, VAM TOP HC Pin x 1m (39.37" +/- 3") PAL1, CTP2, S/N: ENL 051300-002-5 Tuboscope Report#34, 22 Dec.15 QA/QC DR#DR-CWS-002-16		108		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	CrossOver	7	CROSSOVER, 7", 26.00 LB/FT, GRADE P-110, HYDRIL 521 PIN X 7", 26.00 LB/FT, VAM TOP HC PIN, 1 METER LENGTH. Tuboscope Report#36 QA/QC DR#CWS-005-15		50		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	CrossOver	7	CROSSOVER, 7" X 13-5/8", GRADE P-110, GRANT PRIDECO XT-57 BOX X 88.20 LB./FT. VAM TOP KX PIN, SUB LENGTH, S/N: ENL 300278-B Tuboscope Report#42 (22-Feb-15) QA/QC DR#CWS-006-15		530		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	CrossOver	7	CROSSOVER, 7" X 13-5/8", GRADE P-110, GRANT PRIDECO XT-57 BOX X 88.20 LB./FT. VAM TOP KX PIN, SUB LENGTH, S/N: ENL 300278-C Tuboscope Report#42 (22-Feb-15) QA/QC DR#CWS-006-15		530		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	CrossOver	7	SUB, CROSSOVER, SIZE 7", 29 LB/FT, GRADE L-80, VAM TOP HC PIN x ATLAS BRADFORD TC-II/A BOX, INTEGRAL JOINT CONNECTIONS, 3 FT LENGTH. Retrieved from Z-4 Tuboscope Report#36 (21-Feb-15) IPES condition - IP-DCHAYVX QA/QC DR#CWS-004-15		65		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	CrossOver	7	CROSSOVER, 7", 26.00 LB./FT., GRADE L-80, ATLAS BRADFORD TC-II/A BOX X VAM TOP HC PIN, 1 METER LENGTH Retrieved from Z-2 Tuboscope Report#09, QA/QC DR#CWS-001-15		50		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	CrossOver	7	CROSSOVER, 7" X 9-5/8", GRADE P-110HC, GRANT PRIDECO XT-57 BOX X 47.00 LB/FT. VAM TOP HC ND PIN, SUB LENGTH, S/N: ENL 116098-3C QA/QC DR#OWS-005-14		50		Loose in container TRLU 2780475
17-050	16035	16-195	H	Accessory	1	CrossOver	10 3/4	Vam Top KX box x 9.625", 47.00 lb/ft, Tenaris-Hydril W563 pin x 1.5 m long (+/- 7.6 cm) PAL 1, CTP2, DR# KSB-66-16			L-80 1Cr	Assembly
17-080	16092	16-206	H	Accessory	1	CrossOver		XOVER 10.750", 60.70 lb/ft, L80-1CR, Vam Top KX box x 7.000", 26.00 lb/ft, Vam Top HC pin x 1.5 m long (+/- 7.6 cm) PAL 1, CTP2 DR# KSB 108-16		135.50		loose
17-080	16092	16-206	H	Accessory	1	CrossOver		Crossover, Part number 7000700117ARC 7in 26ppf VAM Top Box x 7in 26ppf VAM TOP HC Pin, H2S, Arctic Service(-46degC) DR# KSB 07-17		60.00		loose
17-080	16123	16-196	H	Accessory	1	Float Collar	9 5/8	9-5/8" M&F DOUBLE VALVE FLOAT COLLAR W/ 7500 PSI RATED VALVES W/ BALL CATCHER INSTALLED FOR 47# 110KSI CASING W/ TH WEDGE 563 CONNECTION BOX P AND TH WEDGE 563 CONNECTION PIN DOWN, P/N:700-DV-BC-PVTS DR # CWS-041-14		221		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Float Collar	13 5/8	FLOAT COLLAR, 13-5/8", OD. VAM TOP KX THD DAVID-LYNCH M&F , TYPE 700-LAPN-HPHT-PVTS, WITH LOCK-DOWN ANTI-ROTATION TO BE RUN ON 88.2#, GRADE P-110 CSG W/12.250" DRIFT; WITH 6000 PSI MAXIMUM DIFFFERENTIAL PRESSURE RATING DR # CWS-015-13		354		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Float Collar	13 5/8	FLOAT COLLAR, 13-5/8", OD. VAM TOP KX THD DAVID-LYNCH M&F , TYPE 700-LAPN-HPHT-PVTS, WITH LOCK-DOWN ANTI-ROTATION TO BE RUN ON 88.2#, GRADE P-110 CSG W/12.250" DRIFT; WITH 6000 PSI MAXIMUM DIFFFERENTIAL PRESSURE RATING DR# OWS-003-11		362		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Float Collar	13 5/8	FLOAT COLLAR, 13-5/8", OD. VAM TOP KX THD DAVID-LYNCH M&F , TYPE 700-LAPN-HPHT-PVTS, WITH LOCK-DOWN ANTI-ROTATION TO BE RUN ON 88.2#, GRADE P-110 CSG W/12.250" DRIFT; WITH 6000 PSI MAXIMUM DIFFFERENTIAL PRESSURE RATING DR # CWS-010-14		340		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Float Shoe	13 5/8	FLOAT SHOE; 13-5/8" OD, VAM TOP KX THD, DAVIS LYNCH DOUBLE VALVE DOWN-JET, TYPE 501DV-HPHT-PVTS FOR 88.2 PPF, GRADE P-110 CASING W/12.250" DRIFT, 6000 PSI MAXIMUM DIFFERENTIAL PRESSURE RATING DR # CWS-009-14		340		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Float Shoe	13 5/8	FLOAT SHOE; 13-5/8" OD, VAM TOP KX THD, DAVIS LYNCH DOUBLE VALVE DOWN-JET, TYPE 501DV-HPHT-PVTS FOR 88.2 PPF, GRADE P-110 CASING W/12.250" DRIFT, 6000 PSI MAXIMUM DIFFERENTIAL PRESSURE RATING DR# CWS-002-11 Hold on location and use after request ENL DTQR		360		Loose in container TRLU 2780475

IRG	MMR SED #	Tracking #	Lot	Lot Category	QTY	Item	Size	DESCRIPTION	Additional Parts Included	Estimated Weight (kgs)	Grade	Comments
17-050	16035	16-195	H	Accessory	1	Float Shoe	18 5/8	BUTTRESS THD. DAVIS-LYNCH DOUBLE VALVE UP-JET TAG-IN FLOAT SHOE, TYPE 502-DV-TLP-PVTS WITH LATCH-DOWN RECEPTACLE, TO BE RUN ON 87,50#, GRADE K-55 CSG, DR# YUZ-05-16			-	Assembly
17-050	16035	16-195	H	Accessory	1	Float Shoe	18 5/8	FLOAT SHOE 18-5/8"; OD BUTTRESS THD. DAVIS-LYNCH DOUBLE VALVE UP-JET TAG-IN , TYPE 502-DV-TLP-PVTS WITH LATCH-DOWN RECEPTACLE, TO BE RUN ON 87,50#, GRADE K-55 CSG, COMPLETE W/LATCH-DOWN WIPER PLUG FOR 5-7/8" 26,3LB GRADE S-135, XT-57 DRILL PIPE, DR# CWS-009-12			-	Assembly
17-080	16123	16-196	H	Accessory	1	Gauge	7 7/8	GAUGE, OD, 7.875", SPLIT TYPE, ALUMINUM, (This GAUGE Not in PO) DR-CWS-42-14 Rev.1		5		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Latch	1 1/2	LATCH, WIRELINE, "RK", 1-1/2", BAKER OIL TOOLS, PART NO. H890289996N97;NICKEL-COPPER ALLOY, VITON O-RINGS, DRILLED AND PINNED QA/QC DR # DR-CWS-001-16 (cond.02) DR #KSB 26-16		1.3		Loose in container TRLU 2780475
17-050	16035	16-195	H	Accessory	1	Nipple	4 1/2	4.5in X 3.813in X NIPPLE Profile, DR# KSB-67-16			-	Assembly
17-080	16123	16-196	H	Accessory	1	Packer		SWELL PACKER, 5 1/2", 17 PPF, 1% CR, L-80, HYDRIL 521, BOX X PIN BASE PIPE W/ 5 MTR LONG x 7.75" OD OBM SWELL PACKER ELEMENT ON 9M LONG PUP JOINT (ENL SUPPLIED) DR#CWS-018-13		367		loose
17-080	16123	16-196	H	Accessory	1	Packer		SWELL PACKER, 7.875" OD x 3 MTR LONG OBM ELEMENT, 6 mtr LONG 6-5/8" 24 PPF PUP JOINT, DR-CWS-36-13		246		loose
17-080	16092	16-206	H	Accessory	1	Packing Element		Packing Element Nitrile for 18-3/4"- 5M Spherical BOP		553.00		loose
17-080	16092	16-206	H	Accessory	1	Packing Element		Packing Element Nitrile for 18-3/4"- 5M Spherical BOP		553.00		loose
17-080	16123	16-196	H	Accessory	1	Plug	5 1/2	HANDLING PLUG 5-1/2" 17# HYDRIL 521 DR#CWS-020-13		49		Box in container TRLU 2780475
17-080	16092	16-206	H	Accessory	1	Plug Set		Plug set, Sub-Surface Release Non-Rotating Mid-Bore Plug System 13.375in - 14.000in DR# YUZ_01-17		150.00		loose
17-080	16123	16-196	H	Accessory	1	Protector	5 1/2	CROSS COUPLING PROTECTOR, BAKER HUGHES, TO FIT OVER 5-1/2" 17PPF VAM TOP HC COUPLING SLOTS FOR QTY 1 TRIPLE FLATPACK SIZE 0.433"x1.114" AND QTY 1 SINGLE ENCAPSULATED LINE SIZE 11mm X 11mm SQUARE, INSIDE CASING: 9-5/8" 47PPF (8.525" DRIFT), MATERIAL : LOW CARBON STEEL ASTM A216WCB - EACH, P/N: PGA-40-10606, TUBE-TEC P/N: B5500-U87 QA/QC DR#CWS-029-14		5		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	10	Protector	5 1/2	CROSS COUPLING PROTECTOR, BAKER HUGHES, TO FIT OVER 5-1/2" 17PPF VAM TOP HC COUPLING SLOTS FOR QTY 1 TRIPLE FLATPACK SIZE 0.433"x1.114" AND QTY 1 SINGLE ENCAPSULATED LINE SIZE 11mm X 11mm SQUARE, INSIDE CASING: 9-5/8" 47PPF (8.525" DRIFT), MATERIAL : LOW CARBON STEEL ASTM A216WCB - EACH, P/N: PGA-40-10606, TUBE-TEC P/N: B5500-U87		50		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	34	Protector	7	PROTECTOR, CABLE, CROSS COUPLING, MANUFACTURER: BAKER OIL TOOLS, P/N: 10034908, TUBE-TECH A7000-A86, SHEET 21 REV. 1, WITH PRE-ENGAGED SWIVEL FASTENERS SIZE 7" TO STRADDLE 7" VAM TOP HC, COUPLINGS IN 9-5/8" 53.5 LB/FT CASING (SPECIAL DRIFT 8.500") Retrieved from Z-1		170		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Pump	7	SUB, PUMP IN, 7", 26LB/FT, VAM TOP HC PIN X PIN WITH 2" 1502 WECO THREAD HALF SIDE OUTLET, APPROX. LENGTH = 28 INCHES; S/N: ENL 60942-2 DR-CWSD-022-14		55		Loose in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Pump	7	SUB, PUMP IN, 7", 26LB/FT, VAM TOP HC PIN X PIN WITH 2" 1502 WECO THREAD HALF SIDE OUTLET, APPROX. LENGTH = 28 INCHES; S/N: ENL51363J-1 DR-CWSD-022-14		55		Loose in container TRLU 2780475
17-050	16035	16-195	H	Accessory	1	Jump Out Plug	4 1/2	PUMP OUT PLUG, 4-1/2", 12.75PPF HYD-CS, BOX, ALLOY, WIRELINE RE-ENTRY GUIDE, XOM HPP, MFR: HALLIBURTON, DR# KSB-68-16			-	Assembly
17-050	16035	16-195	H	Accessory	1	Pup	4 1/2	TSH CS, 3m DR# KSB-67-16			-	Assembly
17-050	16035	16-195	H	Accessory	1	Pup	4 1/2	TSH CS, 2m DR# KSB-67-16			-	Assembly
17-050	16035	16-195	H	Accessory	1	Pup	4 1/2	TSH CS, 3m DR# KSB-67-16			-	Assembly
17-050	16035	16-195	H	Accessory	1	Pup	4 1/2	TSH CS, 2m, DR# KSB-67-16			-	Assembly
17-050	16035	16-195	H	Accessory	1	Pup	4 1/2	TSH Integral Pup Jt 3m, DR# KSB-65-16			L80	Assembly
17-050	16035	16-195	H	Accessory	1	Pup	4 1/2	TSH Integral Pup Jt 2m, DR# KSB-65-16			L80	Assembly
17-080	16091	17-218	H	Accessory	2	Screen	5 1/2	5.50 ResShunt-DW, 9 gauge (225 micron)/825, Case 2, 9-Shunts W/6mm Nozzles, 20 ppf Vam Top, 37.75ft Super 13Cr-95 S/Ns: 2767299, 2767310 DR# KSB-15-17		1,500.00		loose
17-080	16091	17-218	H	Accessory	2	Screen	5 1/2	5.50 ResShunt-DW, 9 gauge (225 micron)/825, Case 2, 9-Shunts W/6mm Nozzles, 20 ppf Vam Top, 37.75ft Super 13Cr-95 S/Ns: 2911686, 2236744 DR# KSB-16-17		2,200.00		loose
17-080	16106	17-223	H	Accessory	33	Screen	5 1/2	SCREEN,5-1/2,17,1Cr80,H521,RESFLOW,215M				
17-080	16106	17-223	H	Accessory	11	Screen	5 1/2	SCREEN,5-1/2,17,1Cr80,H521,LINESLOT,215M				
17-080	16106	17-223	H	Accessory	84	Screen	5 1/2	SCREEN,5-1/2,17,1Cr80,H521,LINESLOT,215M				
17-080	16106	17-223	H	Accessory	20	Screen	5 1/2	SCREEN,5-1/2,17,1Cr80,H521,LINESLOT,215M				

IRG	MMR SED #	Tracking #	Lot	Lot Category	QTY	Item	Size	DESCRIPTION	Additional Parts Included	Estimated Weight (kgs)	Grade	Comments
17-080	16123	16-196	H	Accessory	8	Screen	6 5/8	RESFLOW WITH LINESLOT SINGLE WIRE WRAPPED SAND SCREEN AND INFLOW CONTROL DEVICE (NEW NOZZLE DESIGN) ON 6-5/8" L80 RANGE 3 BASE PIPE 24 PPF, HYDRIL 521 CONNECTION. BASE PIPE SUPPLIED BY EXXONMOBIL. SPECIFICATION: WIRE: UNS S31603 (6.2 MM X 3.2 MM AXIAL AND 4 MM X 3.2 MM WRAPPING WIRE). SLOT OPENING: 225 MICRON. SUPPLIED WITH A 8.25" OD SPIR-O-LIZER ON EACH JOINT (NO STOP COLLARS). SUPPLIED WITH LAMIFLEX PROTECTIVE PACKAGING. DR# CWS-016-12, 12.68, 12.82, 12.66, 12.85, 12.84, 12.84, 12.85, 12.82 mtr FULL JOINT		4928		loose
17-080	16123	16-196	H	Accessory	1	Screen	6 5/8	RESFLOW WITH LINESLOT SINGLE WIRE WRAPPED SAND SCREEN AND INFLOW CONTROL DEVICE (NEW NOZZLE DESIGN) ON 6-5/8" L80 RANGE 3 BASE PIPE 24 PPF, HYDRIL 521 CONNECTION. BASE PIPE SUPPLIED BY EXXONMOBIL. SPECIFICATION: WIRE: UNS S31603 (6.2 MM X 3.2 MM AXIAL AND 4 MM X 3.2 MM WRAPPING WIRE). SLOT OPENING: 225 MICRON. SUPPLIED WITH A 8.25" OD SPIR-O-LIZER ON EACH JOINT (NO STOP COLLARS). SUPPLIED WITH LAMIFLEX PROTECTIVE PACKAGING. DR# CWS-017-13		616		loose
17-080	16123	16-196	H	Accessory	1	Screen	6 5/8	RESFLOW WITH LINESLOT SINGLE WIRE WRAPPED SAND SCREEN AND INFLOW CONTROL DEVICE (NEW NOZZLE DESIGN) ON 6-5/8" L80 RANGE 3 BASE PIPE 24 PPF, HYDRIL 521 CONNECTION. BASE PIPE SUPPLIED BY EXXONMOBIL. SPECIFICATION: WIRE: UNS S31603 (6.2 MM X 3.2 MM AXIAL AND 4 MM X 3.2 MM WRAPPING WIRE). SLOT OPENING: 225 MICRON. SUPPLIED WITH A 8.25" OD SPIR-O-LIZER ON EACH JOINT (NO STOP COLLARS). SUPPLIED WITH LAMIFLEX PROTECTIVE PACKAGING. DR# CWS-017-12, 12.82 mtr FULL JOINT		616		loose
17-080	16123	16-196	H	Accessory	1	Screen	6 5/8	RESFLOW WITH LINESLOT SINGLE WIRE WRAPPED SAND SCREEN AND INFLOW CONTROL DEVICE (NEW NOZZLE DESIGN) ON 6-5/8" L80 RANGE 3 BASE PIPE 24 PPF, HYDRIL 521 CONNECTION. BASE PIPE SUPPLIED BY EXXONMOBIL. SPECIFICATION: WIRE: UNS S31603 (6.2 MM X 3.2 MM AXIAL AND 4 MM X 3.2 MM WRAPPING WIRE). SLOT OPENING: 225 MICRON. SUPPLIED WITH A 8.25" OD SPIR-O-LIZER ON EACH JOINT (NO STOP COLLARS). SUPPLIED WITH LAMIFLEX PROTECTIVE PACKAGING. DR# CWS-017-12, 12.21 mtr FULL JOINT		616		loose
17-080	16123	16-196	H	Accessory	2	Screen	6 5/8	CASING, 6-5/8" 24 LB/FT, L-80, HYDRIL S-521, RANGE 3, Base Pipe with LineSlot single wire wrapped sand screen. Includes 8-1/4" OD X 10" Long Spir-O-Lizer & Lamiflex Protective Packaging Specifications - Wire: UNS S31603 (6.2 mm x 3.2 mm axial and 4 mm x 3.2 mm wrapping wire). Slot Opening: 225 micron. DR# CWS-032-12, mtr FULL JOINT PO# 4500431858, PL# PHS0734573		1216		loose
17-080	16123	16-196	H	Accessory	17	Screen	6 5/8	CASING, 6-5/8" 24 LB/FT, L-80, HYDRIL S-521, RANGE 3, Base Pipe with LineSlot single wire wrapped sand screen. Includes 8-1/4" OD X 10" Long Spir-O-Lizer & Lamiflex Protective Packaging Specifications - Wire: UNS S31603 (6.2 mm x 3.2 mm axial and 4 mm x 3.2 mm wrapping wire). Slot Opening: 225 micron. Rec'd from KFP in 2012 - in 2008 returned from Orlan Demob Project, 9 jts with 1 ea spoolizer 6-5/8" x 8-1/4", 1 jt with 1 ea eze-glides 6-5/8" x 8-1/2" DR# OWS-002-14		10336		loose
17-080	16123	16-196	H	Accessory	4	Screen	6 5/8	CASING, 6-5/8" 24 LB/FT, L-80, HYDRIL S-521, RANGE 3, Base Pipe with LineSlot single wire wrapped sand screen. Includes 8-1/4" OD X 10" Long Spir-O-Lizer & Lamiflex Protective Packaging Specifications - Wire: UNS S31603 (6.2 mm x 3.2 mm axial and 4 mm x 3.2 mm wrapping wire). Slot Opening: 225 micron. Rec'd from KFP in 2012 - in 2008 returned from Orlan O-31 Well DR# OWS-002-14		2432		loose
17-080	16123	16-196	H	Accessory	4	Screen	6 5/8	CASING, 6-5/8" 24 LB/FT, L-80, HYDRIL S-521, RANGE 3, Base Pipe with LineSlot single wire wrapped sand screen. Includes 8-1/4" OD X 10" Long Spir-O-Lizer & Lamiflex Protective Packaging Specifications - Wire: UNS S31603 (6.2 mm x 3.2 mm axial and 4 mm x 3.2 mm wrapping wire). Slot Opening: 225 micron. DR# OWS-002-14		2212		loose
17-080	16123	16-196	H	Accessory	1	Screen	6 5/8	SCREEN, ICD, SIZE 6-5/8", 24 PPF, L-80, 1% CR, HYDRIL 521 BOX X PIN, RANGE 3, RESFLOW ICD WITH LINESLOT SINGLE WIRE WRAPPED SAND SCREEN, STANDARD HOUSING, WITH 4 X 4MM, 4 X 2.5MM & 4 X BLANK NOZZLES PER JOINT, WIRE: UNS S31603 (6.2 MM X 3.2 MM AXIAL AND 4 MM X 3.2 MM WRAPPING WIRE) SLOT OPENING : 225 MICRON. ONE 8.125" OD CENTRALIZER AND TWO WELD TYPE STOP COLLAR - PER ASSEMBLY ON BOX END. DR # CWS-017-14		563		loose
17-080	16123	16-196	H	Accessory	1	Screen	6 5/8	SCREEN, SIZE 6-5/8", 24 PPF, L-80, 1% CR, HYDRIL 521 BOX X PIN, RANGE 3, WITH RESLINK LINE SLOT SINGLE WIRE WRAPPED SAND SCREEN, WIRE: UNS S31603 (6.2 MM X 3.2 MM AXIAL AND 4 MM X 3.2 MM WRAPPING WIRE) SLOT OPENING : 225 MICRON. ONE 8.125" OD CENTRALIZER AND TWO WELD TYPE STOP COLLAR - PER ASSEMBLY ON BOX END. Reslink Quality Plan 100622960 (for ExxonMobil HPP), Latest Revision QA/QC DR# CWS-036-15		571		loose

IRG	MMR SED #	Tracking #	Lot	Lot Category	QTY	Item	Size	DESCRIPTION	Additional Parts Included	Estimated Weight (kgs)	Grade	Comments
17-080	16123	16-196	H	Accessory	1	Screen	6 5/8	SCREEN, SIZE 6-5/8", 24 PPF, L-80, 1% CR, HYDRIL 521 BOX X PIN,RANGE 3, WITH RESLINK LINE SLOT SINGLE WIRE WRAPPED SAND SCREEN, WIRE: UNS S31603 (6.2 MM X 3.2 MM AXIAL AND 4 MM X 3.2 MM WRAPPING WIRE) SLOT OPENING : 225 MICRON. ONE 8.125" OD CENTRALIZER AND TWO WELD TYPE STOP COLLAR - PER ASSEMBLY ON BOX END. Reslink Quality Plan 100622960 (for ExxonMobil HPP), Latest Revision QA/QC DR# CWS-037-15		571		loose
17-080	16106	17-223	H	Accessory	24	Screen	6 5/8	SCREEN, 6-5/8", 24, L80, HYD521, LINESLOT, 225M				
17-050	16035	16-195	H	Accessory	11	Screen	6 5/8	HYDRIL 521 BOX X PIN RANGE 3 CONTAINER (ENL SUPPLIED BASE PIPE), WITH RESLINK LINE SLOT SINGLE WIRE WRAPPED SAND SCREEN, WIRE: UNS S31603 (6.2 MM X 3.2 MM AXIAL AND 4.0 MM X 3.0 MM WRAPPING WIRE), SLOT OPENING: 225 MICRON. WELD TYPE STOP COLLARS - 3 PER ASSEMBLY ON BOX & PIN END PLUS 1 WEATHERFORD STOP COLLAR INSTALLED ON FAR PIN END (SLB SUPPLIED 2 x 8.125" SPIRALIZER CENTRALIZERS AND 1 WEATHERFORD STOP COLLAR). QUALITY PLAN, DR# KSB-64-16			L80 1Cr	Jts
17-080	16092	16-206	H	Accessory	1	Screen		SCREEN, ICD, SIZE 5-1/2", 17 PPF, L-80 1% CR, HYDRIL 521 BOX X PIN, RANGE 3 CONTAINER (ENL SUPPLIED BASE PIPE), RESFLOW ICD WITH LINESLOT SINGLE WIRE WRAPPED SAND SCREEN, STANDARD HOUSING, WIRE, S/N 2223246 DR KSB_01-17		698.00		loose
17-080	16092	16-206	H	Accessory	1	Screen		SCREEN, SIZE 5-1/2", 17 PPF, L-80 1% CR, HYDRIL 521 BOX X PIN RANGE 3 CONTAINER (ENL SUPPLIED BASE PIPE), WITH RESLINK LINE SLOT SINGLE WIRE WRAPPED SAND SCREEN, WIRE, S/N 2516317 DR KSB_01-17		526.00		loose
17-080	16092	16-206	H	Accessory	3	Screen		SCREEN, ICD, SIZE 6-5/8", 24 PPF, L-80 1% CR, HYDRIL 521 BOX X PIN RANGE 3 CONTAINER S/N 2827917, 2828106, 2827872 DR KSB_03-17		2400.00		loose
17-080	16092	16-206	H	Accessory	1	Screen		SCREEN, ICD, SIZE 5-1/2", 17 PPF, L-80 1% CR, HYDRIL 521 BOX X PIN, RANGE 3 CONTAINER (ENL SUPPLIED BASE PIPE), RESFLOW ICD WITH LINESLOT SINGLE WIRE WRAPPED SAND SCREEN, STANDARD HOUSING, WIRE S/N 22322568 DR KSB_03-17		800.00		loose
17-080	16091	17-218	H	Accessory	5	Screen		SCREEN, ICD, SIZE 5-1/2", 17 PPF, L-80 1% CR, HYDRIL 521 BOX X PIN, RANGE 3 CONTAINER (ENL SUPPLIED BASE PIPE), RESFLOW ICD WITH LINESLOT SINGLE WIRE WRAPPED SAND SCREEN, STANDARD HOUSING, WIRE S/N's: 2232556, 2232556, 2232569, 2223247, 2232527 DR KSB_021-17		2,900.00		box
17-080	16091	17-218	H	Accessory	3	Screen		SCREEN, ICD, SIZE 6-5/8", 24 PPF, L-80 1% CR, HYDRIL 521 BOX X PIN RANGE 3 CONTAINER S/N 2828021, 2827840, 2827863 DR KSB_025-17		3,000.00		loose
17-080	16123	16-196	H	Accessory	2	Screen		SCREEN, SIZE 5-1/2", 17 PPF, L-80 1% CR, HYDRIL 521 BOX X PIN RANGE 3, WITH RESLINK LINE SLOT SINGLE WIRE WRAPPED SAND SCREEN, WIRE: UNS S31603 (6.2 MM X 3.2 MM AXIAL AND 4.0 MM X 3.00 MM WRAPPING WIRE), SLOT OPENING: 225 MICRON. WELD TYPE STOP COLLARS - 4 PER ASSEMBLY ON BOX & PIN END (SLB SUPPLIED 2 x 8.000" CENTRALIZER). QA/QC DR#DR-CWS-024-15		840		loose
17-080	16123	16-196	H	Accessory	1	Shoe	7	SHOE,FLOAT,7" 26# L80 VTHC 500-PVTS 7" 26 PPF L-80 VAM TOP HC FLOAT SHOE,500-PVTS, SINGLE VALVE MANUAL FILL Installed on joint # 659183 DR # OPF-002-14				loose
17-080	16091	17-218	H	Accessory	1	Shoe		FLOAT SHOE 18-5/8", BUTTRESS THD. DAVIS-LYNCH DOUBLE VALVE UP JET TAG-IN FLOAT SHOE, TYPE 502-DV-TLP-PVTS WITH LATCH-DOWN RECEPTACLE, TO BE RUN ON 87,50#, GRADE K-55 CSG DR# KSB-024-17		1,100.00		Assembly
17-080	16123	16-196	H	Accessory	1	Stop Collar	5	COLLAR, STOP, 5", WEATHERFORD PART # 6085050, AUTOMATIC STOPS, LATHE-TURNED DR# CWS-003-12		1		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	5	Stop Collar	5 1/2	COLLAR, STOP, 5-1/2", WEATHERFORD PART # 6085051, AUTOMATIC STOPS, LATHE-TURNED QA/QC DR#CWS-033-15 Rev.1		5		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	5	Stop Collar	5 1/2	COLLAR, STOP, 5-1/2", WEATHERFORD PART # 6085051, AUTOMATIC STOPS, LATHE-TURNED cut off 2-ea 5-1/2" Liner (IPES# 577401 / DR05) to uninstalled centralizers STOP COLLARS were Installed 2-ea on joint and 4-ea on joint QA/QC DR#CWS-018-16		7.5		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	5	Stop Collar	5 1/2	COLLAR, STOP, 5-1/2", WEATHERFORD PART # 6085051, AUTOMATIC STOPS, LATHE-TURNED cut off 2-ea 5-1/2" Liner (IPES# 577401 / DR05) to uninstalled centralizers STOP COLLARS were Installed 2-ea on joint and 4-ea on joint QA/QC DR#CWS-015-16		7.5		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	2	Stop Collar	6 5/8	COLLAR, STOP, AUTOMATIC, LATHE TURNED, P/N: 6085065, SIZE 6-5/8", MODEL 60850 QA/QC DR#CWS-003-14		4		Box in container TRLU 2780475

IRG	MMR SED #	Tracking #	Lot	Lot Category	QTY	Item	Size	DESCRIPTION	Additional Parts Included	Estimated Weight (kgs)	Grade	Comments
17-080	16123	16-196	H	Accessory	4	Stop Collar	6 5/8	COLLAR, STOP, AUTOMATIC, LATHE TURNED, P/N: 6085065, SIZE 6-5/8", MODEL 60850 DR# CWS-037-12		8		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Stop Collar	6 5/8	COLLAR, STOP, AUTOMATIC, LATHE TURNED, P/N: 6085065, SIZE 6-5/8", MODEL 60850 DR# CWS-021-12		2		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	12	Stop Collar	6 5/8	COLLAR, STOP, AUTOMATIC, LATHE TURNED, P/N: 6085065, SIZE 6-5/8", MODEL 60850 DR# OWS-027-10		24		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	6	Stop Collar	6 5/8	COLLAR, STOP, AUTOMATIC, LATHE TURNED, P/N: 6085065, SIZE 6-5/8", MODEL 60850, QA/QC DR#CWS-033-15 Rev.1		12		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Stop Collar	7	STOP COLLAR CLAMP, LIMIT, 7", SLIP ON W/ SET SCREWS (AKA STOP COLLAR), P/N:100074349 FOR OPF RIG-270 Installed on joint # 659183 DR # OPF-002-14				loose
17-080	16123	16-196	H	Accessory	1	Stop Collar	7	COLLAR, STOP, 7" , WEATHERFORD PART # 6085070, SLIP-ON WITH SLIPS, AUTOMATIC, LATHE-TURNED QA/QC DR # CWS-003-14		2.3		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Stop Collar	7	COLLAR, STOP, 7" , WEATHERFORD PART # 6085070, SLIP-ON WITH SLIPS, AUTOMATIC, LATHE-TURNED QA/QC DR # CWS-028-13		2.3		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	4	Stop Collar	7	COLLAR, STOP, 7" , WEATHERFORD PART # 6085070, SLIP-ON WITH SLIPS, AUTOMATIC, LATHE-TURNED DR-CWS-039-15		8		Box in container TRLU 2780475
17-080	16123	16-196	H	Accessory	1	Stop Collar	13 5/8	13-5/8" STOP COLLARS, SLIP-ON, ONE SIDE BEVELLED FOR 13-5/8" SPIRAGLIDER CENTRALIZERS, HEAVY DUTY WITH SET SCREWS QA/QC DR#CWS-019-15		4		Box in container TRLU 2780475
17-050	16035	16-195	H	Accessory	1	T Hydraulic	-	THT Hydraulic-Set, Production Packer, 7 in., 26-32 lb/ft Weight Range, 5.875 in. Max OD, 3.860 in. Min ID, 68.79 in. Length, 9Cr-1Mo Matl, 80000 psi Min Yield, Nitrile rubber Element Matl, 4 1/2-12.75 TSH CS Box x Pin, 40-325 Deg. F, H2S/ CO2 Service, 6830 psi Pressure Rating, 212THT7058-CHAA, 102284286, DR# KSB-65-16			-	Assembly
17-050	16035	16-195	H	Accessory	1	Tubing	4 1/2	TSH CS, Range 2 Tubing, DR# KSB-68-16			-	Assembly
17-050	16035	16-195	H	Accessory	4	Tubing	4 1/2	TSH CS , 9.75m, DR# KSB-68-16			-	-
17-080	16092	16-206	H	Accessory	9	Tubing	7	7" 26# P-110 1Cr VamTop HC PAL 3 / CTP 2 DR# KSB-111-16		4454.92		loose
17-050	16035	16-195	H	Accessory	1	Tubing	-	NMQG-BA-LT, SINGLE - TUBING, EDMC-R, LOW TEMP CALIBRATION, DR# YUZ-06-16			-	-
17-080	16092	16-206	H	Accessory	1	Tubing Hanger		11" Upper Tubing Hanger RT PN 2115455-03 SN 112570011002 IPES 577851) DBR PN 2115455-03; SN112570011002 DR# YUZ-11-16		300.00		pkg
17-080	16123	16-196	H	Accessory	1	Valve	1 1/2	GAS LIFT VALVE, 1.5" SHEAR SAFELIFT, INCONEL 718, ORIFICE SIZE: 7.5MM, SHEAR PRESSURE: 2476 PSI (+/-5%), 350MM EXTENSION, MANUFACTURER: US PTC INC., P/N: AN2706-2500, S/N: PTC-45848 QA/QC DR # DR-CWS-001-16 (cond.02), (REPAIR OR SCRAP) DR #KSB_26-16		4		Loose in container TRLU 2780475
17-080	16103	17-226	H	Accessory	10			PROTECTOR, CABLE, CROSS COUPLING, MANUFACTURER: BAKER OIL TOOLS, P/N: 10034908, TUBE-TECH A7000-A86, SHEET 21 REV. 1, WITH PRE-ENGAGED SWIVEL FASTENERS SIZE 7" TO STRADDLE 7" VAM TOP HC, COUPLINGS IN 9-5/8" 53.5 LB/FT CASING (SPECIAL DRIFT 8.500") TUBE-TEC P/N: A7000-A86 Retrieved from Z-1 (Workover in 2015)		100		Connection Type:CROSS COUPLING