



Phone: (989) 941-1346
 Fax: (281) 944-4218
 1304 Langham Creek, #200
 Houston, TX 77084
 www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 1 Non Fe

Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
30" 40S 150# RF FLG WN A182 F3 16/316L B16.47 A RMS 125-250	A182	30	150#	1	363.6	363.60
30" 40S 20" ECC RED A403 WP316 /316L WLX	A403	30		1	213	213.00
30" STD 90D BW LR ELB A403 WP3 16/316L WLX	A403	30		1	733	733.00
24" S120 90D BW LR ELB A403 WP 347H W/S2 WLX	A403	24		1	2210.59	2,210.59
20" S100 1500# RF FLG WN A182 F51 S31803 DPX RMS 125-250	A182	20	1500#	1	2050	2,050.00
20" S140 1500# RF FLG WN A182 F317/317L RMS 125-250	A182	20	1500#	2	2050	4,100.00
20" S60 300# RF FLG WN A182 F5 RMS 125-250	A182	20	300#	2	369	738.00
20" 80S 600# FLG ORF RFWN SW T APS 1/2" A182 F51 S31803 DPX	A182	20	600#	1	1622	1,622.00
20" 40S 12" ECC RED A403 WP316 /316L WLX	A403	20		1	151	151.00
20" S100 18" CONC RED A815 S32 205 DPLX WLX	A815	20		2	198	396.00
20" S100 90D BW LR ELB A815 S3 2205 DPLX WLX	A815	20		1	1074.523	1,074.52
20" S120 90D BW LR ELB A403 WP 347 W/S2 WLX	A403	20		3	1270	3,810.00
20" S140 90D BW LR ELB A403 WP 317/317L WLX	317ss	20		3	1500	4,500.00
20" S80 16" CONC RED A403 WP32 1 W/S2 WLX	A403	20		1	195	195.00
24" S120 20" ECC RED A403 WP34 7 WLX	A403	20		1	720.25	720.25
18" S100 1500# RF FLG WN A182 F51 S31803 DPX RMS 125-250	A182	18	1500#	2	1625	3,250.00
18" S100 45D BW ELB A815 S3220 5 DPLX WLDX	A815	18		1	392.717	392.72
18" S100 90D BW LR ELB A815 S3 2205 DPLX WLX	A815	18		2	785.434	1,570.87
16" 80S 600# RF FLG WN A182 F5 1 S31803 DPX RMS 125-250	A182	16	600#	4	390	1,560.00
16" 40S 12" CONC RED A403 WP31 6/316L SMLS	A403	16		4	82.92	331.68
16" 40S BW TEE A403 WP316/316L SMLS	A403	16		2	220	440.00
16" S140 12" CONC RED A403 WP3 17/317L WLX	317ss	16		1	262	262.00
16" S140 14" CONC RED A403 WP3 17/317L WLX	317ss	16		3	286	858.00
16" S140 90D BW LR ELB A403 WP 317/317L SMLS	317ss	16		1	747.4	747.40



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 1 Non Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
16" S80 45D BW ELB A403 WP321 W/S2 WLDX	A403	16		1	225	225.00
16" S80 90D BW LR ELB A403 WP3 21 W/S2 WLX	A403	16		3	450	1,350.00
14" S100 1500# RF FLG WN A182 F51 S31803 DPX RMS 125-250	A182	14	1500#	2	940	1,880.00
14" S80 600# RF FLG WN A182 F9 RMS 125-250	A182	14	600#	1	268	268.00
14" S100 45D BW ELB A815 S3220 5 DPLX WLDX	A815	14		2	185	370.00
14" S100 90D BW LR ELB A815 S3 2205 DPLX WLX	A815	14		1	385.537	385.54
14" S120 BW CAP A403 WP347 W/S 2 SMLS	A403	14		1	48	48.00
14" S140 45D BW ELB A403 WP317 /317L WLDX	317ss	14		1	273	273.00
14" S140 90D BW LR ELB A403 WP 317/317L WLX	317ss	14		1	493.89	493.89
18" S100 14" CONC RED A815 S32 205 DPLX WLX	A815	14		1	304	304.00
12" 40S 1500# RF FLG WN A182 F 316/316L RMS 125-250	A182	12	1500#	2	696.9	1,393.80
12" S140 1500# RF FLG WN A182 F316/316L RMS 125-250	A182	12	1500#	6	696.9	4,181.40
12" XHV 300# RF FLG WN A182 F5 RMS 125-250	A182	12	300#	1	142	142.00
12" 80S 600# RF FLG WN A182 F3 16/316L RMS 125-250	A182	12	600#	1	228.26	228.26
12" XHV 600# RF FLG WN A182 F5 A RMS 125-250	A182	12	600#	1	226	226.00
12" 40S 6" ECC RED A403 WP316/ 316L SMLS	A403	12		3	36.67	110.01
12" 40S 90D BW LR ELB A403 WP3 16/316L SMLS	A403	12		2	131	262.00
12" 40S BW CAP A403 WP316/316L SMLS	A403	12		7	28.8	201.60
12" 40S BW TEE A403 WP316/316L SMLS	A403	12		1	137	137.00
12" 80S 90D BW LR ELB A403 WP3 16/316L SMLS	A403	12		2	163.62	327.24
12" S100 8" CONC RED A815 S322 05 DPLX WLX	A815	12		1	71.71	71.71
12" S140 90D BW LR ELB A403 WP 316/316L WLX	A403	12		5	350.47	1,752.35
12" S140 90D BW LR ELB A403 WP 317/317L WLX	317ss	12		3	350.47	1,051.41
12" S140 BW TEE A403 WP316/316 L WLDX	A403	12		1	484	484.00
14" S140 12" CONC RED A403 WP3 17/317L WLX	317ss	12		1	185	185.00



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 1 Non Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
10" 40S 150# RF FLG WN A182 F3 16/316L RMS 125-250	A182	10	150#	1	54.54	54.54
10" S120 1500# RF FLG WN A182 F347 RMS 125-250	A182	10	1500#	1	458.54	458.54
10" S120 1500# RF FLG WN A182 F347 W/S10 RMS 125-250	A182	10	1500#	1	455	455.00
10" S140 1500# FLG ORF RFWN SW TAPS 3/4" A182 F316/316L RMS	A182	10	1500#	1	1099	1,099.00
10" S140 1500# RF FLG WN A182 F317/317L RMS 125-250	A182	10	1500#	1	454	454.00
10" S120 2500# RF FLG WN A182 F347 W/S10 RMS 125-250	A182	10	2500#	1	268	268.00
10" 80S 600# RF FLG WN A182 F3 16/316L RMS 125-250	A182	10	600#	3	190.89	572.67
10" S120 900# RF FLG WN A182 F 11 CL2 RMS 125-250	A182	10	900#	12	268	3,216.00
10" S80 900# RF FLG WN A182 F3 21 W/S10 RMS 125-250	A182	10	900#	1	260	260.00
10" 40S 6" CONC RED A815 S3220 5 DPLX WLX	A815	10		1	34.24	34.24
10" 40S ON 16 WOL OLT A182 F60 S32205 DPLX	A182	10		1	85	85.00
10" S120 8" ECC RED A403 WP347 W/S2 WLX	A403	10		3	34.24	102.72
10" S140 6" S160 CONC RED A403 WP317/317L WLX	317ss	10		1	82	82.00
10" S140 6" S160 ECC RED A403 WP317/317L WLX	317ss	10		1	61	61.00
10" S140 6" S160 RED BW TEE A4 03 WP316/316L WLX	A403	10		1	201	201.00
10" S140 90D BW LR ELB A403 WP 316/316L WLX	A403	10		3	225.43	676.29
10" S140 90D BW LR ELB A403 WP 317/317L WLX	317ss	10		8	225.43	1,803.44
8" 150# RF FLG BLD A182 F316/3 16L RMS 125-250	A182	8	150#	1	47.47	47.47
8" S100 1500# RF FLG WN A182 F 51 S31803 DPX RMS 125-250	A182	8	1500#	5	275.73	1,378.65
8" S140 1500# RF FLG WN A182 F 317/317L RMS 125-250	A182	8	1500#	1	275	275.00
8" S120 900# FLG ORF RFWN SW T APS 3/4" A182 F11 CL2 RMS 125	A182	8	900#	6	222.5	1,335.00
8" S120 900# RF FLG WN A182 F1 1 CL2 RMS 125-250	A182	8	900#	22	187	4,114.00
8" 40S 6" CONC RED A403 WP316/ 316L SMLS	A403	8		2	15.31	30.62
8" 40S 6" CONC RED A815 S32205 DPLX SMLS	A815	8		1	15.31	15.31
8" 40S 90D BW LR ELB A403 WP31 6/316L SMLS	A403	8		3	47.5	142.50



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 1 Non Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
8" 40S 90D BW LR ELB A815 S322 05 DPLX SMLS	A815	8		5	47.5	237.50
8" 80S 90D BW LR ELB A403 WP32 1 W/S2 SMLS	A403	8		1	73	73.00
8" 80S 90D BW LR ELB A403 WP32 1 W/S2 WLX	A403	8		6	73.36	440.16
8" 80S 90D BW LR ELB A815 S322 05 DPLX WLX	A815	8		1	73	73.00
8" S100 6" 80S CONC RED A815 S 32205 DPLX SMLS	A815	8		2	40.3	80.60
8" S120 6" CONC RED A403 WP347 W/S2 WLX	A403	8		1	40.3	40.30
8" S120 90D BW LR ELB A403 WP3 47 WLX	A403	8		1	101	101.00
8" S140 4" S120 RED BW TEE A40 3 WP317/317L WLX	317ss	8		1	96.3	96.30
8" S140 90D BW LR ELB A403 WP3 16/316L WLX	A403	8		1	117.493	117.49
8" S140 90D BW LR ELB A403 WP3 17/317L SMLS	317ss	8		1	117.493	117.49
8" S140 BW TEE A403 WP317/317L WLDX	317ss	8		2	133	266.00
6" 150# RF FLG BLD A182 F316/3 16L RMS 125-250	A182	6	150#	1	27.27	27.27
6" 40S 150# RF FLG WN A182 F31 6/316L RMS 125-250	A182	6	150#	1	26.26	26.26
6" 40S 150# RF FLG WN A182 F51 S31803 DPX RMS 125-250	A182	6	150#	1	26.26	26.26
6" 1500# SPEC BLD FLG BLD A240 GR304/304L	A240	6	1500#	1	48.48	48.48
6" 40S 1500# RF FLG WN A182 F5 1 S31803 DPX RMS 125-250	A182	6	1500#	1	165	165.00
6" 80S 1500# RF FLG WN A182 F5 1 S31803 DPX RMS 125-250	A182	6	1500#	8	165.4	1,323.20
6" S120 1500# FLG ORF RFWN SW TAPS 3/4" A182 F347 RMS 125-2	A182	6	1500#	8	407	3,256.00
6" S160 1500# FLG ORF RFWN SW TAPS 3/4" A182 F11 CL2 RMS 12	A182	6	1500#	4	203.5	814.00
6" 300# RF FLG BLD A182 F5 RMS 125-250	A182	6	300#	1	48	48.00
6" 40S 300# FLG ORF RFWN SW TA PS 1/2" A182 F316/316L RMS 12	A182	6	300#	2	53.53	107.06
6" 40S 300# RF FLG WN A182 F31 6/316L RMS 125-250	A182	6	300#	1	45.45	45.45
6" 40S 300# RF FLG WN A182 F51 S31803 DPX RMS 125-250	A182	6	300#	2	45.45	90.90
6" 80S 900# RF FLG WN A182 F32 1 W/S10 RMS 125-250	A182	6	900#	6	110	660.00
6" 40S 4" RED BW TEE A403 WP31 6/316L SMLS	A403	6		1	21.34	21.34



Phone: (989) 941-1346
 Fax: (281) 944-4218
 1304 Langham Creek, #200
 Houston, TX 77084
 www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 1 Non Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
6" 80S 90D BW LR ELB A403 WP32 1 SMLS	A403	6		10	36	360.00
6" S140 ON 10 WOL OLT A182 F30 4/304L	A182	6		1	28.28	28.28
6" S160 3" RED BW TEE A403 WP3 17/317L WLX	317ss	6		1	67	67.00
6" S160 4" ECC RED A403 WP316/ 316L SMLS	A403	6		2	21.21	42.42
6" S160 4" S120 CONC RED A403 WP317/317L SMLS	317ss	6		1	21	21.00
6" S160 90D BW LR ELB A403 WP3 17/317L SMLS	317ss	6		18	59.76	1,075.68
6" S160 BW TEE A403 WP316/316L SMLS	A403	6		3	43	129.00
6" S160 ON 10 WOL OLT A182 F30 4/304L	A182	6		1	28.28	28.28
4" 40S 150# RF FLG WN A182 F30 4/304L RMS 125-250	A182	4	150#	2	16.665	33.33
4" 40S 150# RF FLG WN A182 F51 S31803 DPX RMS 125-250	A182	4	150#	5	16.665	83.33
4" 80S 1500# RF FLG WN B564 IN CY 825 N08825 RMS 125-250	INCY 825	4	1500#	1	69.69	69.69
4" S120 1500# RF FLG WN A182 F 316/316L RMS 125-250	A182	4	1500#	2	69.69	139.38
4" 40S 300# FLG ORF RFWN SW TA PS 1/2" A182 F51 S31803 DPX R	A182	4	300#	4	33.33	133.32
4" 40S 300# RF FLG WN A182 F31 6/316L RMS 125-250	A182	4	300#	1	26.765	26.77
4" 40S 600# RF FLG WN A182 F51 S31803 DPX RMS 125-250	A182	4	600#	1	37.37	37.37
4" 40S 900# RF FLG WN A182 F51 S31803 DPX RMS 125-250	A182	4	900#	1	51	51.00
4" 80S 900# RF FLG WN A182 F51 S31803 DPX RMS 125-250	A182	4	900#	8	51	408.00
4" S120 900# FLG ORF RFWN SW T APS 1/2" A182 F11 CL2 RMS 125	A182	4	900#	2	129	258.00
4" S120 900# FLG ORF RFWN SW T APS 3/4" A182 F11 CL2 RMS 125	A182	4	900#	4	64.5	258.00
4" S120 900# RF FLG WN A182 F1 1 CL2 RMS 125-250	A182	4	900#	10	51	510.00
4" 40S 2" 80S CON SWG BP A403 WP316/316L	A403	4		1	7.575	7.58
4" 40S 2" 80S ECC SWG BP A182 F316/316L	A182	4		1	9	9.00
4" 40S 3" CONC RED A403 WP304/ 304L NSF61 SMLS	304SS	4		2	8.07	16.14
4" 40S 3" CONC RED A403 WP316/ 316L SMLS	A403	4		1	3.97	3.97
4" 40S BW CAP A815 S32205 DPLX SMLS	A815	4		1	1.44	1.44



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 1 Non Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
4" 40S ON 6 WOL OLT A182 F304/ 304L	A182	4		2	6.363	12.73
4" S120 3" 80S RED BW TEE A403 WP317/317L SMLS	317ss	4		4	23.63	94.52
4" S120 3" S160 ECC RED A403 W P347 W/S2 SMLS	A403	4		5	8.07	40.35
4" S120 90D BW LR ELB A403 WP3 17/317L SMLS	317ss	4		6	16.533	99.20
4" S140 ON 20 WOL OLT A182 F31 7/317L	A182	4		2	10.5	21.00
4" S160 ON 10 WOL OLT A182 F30 4/304L	A182	4		1	10.6	10.60
4" S160 ON 10 WOL OLT A182 F31 7/317L	A182	4		1	10.6	10.60
3" 150# RF FLG BLD A182 F316/3 16L RMS 125-250	A182	3	150#	1	9.09	9.09
3" 40S 150# RF FLG WN A182 F30 4/304L NSF61 RMS 125-250	A182	3	150#	1	11.615	11.62
3" 40S 150# RF FLG WN A182 F31 6/316L RMS 125-250	A182	3	150#	9	11.615	104.54
3" 40S 150# RF FLG WN A182 F51 S31803 DPX RMS 125-250	A182	3	150#	2	11.615	23.23
3" 80S 1500# RF FLG WN A182 F5 1 S31803 DPX RMS 125-250	A182	3	1500#	7	48.48	339.36
3" S160 1500# RF FLG WN A182 F 347 W/S10 RMS 125-250	A182	3	1500#	5	48	240.00
3" 40S 300# RF FLG WN A182 F51 S31803 DPX RMS 125-250	A182	3	300#	1	18.18	18.18
3" 40S 600# RF FLG WN A182 F51 S31803 DPX RMS 125-250	A182	3	600#	2	18.18	36.36
3" 80S 900# RF FLG WN A182 F31 7/317L RMS 125-250	A182	3	900#	4	36	144.00
3" 80S 900# RF FLG WN A182 F51 S31803 DPX RMS 125-250	A182	3	900#	1	39	39.00
3" 40S 2" 80S ECC SWG BP A403 WP316/316L	A403	3		1	4.545	4.55
3" 40S 3/4" 80S CON SWG BP A40 3 WP316/316L	A403	3		4	6.06	24.24
3" 40S 45D BW ELB A815 S32205 DPLX SMLS	A815	3		4	2.38	9.52
3" 40S 90D BW LR ELB A403 WP31 6/316L SMLS	A403	3		12	4.81	57.72
3" 40S BW CAP A815 S32205 DPLX SMLS	A815	3		5	1.684	8.42
3" 80S 90D BW LR ELB A815 S322 05 DPLX SMLS	A815	3		1	6.56	6.56
3" 80S BW CAP A815 S32205 DPLX SMLS	A815	3		1	1.87	1.87
2" 1-1/2" 3000# RED SW TEE A18 2 F304/304L NSF61	304SS	2.5	3000#	2	4.07	8.14



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 1 Non Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
2" 150# RF FLG BLD A182 F316/3 16L RMS 125-250	A182	2	150#	1	4.04	4.04
2" 80S 150# FF FLG SW A182 F31 6/316L RMS 125-250	A182	2	150#	1	5.05	5.05
2" 80S 150# RF FLG SW A182 F31 6/316L RMS 125-250	A182	2	150#	8	5.05	40.40
2" 80S 150# RF FLG SW A182 F51 S31803 DPX RMS 125-250	A182	2	150#	10	5.05	50.50
2" 80S 150# RF FLG SW B462 AL- 20 N08020 RMS 125-250	B462	2	150#	1	5.7	5.70
2" 80S 150# RF FLG WN A182 F31 6/316L RMS 125-250	A182	2	150#	2	6.06	12.12
2" 80S 150# RF FLG WN A182 F51 S31803 DPX NACE RMS 125-250	A182	2	150#	3	6	18.00
2" S160 1500# RF FLG SW A182 F 11 CL2 RMS 125-250	A182	2	1500#	5	24	120.00
2" S160 1500# RF FLG SW A182 F 317/317L RMS 125-250	A182	2	1500#	35	24.24	848.40
2" S160 1500# RF FLG SW A182 F 347 RMS 125-250	A182	2	1500#	1	24.24	24.24
2" S160 1500# RF FLG SW A182 F 51 S31803 DPX RMS 125-250	A182	2	1500#	11	24.24	266.64
2" S160 1500# RF FLG SW B564 I NCY 825 N08825 RMS 125-250	INCY 825	2	1500#	1	24.24	24.24
2" S160 1500# RF FLG WN A182 F 11 CL2 RMS 125-250	A182	2	1500#	1	24	24.00
2" S160 1500# RF FLG WN A182 F 347 W/S10 RMS 125-250	A182	2	1500#	7	24.24	169.68
2" S160 1500# RF FLG WN A182 F 51 S31803 DPX RMS 125-250	A182	2	1500#	1	24	24.00
2" S160 1500# RF FLG WN A182 F 9 RMS 125-250	A182	2	1500#	2	24	48.00
2" S160 ON 10 1500# S100 90 FL G RF PIPET OLT A182 F60 S3220	A182	2	1500#	8	24	192.00
2" S160 ON 10 1500# S120 90 FL G RF PIPET OLT A182 F347 9"	A182	2	1500#	7	2.13	14.91
2" S160 ON 10 1500# S120 90 FL G RF PIPET OLT A182 F347 W/S1	A182	2	1500#	3	2.13	6.39
2" S160 ON 16 1500# 90 FLG RF PIPET OLT A182 F317/317L 6"	A182	2	1500#	2	24.24	48.48
2" S160 ON 20 1500# 90 FLG RF PIPET OLT A182 F317/317L 6"	A182	2	1500#	5	24.24	121.20
2" S160 ON 20 1500# 90 FLG RF PIPET OLT A182 F347 6"	A182	2	1500#	1	24	24.00
2" S160 ON 20 1500# S10 90 FLG RF PIPET OLT A182 F347 6"	A182	2	1500#	1	24	24.00
2" S160 ON 20 1500# S120 90 FL G RF PIPET OLT A182 F347 6"	A182	2	1500#	1	24	24.00
2" S160 ON 6 1500# S120 90 FLG RF PIPET OLT A182 F347 9"	A182	2	1500#	2	24	48.00



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 1 Non Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
2" S160 ON 8 1500# S100 90 FLG RF PIPET OLT A182 F60 S32205	A182	2	1500#	10	20	200.00
2" S160 ON 8 1500# S120 90 FLG RF PIPET OLT A182 F347 6"	A182	2	1500#	1	24	24.00
2" XXH 1500# RF FLG SW A182 F1 1 CL2 RMS 125-250	A182	2	1500#	11	24	264.00
2" XXH ON 4 1500# 90 FLG RF PI PET OLT A182 F11 CL2 9"	A182	2	1500#	1	17	17.00
2" XXH ON 4 1500# 90 FLG RF PI PET OLT A182 F9 9"	A182	2	1500#	3	17	51.00
2" 80S 300# RF FLG SW A182 F31 6/316L RMS 125-250	A182	2	300#	1	7.07	7.07
2" 80S 300# RF FLG SW A182 F51 S31803 DPX RMS 125-250	A182	2	300#	1	5.7	5.70
2" 80S 300# RF FLG WN A182 F51 S31803 DPX RMS 125-250	A182	2	300#	15	8.08	121.20
2" 80S ON 8 300# 40S 90 FLG RF PIPET OLT A182 F51 S31803 DP	A182	2	300#	1	20	20.00
2" XHV 300# RF FLG SW A182 F5 RMS 125-250	A182	2	300#	4	7	28.00
2" XHV 300# RF FLG WN A182 F5 RMS 125-250	A182	2	300#	4	8	32.00
2" 3/4" 3000# RED SW TEE A182 F316/316L	A182	2	3000#	2	4.07	8.14
2" 3/4" 3000# RED SW TEE A182 F60 S32205 DPLX	A182	2	3000#	3	4.07	12.21
2" 3000# 90D SW ELB A182 F304/ 304L NSF61	A182	2	3000#	1	3.125	3.13
2" 3000# 90D SW ELB A182 F5	A182	2	3000#	4	3.125	12.50
2" 3000# 90D SW ELB A182 F60 S 32205 DPLX	A182	2	3000#	13	3.125	40.63
2" 3000# FULL SW CPLNG A182 F6 0 S32205 DPLX	A182	2	3000#	3	2	6.00
2" 3000# SW TEE A182 F304/304L NSF61	A182	2	3000#	1	4.07	4.07
2" 3000# SW TEE A182 F60 S3220 5 DPLX	A182	2	3000#	1	4.07	4.07
2" ON 10 3000# SOL OLT B564 IN CY 825 N08825	INCY 825	2	3000#	4	1.616	6.46
2" ON 16 - 8 3000# SOL OLT A18 2 F5	A182	2	3000#	9	1.6	14.40
2" ON 3 3000# SOL OLT A182 F31 6/316L	A182	2	3000#	3	1.62	4.86
2" ON 3 3000# SOL OLT A182 F60 S32205 DPLX	A182	2	3000#	12	5.15	61.80
2" ON 4 3000# SOL OLT A182 F60 S32205 DPLX	A182	2	3000#	4	1.616	6.46
2" ON 6 3000# SOL OLT A182 F30 4/304L NSF61	A182	2	3000#	1	1.62	1.62



Phone: (989) 941-1346
 Fax: (281) 944-4218

1304 Langham Creek, #200
 Houston, TX 77084

www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 1 Non Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
2" ON 8 3000# SOL OLT A182 F30 4/304L	A182	2	3000#	1	1.6	1.60
2" ON 8 3000# SOL OLT A182 F30 4/304L NSF61	A182	2	3000#	4	1.62	6.48
2" ON 8 3000# SOL OLT A182 F60 S32205 DPLX	A182	2	3000#	3	1.616	4.85
2" 40S 600# RF FLG WN A182 F31 6/316L RMS 125-250	A182	2	600#	2	10.1	20.20
2" 80S 600# RF FLG WN A182 F31 6/316L RMS 125-250	A182	2	600#	4	10.1	40.40
2" 80S 600# RF FLG WN A182 F51 S31803 DPX RMS 125-250	A182	2	600#	4	10.1	40.40
2" 80S ON 14 600# S80 90 FLG R F PIPET OLT A182 F321 W/S10 6	A182	2	600#	1	24.24	24.24
2" 80S ON 16 600# 90 FLG RF PI PET OLT A182 F60 S32205 DPLX	A182	2	600#	1	11.02	11.02
2" 80S ON 20 600# S80 90 FLG R F PIPET OLT A182 F321 W/S10 6	A182	2	600#	1	24.24	24.24
2" S160 600# RF FLG SW A182 F5 RMS 125-250	A182	2	600#	1	9	9.00
2" S160 600# RF FLG WN A182 F5 RMS 125-250	A182	2	600#	2	10	20.00
2" S160 ON 3 600# 90 FLG RF PI PET OLT A182 F5 6"	A182	2	600#	1	13.73	13.73
2" 6000# 90D SW ELB A182 F317/ 317L	A182	2	6000#	19	6.66	126.54
2" 6000# SW TEE A182 F317/317L	A182	2	6000#	8	7.72	61.76
2" ON 10 6000# SOL OLT A182 F3 47 W/S10	A182	2	6000#	7	5.19	36.33
2" ON 14 6000# SOL OLT A182 F6 0 S32205 DPLX	A182	2	6000#	1	5.15	5.15
2" ON 16 6000# SOL OLT A182 F3 17/317L	A182	2	6000#	2	5.15	10.30
2" ON 20 6000# SOL OLT A182 F3 17/317L	A182	2	6000#	5	5.2	26.00
2" ON 3 6000# SOL OLT A182 F60 S32205 DPLX	A182	2	6000#	10	1.616	16.16
2" ON 36 - 12 6000# SOL OLT A1 82 F347	A182	2	6000#	2	5.19	10.38
2" ON 4 6000# SOL OLT A182 F34 7 W/S10	A182	2	6000#	3	5.2	15.60
2" ON 4 6000# SOL OLT B564 INC Y 825 N08825	INC Y 825	2	6000#	1	5.2	5.20
2" ON 8 6000# SOL OLT A182 F11 CL2	A182	2	6000#	1	5.13	5.13
2" ON 8 6000# SOL OLT A182 F60 S32205 DPLX	A182	2	6000#	3	5.15	15.45
2" 80S 900# RF FLG SW A182 F51 S31803 DPX RMS 125-250	A182	2	900#	1	10.26	10.26



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 1 Non Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
2" 3/4" 9000# RED SW TEE A182 F11 CL1	A182	2	9000#	3	8.75	26.25
2" 9000# 45D SW ELB A182 F11 C L2	A182	2	9000#	1	9.62	9.62
2" 9000# 90D SW ELB A182 F11 C L2	A182	2	9000#	1	6.69	6.69
2" 9000# FULL SW CPLNG A182 F1 1 CL2	A182	2	9000#	2	3.879	7.76
2" 2-1/2" RND SW PLUG A182 F11 CL2	A182	2		1	3	3.00
2" 40S ON 6 WOL OLT B564 INCY 825 N08825	INCY 825	2		1	1.98	1.98
2" 80S 1-1/2" CON SWG PP A403 WP304/304L NSF61	304SS	2		2	2.356	4.71
2" 80S 1-1/2" CON SWG PP A403 WP316/316L	A403	2		1	2.356	2.36
2" 80S 1-1/2" ECC SWG PP A403 WP304/304L NSF61	304SS	2		1	2.356	2.36
2" 80S 1-1/4" CON SWG PP A403 WP304/304L NSF61	304SS	2		1	2.33	2.33
2" 80S 3" NPL PIPE A312 TP316/ 316L SMLS PP	A403	2		14	1.87	26.18
2" 80S 3/4" CON SWG PP A403 WP 304/304L NSF61	304SS	2		1	3	3.00
2" 80S 3/4" CON SWG PP A815 S3 2205 DPLX	A815	2		2	3.03	6.06
2" 80S 3/4" RED BW TEE A403 WP 304/304L SMLS	304SS	2		3	2.5	7.50
2" 80S 4" NPL PIPE A182 F317/3 17L SMLS PP	A182	2		1	1.69	1.69
2" 80S 90D BW LR ELB A403 WP30 4/304L SMLS	304SS	2		2	2	4.00
2" 80S BW TEE A403 WP316/316L SMLS	A403	2		3	3.5	10.50
2" 80S ON 4 40S WOL OLT B564 I NCY 825 N08825 1-1/2"	INCY 825	2		1	1.77	1.77
2" 80S ON 6 40S WOL OLT B564 I NCY 825 N08825 1-1/2"	INCY 825	2		1	1.5	1.50
2" S100 ON 18 WOL OLT A182 F60 S32205 DPLX	A182	2		1	1.77	1.77
2" S140 ON 20 WOL OLT A182 F31 7/317L	A182	2		1	2.17	2.17
2" S160 1" CON SWG PP A403 WP3 47 W/S2	A403	2		1	4.25	4.25
2" S160 3" NPL PIPE A312 TP347 W/S6 SMLS PP	A312	2		1	1.87	1.87
2" S160 3" NPL PIPE A790 DPLX S32205 SMLS PP	A790	2		1	1.87	1.87
2" S160 4" NPL PIPE A312 TP304 /304L NSF61 SMLS PT	304SS	2		4	4.25	17.00



 Phone: (989) 941-1346
 Fax: (281) 944-4218
 1304 Langham Creek, #200
Houston, TX 77084
 www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 1 Non Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
2" S160 4" NPL PIPE A312 TP317 /317L SMLS PP	317ss	2		3	2.46	7.38
2" S160 4" NPL PIPE A790 DPLX S32205 SMLS PP	A790	2		3	2.49	7.47
2" S160 4" NPL PIPE B423 INCY 825 N08825 SMLS PP	INCY 825	2		1	2.52	2.52
2" S160 6" NPL PIPE A312 TP304 /304L NSF61 SMLS PT	304SS	2		1	3.7725	3.77
2" S160 6" NPL PIPE B423 INCY 825 N08825 SMLS PP	INCY 825	2		2	3.7725	7.55
2" S160 ON 10 S80 NOL PE OLT A 182 F5 6-1/2"	A182	2		1	2.5	2.50
2" S160 ON 14 S120 EOL BW OLT A182 F347 W/S10	A182	2		3	11	33.00
2" S160 ON 18 S100 WOL OLT A18 2 F60 S32205 DPLX 2-3/16"	A182	2		1	2.17	2.17
2" S160 ON 20 S140 WOL OLT B56 4 INCY 825 N08825 2-3/16"	INCY 825	2		5	2.17	10.85
2" S160 ON 8 S120 WOL OLT B564 INCY 825 N08825 2-3/16"	INCY 825	2		1	2.17	2.17
2" S160 ON 8 S140 WOL OLT B564 INCY 825 N08825 2-3/16"	INCY 825	2		1	2.171	2.17
1-1/2" 80S 150# RF FLG SW A182 F304/304L NSF61 RMS 125-250	A182	1.5	150#	1	3.03	3.03
1-1/2" 80S 150# RF FLG SW A182 F304/304L RMS 125-250	A182	1.5	150#	1	3.03	3.03
1-1/2" S160 1500# FLG ORF RFWN SW TAPS 3/4" B564 INCY 825 N	INCY 825	1.5	1500#	14	22.5	315.00
1-1/2" S160 1500# RF FLG SW A1 82 F317/317L RMS 125-250	317ss	1.5	1500#	1	15.15	15.15
1-1/2" S160 1500# RF FLG SW B5 64 INCY 825 N08825 ANNLD RMS	INCY 825	1.5	1500#	8	15.15	121.20
1-1/2" S160 1500# RF FLG SW B5 64 INCY 825 N08825 RMS 125-25	INCY 825	1.5	1500#	2	15.15	30.30
1-1/2" 80S 300# RF FLG SW A182 F316/316L RMS 125-250	A182	1.5	300#	1	6.06	6.06
1-1/2" 80S 300# RF FLG SW A182 F51 S31803 DPX RMS 125-250	A182	1.5	300#	1	6.06	6.06
1-1/2" 3000# 90D SW ELB A182 F 304/304L NSF61	A182	1.5	3000#	2	2.088	4.18
1-1/2" 3000# FULL SW CPLNG A18 2 F304L NSF 61	304SS	1.5	3000#	2	1.01	2.02
1-1/2" ON 20 3000# SOL OLT A18 2 F304/304L	304SS	1.5	3000#	3	1	3.00
1-1/2" ON 12 6000# SOL OLT A18 2 F317/317L	317ss	1.5	6000#	2	2	4.00
1-1/2" ON 20 6000# SOL OLT A18 2 F347 W/S10	A182	1.5	6000#	2	2.02	4.04
1-1/2" ON 20 6000# SOL OLT A18 2 F60 S32205 DPLX	A182	1.5	6000#	1	2.02	2.02



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 1 Non Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
1-1/2" ON 3 6000# SOL OLT A182 F5	A182	1.5	6000#	1	2.26	2.26
1-1/2" 2" RND SW PLUG A182 F30 4/304L NSF61	A182	1.5		1	1.563	1.56
1-1/2" 2" RND SW PLUG A182 F31 6/316L	A182	1.5		2	1.563	3.13
1-1/2" 2" RND SW PLUG A182 F5	A182	1.5		1	1.563	1.56
1-1/2" 2" RND THD PLUG A182 F3 04/304L NSF61	A182	1.5		2	1.563	3.13
1-1/2" 80S 1/2" ECC SWG BB A40 3 WP304/304L NSF61	304SS	1.5		2	1.178	2.36
1-1/2" 80S 1-1/4" CON SWG PP A 403 WP304/304L NSF61	304SS	1.5		1	1.07	1.07
1-1/2" 80S 3" NPL PIPE A312 TP 304/304L NSF61 SMLS PP	304SS	1.5		2	0.9165	1.83
1-1/2" 80S 3" NPL PIPE A312 TP 316/316L SMLS PP	A403	1.5		2	0.91	1.82
1-1/2" 80S 3" NPL PIPE B423 IN CY 825 N08825 SMLS PP	INCY 825	1.5		8	0.91	7.28
1-1/2" 80S 4" NPL PIPE B423 IN CY 825 N08825 SMLS PP	INCY 825	1.5		1	1.22	1.22
1-1/2" 80S 6" NPL PIPE A312 TP 304/304L NSF61 SMLS PP	304SS	1.5		1	1.82	1.82
1-1/2" 80S 6" NPL PIPE A312 TP 321/321L W/S6 SMLS PP	A312	1.5		1	1.83	1.83
1-1/2" 80S 90D BW LR ELB A403 WP304/304L SMLS	304SS	1.5		3	1.13	3.39
1-1/2" 80S BW TEE A403 WP316/3 16L SMLS	A403	1.5		1	2.25	2.25
1-1/2" S160 3" NPL PIPE A312 T P347 W/S6 SMLS PP	A312	1.5		2	1.6	3.20
1-1/2" S160 3" NPL PIPE A790 D PLX S32205 SMLS PP	A790	1.5		1	1.215	1.22
1-1/2" S160 4" NPL PIPE B423 I NCY 825 N08825 SMLS PP	INCY 825	1.5		1	1.6	1.60
1-1/2" S160 6" NPL PIPE A312 T P347 W/S6 SMLS PP	A312	1.5		1	1.6	1.60
1-1/2" XXH 4" NPL PIPE B423 IN CY 825 N08825 SMLS PT	INCY 825	1.5		1	0.94	0.94
1-1/4" S160 3/4" 80S CON SWG P T A403 WP304/304L NSF61	304SS	1.25		4	1.5	6.00
1-1/4" S160 3/4" 80S ECC SWG P T A403 WP304/304L NSF61 SMLS	304SS	1.25		2	1.01	2.02
1" 80S 150# RF FLG SW A182 F31 6/316L RMS 125-250	A182	1	150#	1	2.02	2.02
1" 80S 150# RF FLG SW A182 F51 S31803 DPX RMS 125-250	A182	1	150#	2	2.05	4.10
1" 80S 150# RF FLG WN A182 F30 4/304L RMS 125-250	A182	1	150#	1	2.525	2.53



Phone: (989) 941-1346
 Fax: (281) 944-4218

1304 Langham Creek, #200
 Houston, TX 77084

www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 1 Non Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
1" 1500# RF FLG BLD A182 F11 C L1 RMS 125-250	A182	1	1500#	2	9	18.00
1" S160 1500# RF FLG SW A182 F 316/316L RMS 125-250	A182	1	1500#	1	8.08	8.08
1" 3/4" 3000# RED SW TEE A182 F316/316L	A182	1	3000#	1	1.307	1.31
1" 3/4" 3000# RED SW TEE A182 F60 S32205 DPLX	A182	1	3000#	2	1.307	2.61
1" 3/4" 3000# RED SW TEE B564 INCY 825 N08825	INCY 825	1	3000#	1	1.307	1.31
1" 3000# 90D SW ELB A182 F304/ 304L	A182	1	3000#	1	0.987	0.99
1" 3000# 90D SW ELB A182 F304/ 304L NSF61	A182	1	3000#	1	2.348	2.35
1" 3000# SW TEE A182 F60 S3220 5 DPLX	A182	1	3000#	1	1.44	1.44
1" 3000# SW TEE B462 AL-20 N08 020	B462	1	3000#	1	1.307	1.31
1" ON 10 3000# SOL OLT A182 F3 04/304L	A182	1	3000#	3	0.606	1.82
1" ON 10 3000# SOL OLT A182 F6 0 S32205 DPLX	A182	1	3000#	1	0.6	0.60
1" ON 12 3000# SOL OLT A182 F3 04/304L	A182	1	3000#	1	0.606	0.61
1" ON 12 3000# SOL OLT B564 IN CY 825 N08825	INCY 825	1	3000#	1	0.606	0.61
1" ON 14 3000# SOL OLT A182 F6 0 S32205 DPLX	A182	1	3000#	1	0.606	0.61
1" ON 14 3000# SOL OLT B564 IN CY 825 N08825	INCY 825	1	3000#	1	0.606	0.61
1" ON 16 3000# SOL OLT A182 F6 0 S32205 DPLX	A182	1	3000#	1	0.606	0.61
1" ON 20 3000# SOL OLT A182 F6 0 S32205 DPLX	A182	1	3000#	1	0.606	0.61
1" ON 6 3000# SOL OLT A182 F30 4/304L	A182	1	3000#	3	0.606	1.82
1" ON 6 3000# SOL OLT A182 F60 S32205 DPLX	A182	1	3000#	1	0.606	0.61
1" ON 8 3000# SOL OLT A182 F60 S32205 DPLX	A182	1	3000#	2	0.64	1.28
1" 80S 600# RF FLG SW A182 F31 6/316L RMS 125-250	A182	1	600#	2	4.04	8.08
1" 80S 600# RF FLG SW A182 F51 S31803 DPX RMS 125-250	A182	1	600#	2	4.04	8.08
1" 6000# SW TEE A182 F5	A182	1	6000#	2	3.313	6.63
1" ON 10 6000# SOL OLT A182 F5	A182	1	6000#	1	1.3	1.30
1" ON 6 6000# SOL OLT A182 F31 7/317L	A182	1	6000#	3	1.313	3.94



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 1 Non Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
1" ON 6 6000# SOL OLT A182 F34 7 W/S10	A182	1	6000#	3	1.313	3.94
2" 1" 6000# RED SW TEE A182 F3 47 W/S10	A182	1	6000#	1	7.72	7.72
1" ON 4 9000# SOL OLT A182 F11 CL2	A182	1	9000#	2	1.3	2.60
1" ON 8 9000# SOL OLT A182 F11 CL2	A182	1	9000#	2	2.6	5.20
1" 2" RND SW PLUG A182 F316/31 6L	A182	1		1	0.75	0.75
1" 2" RND SW PLUG A182 F317/31 7L	A182	1		1	0.75	0.75
1" 2" RND SW PLUG A182 F60 S32 205 DPLX	A182	1		1	0.75	0.75
1" 80S 3" NPL PIPE A312 TP316/ 316L SMLS PP	A403	1		14	0.54	7.56
1" 80S 3" NPL PIPE A790 DPLX S 32205 SMLS PP	A790	1		17	0.543	9.23
1" 80S 3" NPL PIPE B423 INCY 8 25 N08825 SMLS PP	INCY 825	1		4	0.32	1.28
1" 80S 3/4" CON SWG PP B462 AL -20 N08020	B462	1		1	0.673	0.67
1" 80S 3/4" S160 CON SWG TP A4 03 WP316/316L	A403	1		1	1.01	1.01
1" 80S 4" NPL PIPE A312 TP304/ 304L SMLS PP	304SS	1		2	0.72	1.44
1" 80S 4" NPL PIPE A312 TP316/ 316L SMLS PP	A403	1		1	0.72	0.72
1" 80S 4" NPL PIPE A790 DPLX S 32205 SMLS PP	A790	1		2	0.723	1.45
1" 80S 4" NPL PIPE B423 INCY 8 25 N08825 SMLS PP	INCY 825	1		1	1.09	1.09
1" 80S 6" NPL PIPE A790 DPLX S 32205 SMLS PP	A790	1		17	1.085	18.45
1" 80S ON 8 S100 NOL PE OLT A1 82 F60 S32205 DPLX 6-1/2"	A182	1		1	0.505	0.51
1" S160 3" NPL PIPE A312 TP316 /316L SMLS PP	A403	1		4	0.71	2.84
1" S160 3" NPL PIPE A312 TP347 W/S6 SMLS PP	A312	1		1	0.713	0.71
1" S160 3" NPL PIPE B423 INCY 825 N08825 SMLS PP	INCY 825	1		2	0.71	1.42
1" S160 3/4" ECC SWG PP B366 W PNICMC N08825	INCY 825	1		1	1.01	1.01
1" S160 4" NPL PIPE A312 TP316 /316L SMLS PP	A403	1		1	0.93	0.93
1" S160 6" NPL PIPE B423 INCY 825 N08825 SMLS PP	INCY 825	1		3	1.422	4.27
1" S160 ON 10 S120 NOL PE OLT A182 F347 W/S10 6-1/2"	A182	1		3	0.859	2.58



Phone: (989) 941-1346
 Fax: (281) 944-4218

1304 Langham Creek, #200
 Houston, TX 77084

www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 1 Non Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
1" S160 ON 3 NOL PE OLT A182 F 317/317L 6-1/2"	A182	1		1	0.859	0.86
1-1/2" 80S 1" CON SWG PP A403 WP304/304L NSF61	304SS	1		1	1.178	1.18
1-1/2" 80S 1" ECC SWG PP A403 WP304/304L NSF61	304SS	1		1	0.505	0.51
1-1/2" 80S 1" S160 CON SWG PT A403 WP304/304L	304SS	1		1	2	2.00
3/4" 80S 150# RF FLG SW A182 F 316/316L RMS 125-250	A182	0.75	150#	1	2.02	2.02
3/4" 80S 150# RF FLG SW A182 F 51 S31803 DPX RMS 125-250	A182	0.75	150#	1	2.02	2.02
3/4" S160 1500# RF FLG SW A182 F317/317L RMS 125-250	A182	0.75	1500#	2	7	14.00
3/4" S160 1500# RF FLG WN A182 F316/316L RMS 125-250	A182	0.75	1500#	1	5	5.00
3/4" 80S 300# RF FLG SW A182 F 316/316L RMS 125-250	A182	0.75	300#	4	3.03	12.12
3/4" 80S 300# RF FLG WN A182 F 304/304L RMS 125-250	A182	0.75	300#	1	3.03	3.03
3/4" 3000# 45D SW ELB A182 F60 S32205 DPLX	A182	0.75	3000#	1	0.673	0.67
3/4" 3000# 90D SW ELB A182 F60 S32205 DPLX	A182	0.75	3000#	29	0.698	20.24
3/4" 3000# FULL SW CPLNG A182 F60 S32205 DPLX	A182	0.75	3000#	4	0.316	1.26
3/4" 3000# SW TEE A182 F51 S31 803 DPX	A182	0.75	3000#	1	0.925	0.93
3/4" ON 10 3000# SOL OLT A182 F304/304L	A182	0.75	3000#	5	0.343	1.72
3/4" ON 10 3000# SOL OLT B564 INCY 825 N08825	INCY 825	0.75	3000#	2	0.353	0.71
3/4" ON 3 3000# SOL OLT A182 F 304/304L	A182	0.75	3000#	4	0.343	1.37
3/4" ON 3 3000# SOL OLT A182 F 316/316L	A182	0.75	3000#	7	0.343	2.40
3/4" ON 4 3000# SOL OLT A182 F 60 S32205 DPLX	A182	0.75	3000#	1	0.37	0.37
3/4" ON 6 3000# SOL OLT A182 F 304/304L	A182	0.75	3000#	2	0.343	0.69
3/4" ON 6 3000# SOL OLT A182 F 316/316L	A182	0.75	3000#	5	0.343	1.72
3/4" ON 8 3000# SOL OLT A182 F 60 S32205 DPLX	A182	0.75	3000#	4	0.37	1.48
3/4" ON FLAT 3000# SOL OLT A18 2 F304/304L NSF61	304SS	0.75	3000#	1	0.37	0.37
3/4" ON FLAT 3000# SOL OLT A18 2 F60 S32205 DPLX	A182	0.75	3000#	1	0.37	0.37
3/4" 80S 600# RF FLG SW A182 F 316/316L RMS 125-250	A182	0.75	600#	1	3.03	3.03



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 1 Non Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
3/4" 6000# 90D SW ELB A182 F31 7/317L	A182	0.75	6000#	1	0.698	0.70
3/4" 6000# SW TEE A182 F5	A182	0.75	6000#	2	2	4.00
3/4" 6000# SW TEE B564 INCY 82 5 N08825	INCY 825	0.75	6000#	8	2	16.00
3/4" ON 10 6000# SOL OLT A182 F11 CL2	A182	0.75	6000#	3	0.8	2.40
3/4" ON 3 6000# SOL OLT A182 F 316/316L	A182	0.75	6000#	4	0.34	1.36
3/4" ON 4 6000# SOL OLT B564 I NCY 825 N08825	INCY 825	0.75	6000#	2	0.808	1.62
3/4" ON 8 6000# SOL OLT A182 F 5	A182	0.75	6000#	1	0.8	0.80
3/4" ON FLAT 6000# SOL OLT A18 2 F316/316L	A403	0.75	6000#	3	0.8	2.40
3/4" ON FLAT 6000# SOL OLT A18 2 F321 W/S10	A182	0.75	6000#	1	0.808	0.81
3/4" ON FLAT 6000# SOL OLT B56 4 C276 N10276	C276	0.75	6000#	2	0.808	1.62
3/4" 9000# 90D SW ELB A182 F11 CL2	A182	0.75	9000#	1	2.25	2.25
3/4" 1-3/4" RND SW PLUG A182 F 11 CL2	A182	0.75		1	0.375	0.38
3/4" 1-3/4" RND SW PLUG A182 F 347	A182	0.75		10	0.375	3.75
3/4" 1-3/4" RND SW PLUG B462 A L-20 N08020	B462	0.75		2	0.375	0.75
3/4" 1-3/4" RND THD PLUG A182 F304/304L NSF61	A182	0.75		2	0.375	0.75
3/4" 1-3/4" RND THD PLUG A182 F321 W/S10	A182	0.75		1	0.25	0.25
3/4" 80S 3" NPL PIPE A182 F317 /317L SMLS PP	A182	0.75		1	0.37	0.37
3/4" 80S 3" NPL PIPE A312 TP30 4/304L NSF61 SMLS PP	304SS	0.75		4	0.37	1.48
3/4" 80S 3" NPL PIPE A312 TP30 4/304L SMLS BB	304SS	0.75		2	0.37	0.74
3/4" 80S 3" NPL PIPE A312 TP30 4/304L SMLS BP	304SS	0.75		1	0.37	0.37
3/4" 80S 3" NPL PIPE A312 TP30 4/304L SMLS PP	304SS	0.75		8	0.37	2.96
3/4" 80S 3" NPL PIPE A312 TP31 6/316L SMLS PP	A403	0.75		45	0.37	16.65
3/4" 80S 3" NPL PIPE A790 DPLX S32205 SMLS PP	A790	0.75		35	0.37	12.95
3/4" 80S 4" NPL PIPE A312 TP30 4/304L NSF61 SMLS BP	304SS	0.75		15	0.48	7.20
3/4" 80S 4" NPL PIPE A312 TP31 6/316L SMLS PP	A403	0.75		2	0.37	0.74



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 1 Non Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
3/4" 80S 4" NPL PIPE A790 DPLX S32205 SMLS PP	A790	0.75		3	0.37	1.11
3/4" 80S 6" NPL PIPE A312 TP30 4/304L NSF61 SMLS PP	304SS	0.75		4	0.74	2.96
3/4" 80S 6" NPL PIPE A790 DPLX S32205 SMLS PP	A790	0.75		10	0.74	7.40
3/4" 80S ON 3 40S WOL OLT A182 F304/304L 7/8"	A182	0.75		4	0.313	1.25
3/4" 80S ON 8 S100 NOL PE OLT A182 F60 S32205 DPLX 6-1/2"	A182	0.75		1	0.313	0.31
3/4" S160 3" NPL PIPE A312 TP3 16/316L SMLS PP	A403	0.75		2	0.49	0.98
3/4" S160 3" NPL PIPE A312 TP3 17/317L SMLS PP	317ss	0.75		7	0.49	3.43
3/4" S160 3" NPL PIPE A312 TP3 47 W/S6 SMLS PP	A312	0.75		8	0.49	3.92
3/4" S160 3" NPL PIPE B423 INC Y 825 N08825 SMLS PP	INCY 825	0.75		12	0.97	11.64
3/4" S160 4" NPL PIPE A312 TP3 16/316L SMLS PP	A403	0.75		1	0.64	0.64
3/4" S160 4" NPL PIPE B423 INC Y 825 N08825 SMLS PP	INCY 825	0.75		13	0.64	8.32
3/4" S160 6" NPL PIPE A312 TP3 16/316L SMLS PP	A403	0.75		6	0.97	5.82
3/4" S160 ON 8 S120 NOL PE OLT B564 INCY 825 N08825 6-1/2"	INCY 825	0.75		3	1.34	4.02
1/2" 1-3/4" RND SW PLUG A182 F 316/316L	A182	0.5		8	0.25	2.00
1/2" 1-3/4" RND SW PLUG A182 F 60 S32205 DPLX	A182	0.5		9	0.25	2.25
1/2" 1-3/4" RND THD PLUG A182 F321 W/S10	A182	0.5		4	0.375	1.50
1/2" 1-3/4" RND THD PLUG A182 F60 S32205 DPLX	A182	0.5		1	0.25	0.25
1/2" 80S 3" NPL PIPE A312 TP31 6/316L SMLS PP	A403	0.5		20	0.27	5.40
1/2" 80S 3" NPL PIPE A312 TP31 7/317L SMLS PP	317ss	0.5		2	0.27	0.54
1/2" 80S 3" NPL PIPE A790 DPLX S32205 SMLS PP	A790	0.5		4	0.275	1.10
1/2" 80S 4" NPL PIPE A312 TP30 4/304L SMLS PP	304SS	0.5		2	0.49	0.98
1/2" 80S 4" NPL PIPE A312 TP31 6/316L SMLS PP	A403	0.5		4	0.33	1.32
1/2" 80S 4" NPL PIPE A790 DPLX S32205 SMLS PP	A790	0.5		5	0.363	1.82
				1,379		84,249.84



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 2 Fe						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
48" XHV BW CAP A234 WPB SMLS	A234	48		6	389.33	2,335.98
42" XHV BW CAP A234 WPB SMLS	A234	42		2	306.67	613.34
30" XHV 150# RF FLG WN A105 NO RM B16.47 A RMS 125-250	A105	30	150#	1	360	360.00
24" STD 150# RF FLG WN A105 NO RM RMS 125-250	A105	24	150#	4	268	1,072.00
24" XHV 150# RF FLG WN A105 NO RM RMS 125-250	A105	24	150#	3	268	804.00
24" S40 300# RF FLG WN A105 NO RM RMS 125-250	A105	24	300#	1	519	519.00
24" STD 18" ECC RED A234 WPB SMLS	A234	24		2	158	316.00
24" STD 45D BW ELB A234 WPB SM LS	A234	24		1	234	234.00
24" STD BW CAP A234 WPB SMLS	A234	24		1	102	102.00
24" XHV 45D BW ELB A234 WPB SM LS	A234	24		1	311	311.00
24" XHV 90D BW LR ELB A234 WPB SMLS	A234	24		1	622	622.00
20" 150# RF FLG BLD A105 NORM RMS 125-250	A105	20	150#	1	283	283.00
20" S40 300# RF FLG WN A105 NO RM RMS 125-250	A105	20	300#	3	369	1,107.00
20" S40 12" CONC RED A420 WPL6 SMLS	A420	20		2	205	410.00
20" S40 12" ECC RED A420 WPL6 SMLS	A420	20		1	205	205.00
20" S40 16" XHV ECC RED A420 W PL6 SMLS	A420	20		1	205	205.00
20" S40 45D BW ELB A420 WPL6 SMLS	A420	20		1	253	253.00
20" S40 90D BW LR ELB A420 WPL 6 SMLS	A420	20		5	506	2,530.00
20" STD 16" CONC RED A234 WPB SMLS	A234	20		1	131	131.00
20" STD 90D BW LR ELB A234 WPB SMLS	A234	20		1	323	323.00
20" STD BW CAP A234 WPB SMLS	A234	20		1	71	71.00
20" STD BW TEE A234 WPB SMLS	A234	20		1	504	504.00
20" XHV 12" S40 RED BW TEE A23 4 WPB SMLS	A234	20		1	493	493.00
20" XHV 14" S40 CONC RED A234 WPB SMLS	A234	20		1	174	174.00
24" STD 20" CONC RED A234 WPB SMLS	A234	20		1	158	158.00



Phone: (989) 941-1346
 Fax: (281) 944-4218

1304 Langham Creek, #200
 Houston, TX 77084

www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 2 Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
24" STD 20" ECC RED A234 WPB S MLS	A234	20		1	158	158.00
18" 150# RF FLG BLD A105 NORM RMS 125-250	A105	18	150#	1	217	217.00
18" STD 150# RF FLG WN A105 NO RM RMS 125-250	A105	18	150#	4	165	660.00
18" XHV 150# RF FLG WN A105 NO RM RMS 125-250	A105	18	150#	1	165	165.00
18" S40 300# RF FLG WN A105 NO RM RMS 125-250	A105	18	300#	1	306	306.00
18" S80 600# RF FLG WN A105 NO RM RMS 125-250	A105	18	600#	1	555	555.00
18" S120 12" RED BW TEE A234 W P11 CL1 SMLS	A234	18		2	824.74	1,649.48
18" S120 90D BW LR ELB A420 WP L6 SMLS	A420	18		1	934.231	934.23
18" S40 12" RED BW TEE A420 WP L6 SMLS	A420	18		1	427	427.00
18" STD 45D BW ELB A234 WPB SM LS	A234	18		3	132	396.00
18" STD ON 48 WOL OLT A105	A105	18		2	97	194.00
18" STD ON 48 XHV WOL OLT A105 3-13/16"	A105	18		1	97	97.00
18" XHV 45D BW ELB A234 WPB SM LS	A234	18		2	174	348.00
18" XHV 90D BW LR ELB A234 WPB SMLS	A234	18		3	347	1,041.00
16" S120 1500# RF FLG WN A105 RMS 125-250	A105	16	1500#	1	1414	1,414.00
16" S40 300# RF FLG WN A105 NO RM RMS 125-250	A105	16	300#	3	355	1,065.00
16" STD 900# RF FLG WN A105 NO RM RMS 125-250	A105	16	900#	1	685	685.00
16" S40 12" ECC RED A234 WPB S MLS	A234	16		1	97	97.00
16" S80 12" CONC RED A420 WPL6 SMLS	A420	16		1	159	159.00
16" STD 12" ECC RED A234 WPB S MLS	A234	16		1	73	73.00
16" STD 14" RED BW TEE A234 WP B SMLS	A234	16		2	242	484.00
16" STD 8" CONC RED A234 WPB S MLS	A234	16		2	73	146.00
16" STD 8" RED BW TEE A234 WPB SMLS	A234	16		1	235	235.00
14" S40 150# RF FLG WN A105 NO RM RMS 125-250	A105	14	150#	2	114	228.00
14" STD 150# FF FLG WN A105 NO RM RMS 125-250	A105	14	150#	1	114	114.00



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 2 Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
14" STD 150# RF FLG WN A105 NO RM RMS 125-250	A105	14	150#	8	114	912.00
14" S40 300# RF FLG WN A105 NO RM RMS 125-250	A105	14	300#	1	206	206.00
14" S40 600# RF FLG WN A105 NO RM RMS 125-250	A105	14	600#	1	268	268.00
14" S40 6" STD RED BW TEE A234 WPB SMLS	A234	14		1	217	217.00
14" S40 8" CONC RED A234 WPB SMLS	A234	14		2	68.6	137.20
14" S40 8" ECC RED A234 WPB SMLS	A234	14		1	68.6	68.60
14" S40 8" STD ECC RED A234 WPB SMLS	A234	14		2	69	138.00
14" S40 90D BW LR ELB A234 WPB SMLS	A234	14		5	183	915.00
14" S80 90D BW LR ELB A234 WP9 CL1 SMLS	A234	14		1	307	307.00
14" STD 8" CONC RED A234 WPB SMLS	A234	14		1	59	59.00
14" STD 90D BW LR ELB A234 WPB SMLS	A234	14		8	158	1,264.00
14" STD BW CAP A234 WPB SMLS	A234	14		1	25	25.00
14" STD ON 24 WOL OLT A105	A105	14		1	66	66.00
12" S120 1500# RF FLG WN A105 NORM RMS 125-250	A105	12	1500#	4	690	2,760.00
12" S160 1500# RF FLG WN A105 NORM RMS 125-250	A105	12	1500#	9	690	6,210.00
12" S40 1500# RF FLG WN A105 NORM RMS 125-250	A105	12	1500#	2	690	1,380.00
12" S40 300# RF FLG WN A105 NO RM RMS 125-250	A105	12	300#	6	142	852.00
12" STD 300# RF FLG WN A105 NO RM RMS 125-250	A105	12	300#	2	142	284.00
12" S40 600# RF FLG WN A105 NO RM RMS 125-250	A105	12	600#	2	226	452.00
12" S120 900# FLG ORF RFWN SW TAPS 3/4" A105 NORM RMS 125-2	A105	12	900#	2	436	872.00
12" S120 900# RF FLG WN A105 NORM RMS 125-250	A105	12	900#	1	640	640.00
12" S120 900# RF FLG WN A350 L F2 CL1 RMS 125-250	A350	12	900#	3	372	1,116.00
12" S120 45D BW ELB A420 WPL6 SMLS	A420	12		1	156	156.00
12" S120 6" CONC RED A420 WPL6 SMLS	A420	12		2	84	168.00
12" S120 6" S160 CONC RED A420 WPL6 SMLS	A420	12		1	84	84.00



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 2 Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
12" S120 6" S160 RED BW TEE A4 20 WPL6 SMLS	A420	12		1	416	416.00
12" S120 8" ECC RED A420 WPL6 SMLS	A420	12		1	84	84.00
12" S120 90D BW LR ELB A234 WP 11 CL1 SMLS	A234	12		1	311	311.00
12" S120 90D BW LR ELB A420 WP L6 SMLS	A420	12		3	311	933.00
12" S140 6" S160 CONC RED A234 WP11 CL1 SMLS	A234	12		1	93.1	93.10
12" S160 90D BW LR ELB A420 WP L6 SMLS	A420	12		6	397	2,382.00
12" S160 BW TEE A420 WPL6 SMLS	A420	12		2	429	858.00
12" S40 45D BW ELB A234 WPB SM LS	A234	12		1	66	66.00
12" S40 6" CONC RED A234 WPB SMLS	A234	12		1	36	36.00
12" S40 6" XHV RED BW TEE A234 WPB SMLS	A234	12		1	143	143.00
12" S40 8" ECC RED A234 WPB SM LS	A234	12		6	35.8	214.80
12" S40 8" XHV ECC RED A234 WP B SMLS	A234	12		1	44	44.00
12" S40 90D BW LR ELB A234 WPB SMLS	A234	12		6	132	792.00
12" S40 BW CAP A234 WPB SMLS	A234	12		1	32	32.00
12" S40 BW TEE A234 WPB SMLS	A234	12		2	147	294.00
12" S80 45D BW ELB A420 WPL6 SMLS	A420	12		1	110	110.00
12" S80 6" XHV ECC RED A420 WP L6 SMLS	A420	12		1	59	59.00
12" S80 8" XHV RED BW TEE A420 WPL6 SMLS	A420	12		1	180	180.00
12" S80 BW TEE A420 WPL6 SMLS	A420	12		2	245	490.00
12" STD 45D BW ELB A234 WPB SM LS	A234	12		4	61.5	246.00
12" STD 6" RED BW TEE A234 WPB SMLS	A234	12		1	143	143.00
12" STD 8" ECC RED A234 WPB SM LS	A234	12		1	33	33.00
12" STD 90D BW LR ELB A234 WPB SMLS	A234	12		6	123	738.00
12" STD BW TEE A234 WPB SMLS	A234	12		1	147	147.00
12" STD ON 42 XHV WOL OLT A105 3-3/8"	A105	12		1	59	59.00



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 2 Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
12" XHV 6" RED BW TEE A420 WPL 6 SMLS	A420	12		1	180	180.00
14" S40 12" CONC RED A234 WPB SMLS	A234	12		1	69	69.00
14" S80 12" CONC RED A420 WPL6 SMLS	A420	12		1	115	115.00
14" STD 12" CONC RED A234 WPB SMLS	A234	12		3	59	177.00
10" XHV 150# RF FLG WN A105 NO RM RMS 125-250	A105	10	150#	1	54	54.00
10" S120 1500# RF FLG WN A105 NORM RMS 125-250	A105	10	1500#	21	454	9,534.00
10" S160 1500# FLG ORF RFWN SW TAPS 3/4" A105 NORM RMS 125-	A105	10	1500#	6	549	3,294.00
10" S80 300# RF FLG WN A105 NO RM RMS 125-250	A105	10	300#	1	100	100.00
10" STD 300# FLG ORF RFWN SW T APS 1/2" A105 NORM RMS 125-25	A105	10	300#	4	108	432.00
10" XHV 300# FLG ORF RFWN SW T APS 1/2" A105 NORM RMS 125-25	A105	10	300#	2	108	216.00
10" XHV 300# RF FLG WN A105 NO RM RMS 125-250	A105	10	300#	3	100	300.00
10" S80 600# FLG ORF RFWN SW T APS 1/2" A105 NORM RMS 125-25	A105	10	600#	2	227	454.00
10" S80 600# RF FLG WN A105 NO RM RMS 125-250	A105	10	600#	8	189	1,512.00
10" 1.250NW 8" RED BW TEE A420 WPL6 SMLS	A420	10		2	269.76	539.52
10" ON 24 LOL BW OLT A105 STD	A105	10		1	99	99.00
10" S120 90D BW LR ELB A234 WP 11 CL1 SMLS	A234	10		1	190.26	190.26
10" S120 90D BW LR ELB A420 WP L6 SMLS	A420	10		33	190.26	6,278.58
10" S160 6" CONC RED A420 WPL6 SMLS	A420	10		1	67	67.00
10" S160 8" CONC RED A420 WPL6 SMLS	A420	10		2	67.4	134.80
10" S160 8" ECC RED A420 WPL6 SMLS	A420	10		1	67	67.00
10" S80 45D BW ELB A420 WPL6 SMLS	A420	10		4	66	264.00
10" S80 6" ECC RED A420 WPL6 SMLS	A420	10		7	38	266.00
10" S80 6" RED BW TEE A420 WPL 6 SMLS	A420	10		6	116	696.00
10" S80 6" XHV CONC RED A234 W PB SMLS	A234	10		1	38	38.00
10" S80 6" XHV CONC RED A420 W PL6 SMLS	A420	10		6	38	228.00



 Phone: (989) 941-1346
 Fax: (281) 944-4218
 1304 Langham Creek, #200
Houston, TX 77084
 www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 2 Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
10" S80 8" XHV CONC RED A420 W PL6 SMLS	A420	10		1	38	38.00
10" S80 90D BW LR ELB A420 WPL 6 SMLS	A420	10		32	132	4,224.00
10" S80 BW CAP A420 WPL6 SMLS	A420	10		2	36	72.00
10" S80 BW TEE A420 WPL6 SMLS	A420	10		9	161	1,449.00
10" STD 4" CONC RED A234 WPB S MLS	A234	10		2	23.6	47.20
10" STD 6" CONC RED A234 WPB S MLS	A234	10		1	23.6	23.60
10" STD 6" ECC RED A234 WPB SM LS	A234	10		1	23.6	23.60
10" STD 8" ECC RED A234 WPB SM LS	A234	10		5	23.6	118.00
10" STD 8" RED BW TEE A234 WPB SMLS	A234	10		1	88	88.00
10" STD BW TEE A234 WPB SMLS	A234	10		7	91	637.00
10" STD ON 20 WOL OLT A105	A105	10		1	36	36.00
10" STD ON 24 WOL OLT A105	A105	10		1	36	36.00
10" XHV 45D BW ELB A234 WP5 CL 1 SMLS	A234	10		1	56	56.00
10" XHV 45D BW ELB A234 WPB SM LS	A234	10		8	56	448.00
10" XHV 6" ECC RED A234 WPB SM LS	A234	10		1	31.9	31.90
10" XHV 6" RED BW TEE A234 WPB SMLS	A234	10		2	116	232.00
12" S120 10" CONC RED A234 WP1 1 CL1 SMLS	A234	10		3	84	252.00
12" S120 10" CONC RED A420 WPL 6 SMLS	A420	10		6	84	504.00
12" S120 10" RED BW TEE A420 W PL6 SMLS	A420	10		1	329	329.00
12" S140 10" RED BW TEE A234 W P11 CL1 SMLS	A234	10		1	353	353.00
12" S160 10" CONC RED A420 WPL 6 SMLS	A420	10		1	107	107.00
12" S40 10" ECC RED A234 WPB S MLS	A234	10		7	35.8	250.60
12" S40 10" RED BW TEE A234 WP B SMLS	A234	10		4	147	588.00
12" S40 10" XHV CONC RED A234 WPB SMLS	A234	10		1	35.8	35.80
12" S40 10" XHV ECC RED A234 W PB SMLS	A234	10		1	44	44.00



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 2 Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
12" S80 10" CONC RED A420 WPL6 SMLS	A420	10		1	59	59.00
16" STD 10" ECC RED A234 WPB S MLS	A234	10		2	73	146.00
16" STD 10" RED BW TEE A234 WP B SMLS	A234	10		1	235	235.00
8" STD 150# RF FLG WN A105 NOR M RMS 125-250	A105	8	150#	9	42	378.00
8" S160 1500# RF FLG WN A105 N ORM RMS 125-250	A105	8	1500#	1	273	273.00
8" STD 300# FLG ORF RFWN SW TA PS 1/2" A105 NORM RMS 125-250	A105	8	300#	12	76	912.00
8" STD 300# RF FLG WN A105 NOR M RMS 125-250	A105	8	300#	1	69	69.00
8" S120 900# RF FLG WN A105 NO RM RMS 125-250	A105	8	900#	6	187	1,122.00
8" S120 900# RF FLG WN A350 LF 2 CL1 RMS 125-250	A350	8	900#	5	187	935.00
8" STD 900# RF FLG WN A105 NOR M RMS 125-250	A105	8	900#	1	187	187.00
8" XHV 900# RF FLG WN A105 NOR M RMS 125-250	A105	8	900#	1	187	187.00
8" S120 4" RED BW TEE A420 WPL 6 SMLS	A420	8		1	97	97.00
8" S120 45D BW ELB A420 WPL6 S MLS	A420	8		1	50	50.00
8" S120 6" CONC RED A420 WPL6 SMLS	A420	8		1	30	30.00
8" S120 6" ECC RED A420 WPL6 S MLS	A420	8		2	30.3	60.60
8" S120 90D BW LR ELB A420 WPL 6 SMLS	A420	8		1	100	100.00
8" S120 BW CAP A420 WPL6 SMLS	A420	8		2	28	56.00
8" S120 BW TEE A420 WPL6 SMLS	A420	8		1	115	115.00
8" S140 6" S160 ECC RED A234 W P11 CL1 SMLS	A234	8		1	33.9	33.90
8" S160 4" ECC RED A420 WPL6 S MLS	A420	8		1	37	37.00
8" S160 4" RED BW TEE A420 WPL 6 SMLS	A420	8		3	109	327.00
8" S160 45D BW ELB A420 WPL6 S MLS	A420	8		1	68	68.00
8" S160 6" CONC RED A420 WPL6 SMLS	A420	8		3	37	111.00
8" S160 BW CAP A420 WPL6 SMLS	A420	8		1	29.64	29.64
8" S160 BW TEE A420 WPL6 SMLS	A420	8		1	152	152.00



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 2 Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
8" STD 4" RED BW TEE A234 WPB SMLS	A234	8		1	61	61.00
8" STD 45D BW ELB A234 WPB SML S	A234	8		1	23	23.00
8" STD 6" RED BW TEE A234 WPB SMLS	A234	8		2	61	122.00
8" STD 90D BW LR ELB A234 WPB SMLS	A234	8		4	47	188.00
8" STD ON 12 WOL OLT A105	A105	8		1	28	28.00
8" STD ON 14 WOL OLT A105	A105	8		2	28	56.00
8" STD ON 18 WOL OLT A105	A105	8		1	23	23.00
8" STD ON 30 WOL OLT A105	A105	8		1	28	28.00
8" XHV 4" CONC RED A234 WPB SM LS	A234	8		2	21.72	43.44
8" XHV 6" CONC RED A234 WPB SM LS	A234	8		1	21.72	21.72
8" XHV ON 20 WOL OLT A105	A105	8		2	37	74.00
6" 150# RF FLG BLD A105 NORM R MS 125-250	A105	6	150#	1	27	27.00
6" XHV 150# RF FLG WN A105 NOR M RMS 125-250	A105	6	150#	2	26	52.00
6" TAG# 120-SP-326 1500# FLG ORF RFWN 3/4" SW 3 TAPS W/JAC		6	1500#	2	43.458	86.92
6" XHV 1500# RF FLG WN A105 NO RM RMS 125-250	A105	6	1500#	1	165	165.00
6" 300# RF FLG BLD A105 NORM R MS 125-250	A105	6	300#	2	48	96.00
6" STD 300# FLG ORF RFWN SW TA PS 1/2" A105 NORM RMS 125-250	A105	6	300#	2	53	106.00
6" XHV 300# RF FLG WN A105 NOR M RMS 125-250	A105	6	300#	1	45	45.00
6" STD 600# RF FLG WN A105 NOR M RMS 125-250	A105	6	600#	1	73	73.00
6" XHV 600# FLG ORF RFWN SW TA PS 1/2" A105 NORM RMS 125-250	A105	6	600#	3	97.5	292.50
6" XHV 600# FLG ORF RFWN SW TA PS 1/2" A105 RMS 125-250	A105	6	600#	4	97.5	390.00
6" XHV 600# RF FLG WN A105 NOR M RMS 125-250	A105	6	600#	13	73	949.00
6" S120 900# RF FLG WN A105 NO RM RMS 125-250	A105	6	900#	4	110	440.00
6" S120 900# RF FLG WN A350 LF 2 CL1 RMS 125-250	A350	6	900#	6	110	660.00
6" ON 10 LOL BW OLT A105 STD	A105	6		1	29	29.00



Phone: (989) 941-1346
 Fax: (281) 944-4218

1304 Langham Creek, #200
 Houston, TX 77084

www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 2 Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
6" S120 45D BW ELB A420 WPL6 S MLS	A420	6		4	22	88.00
6" S120 90D BW LR ELB A420 WPL 6 SMLS	A420	6		18	45	810.00
6" S160 3" CONC RED A420 WPL6 SMLS	A420	6		3	21	63.00
6" S160 4" CONC RED A420 WPL6 SMLS	A420	6		1	21	21.00
6" S160 4" ECC RED A234 WP11 C L1 SMLS	A234	6		1	21	21.00
6" S160 4" ECC RED A420 WPL6 S MLS	A420	6		5	21	105.00
6" S160 4" RED BW TEE A420 WPL 6 SMLS	A420	6		3	67	201.00
6" S160 4" XXH ECC RED A420 WP L6 SMLS	A420	6		1	21.81	21.81
6" S160 90D BW LR ELB A234 WP1 1 CL1 SMLS	A234	6		1	56	56.00
6" S160 BW TEE A420 WPL6 SMLS	A420	6		2	85	170.00
6" S160 ON 10 WOL OLT A105	A105	6		1	28	28.00
6" STD 4" CONC RED A234 WPB SM LS	A234	6		5	8.7	43.50
6" STD BW CAP A234 WPB SMLS	A234	6		1	6.4	6.40
6" STD ON 10 WOL OLT A105	A105	6		2	12	24.00
6" STD ON 12 S40 WOL OLT A105	A105	6		1	12	12.00
6" STD ON 12 WOL OLT A105	A105	6		2	12	24.00
6" STD ON 16 WOL OLT A105	A105	6		1	12	12.00
6" STD ON 8 WOL OLT A105	A105	6		1	12	12.00
6" TAG 004-SP-871 XHV 600 ORF WN 1/2" 3 TAPS SW W/J A105N R	A105	6		1	97.5	97.50
6" XHV 4" CONC RED A234 WPB SM LS	A234	6		1	13	13.00
6" XHV 4" ECC RED A234 WPB SML S	A234	6		7	13.1	91.70
6" XHV 4" RED BW TEE A234 WPB SMLS	A234	6		5	42	210.00
6" XHV 4" S120 ECC RED A234 WP B SMLS	A234	6		2	13	26.00
6" XHV 4" S120 RED BW TEE A234 WPB SMLS	A234	6		1	42	42.00
6" XHV 4" S160 ECC RED A420 WP L6 SMLS	A420	6		2	21.81	43.62



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 2 Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
6" XHV 45D BW ELB A234 WPB SML S	A234	6		1	18	18.00
6" XHV BW TEE A234 WPB SMLS	A234	6		1	42.5	42.50
6" XHV ON 12 S40 WOL OLT A105 3-1/16"	A105	6		1	28	28.00
6" XHV ON 12 S80 WOL OLT A105	A105	6		2	23	46.00
6" XHV ON 12 WOL OLT A105	A105	6		2	23	46.00
6" XHV ON 24 WOL OLT A105	A105	6		2	23	46.00
4" STD 150# FF FLG WN A105 NOR M RMS 125-250	A105	4	150#	1	16.5	16.50
4" XHV 150# RF FLG WN A105 NOR M RMS 125-250	A105	4	150#	2	16.5	33.00
4" S120 1500# RF FLG WN A350 L F2 CL1 RMS 125-250	A350	4	1500#	1	69	69.00
4" S160 1500# RF FLG WN A105 N ORM RMS 125-250	A105	4	1500#	8	69	552.00
4" STD 300# FLG ORF RFWN SW TA PS 1/2" A105 NORM RMS 125-250	A105	4	300#	3	33	99.00
4" STD 300# RF FLG WN A105 NOR M RMS 125-250	A105	4	300#	1	26.5	26.50
4" XHV 300# FLG ORF RFWN SW TA PS 1/2" A105 NORM RMS 125-250	A105	4	300#	2	33	66.00
4" S160 600# RF FLG WN A105 NO RM RMS 125-250	A105	4	600#	2	42	84.00
4" XHV 600# RF FLG WN A105 NOR M RMS 125-250	A105	4	600#	2	37	74.00
4" S120 900# RF FLG WN A350 LF 2 CL1 RMS 125-250	A350	4	900#	3	51	153.00
4" XXH 900# FLG ORF RFWN SW TA PS 3/4" A105 NORM RMS 125-250	A105	4	900#	1	129	129.00
4" S120 3" S160 CONC RED A234 WPB SMLS	A234	4		1	6.3	6.30
4" S120 90D BW LR ELB A234 WP1 1 CL1 SMLS	A234	4		1	15.6	15.60
4" S120 90D BW LR ELB A234 WP9 CL1 SMLS	A234	4		6	15.6	93.60
4" S120 90D BW LR ELB A234 WPB SMLS	A234	4		15	15.6	234.00
4" S120 BW CAP A420 WPL6 SMLS	A420	4		1	5.11	5.11
4" S120 BW TEE A234 WPB SMLS	A234	4		1	23	23.00
4" S160 1-1/2" XXH CON SWG BP A234 WPB	A234	4		1	18	18.00
4" S160 3" RED BW TEE A420 WPL 6 SMLS	A420	4		1	28	28.00



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 2 Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
4" S160 90D BW LR ELB A234 WP1 1 CL1 SMLS	A234	4		3	18.6	55.80
4" S160 ON 10 WOL OLT A105	A105	4		1	10.5	10.50
4" S160 ON 8 XHV WOL OLT A105 3 5/16"	A105	4		2	10.5	21.00
4" STD 1" XHV CON SWG BP A234 WPB	A234	4		2	7.5	15.00
4" STD 2" XHV CON SWG BB A234 WPB	A234	4		1	7.5	7.50
4" STD 3" ECC RED A234 WPB SML S	A234	4		2	3.6	7.20
4" STD 45D BW ELB A234 WPB SML S	A234	4		9	4.4	39.60
4" STD BW CAP A234 WPB SMLS	A234	4		2	2.5	5.00
4" STD BW TEE A234 WPB SMLS	A234	4		1	13	13.00
4" STD ON 10 WOL OLT A105	A105	4		1	6.3	6.30
4" STD ON 12 S40 WOL OLT A105	A105	4		2	6.3	12.60
4" STD ON 14 S40 WOL OLT A105	A105	4		1	6.3	6.30
4" STD ON 14 WOL OLT A105	A105	4		1	6.3	6.30
4" STD ON 20 WOL OLT A105	A105	4		1	6.3	6.30
4" STD ON 6 WOL OLT A105	A105	4		1	6.3	6.30
4" STD ON 8 WOL OLT A105	A105	4		1	6.3	6.30
4" XHV 2" S160 ECC SWG BP A234 WPB	A234	4		1	10	10.00
4" XHV 3" CONC RED A234 WPB SM LS	A234	4		1	5	5.00
4" XHV 3" RED BW TEE A234 WPB SMLS	A234	4		1	19	19.00
4" XHV 3" S160 CONC RED A234 W PB SMLS	A234	4		1	6.668	6.67
4" XHV 90D BW LR ELB A234 WPB SMLS	A234	4		1	12.4	12.40
4" XHV BW TEE A234 WPB SMLS	A234	4		3	18.6	55.80
4" XHV ON 10 WOL OLT A105	A105	4		1	6.4	6.40
4" XXH 3" CONC RED A420 WPL6 S MLS	A420	4		2	9.2	18.40
4" XXH 3" ECC RED A420 WPL6 SM LS	A420	4		1	9.2	9.20



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 2 Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
4" XXH 90D BW LR ELB A420 WPL6 SMLS	A420	4		1	22.7	22.70
4" XXH BW TEE A420 WPL6 SMLS	A420	4		3	34	102.00
4" XXH ON 16 S120 WOL OLT A105 3 5/16"	A105	4		1	10.5	10.50
3" S160 1500# FLG ORF RFWN SW TAPS 3/4" A105 NORM RMS 125-2	A105	3	1500#	4	61.5	246.00
3" 300# RF FLG BLD A105 NORM R MS 125-250	A105	3	300#	1	16	16.00
3" S160 300# FLG ORF RFWN SW TAPS 1/2" A105 NORM RMS 125-25	A105	3	300#	1	21.5	21.50
3" STD 300# FLG ORF RFWN SW TAPS 1/2" A105 NORM RMS 125-250	A105	3	300#	1	21.5	21.50
3" STD 300# RF FLG WN A105 NORM M RMS 125-250	A105	3	300#	2	18	36.00
3" STD 300# RTJ FLG WN A105 NORM M RMS 63	A105	3	300#	1	9	9.00
3" ON FLAT 3000# SOL OLT A105	A105	3	3000#	2	3.8	7.60
3" 600# RF FLG BLD A105 NORM R MS 125-250	A105	3	600#	1	20	20.00
3" STD 600# RF FLG WN A105 NORM M RMS 125-250	A105	3	600#	1	18	18.00
3" S160 900# RF FLG WN A105 NORM M RMS 125-250	A105	3	900#	2	29	58.00
3" XHV 900# RF FLG WN A105 NORM M RMS 125-250	A105	3	900#	2	29	58.00
3" XXH 900# RF FLG WN A105 NORM M RMS 125-250	A105	3	900#	5	36	180.00
3" ON 12 LOL BW OLT A105 STD	A105	3		1	7.47	7.47
3" ON 8 LOL BW OLT A105 STD	A105	3		1	7.42	7.42
3" S160 2" ECC SWG BB A234 WPB	A234	3		3	11	33.00
3" S160 2" ECC SWG BP A234 WP5 CL1	A234	3		2	11	22.00
3" S160 BW CAP A234 WPB SMLS	A234	3		2	3.1	6.20
3" S160 BW CAP A420 WPL6 SMLS	A420	3		2	3.1	6.20
3" S160 ON 10 S120 WOL OLT A105 2-7/8"	A105	3		1	6.32	6.32
3" S160 ON 12 STD WOL OLT A105 2-7/8"	A105	3		1	6.3	6.30
3" STD 1" S160 CON SWG BP A234 WPB	A234	3		1	4.5	4.50
3" STD 1" XHV ECC SWG BP A234 WPB	A234	3		1	4.5	4.50



 Phone: (989) 941-1346
 Fax: (281) 944-4218
 1304 Langham Creek, #200
Houston, TX 77084
 www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 2 Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
3" STD 1-1/2" S160 CON SWG BP A234 WPB	A234	3		1	4.5	4.50
3" STD 1-1/2" XHV ECC SWG BP A 234 WPB	A234	3		2	4.5	9.00
3" STD 2" XHV CON SWG BP A234 WPB	A234	3		6	4.5	27.00
3" STD BW CAP A234 WPB SMLS	A234	3		4	1.4	5.60
3" STD BW TEE A234 WPB SMLS	A234	3		1	8.41	8.41
3" STD ON 12 S40 WOL OLT A105	A105	3		1	4	4.00
3" STD ON 12 WOL OLT A105	A105	3		2	4	8.00
3" STD ON 24 WOL OLT A105	A105	3		1	4	4.00
3" STD ON 6 WOL OLT A105	A105	3		1	4	4.00
3" XHV 1-1/2" S160 CON SWG BP A234 WPB	A234	3		1	6	6.00
3" XHV 1-1/2" S160 ECC SWG BP A234 WPB	A234	3		2	6	12.00
3" XHV 2" S160 CON SWG BP A234 WPB	A234	3		1	6	6.00
3" XHV ON 10 WOL OLT A105	A105	3		3	4.1	12.30
3" XXH 90D BW LR ELB A234 WPB SMLS	A234	3		4	11.4	45.60
2" 1-1/2" 3000# RED SW TEE A10 5	A105	2.5	3000#	5	4.07	20.35
2" 1-1/2" 9000# RED SW TEE A10 5	A105	2.5	9000#	3	3	9.00
2" 150# RF FLG BLD A105 NORM & GALV RMS 125-250	A105	2	150#	1	4	4.00
2" XHV 150# RF FLG SW A105 NOR M RMS 125-250	A105	2	150#	6	5	30.00
2" XHV ON 14 150# STD 90 FLG R F PIPET OLT A105 NORM 6"	A105	2	150#	1	17	17.00
2" XHV ON 4 150# STD 90 FLG RF PIPET OLT A105 NORM 6"	A105	2	150#	1	17	17.00
2" XHV ON 6 150# STD 90 FLG RF PIPET OLT A105 NORM 6"	A105	2	150#	1	17	17.00
2" XHV ON 8 150# STD 90 FLG RF PIPET OLT A105 NORM 6"	A105	2	150#	2	17	34.00
2" S160 1500# RF FLG WN A105 N ORM RMS 125-250	A105	2	1500#	2	24	48.00
2" XHV 1500# RF FLG SW A105 NO RM RMS 125-250	A105	2	1500#	3	24	72.00
2" XXH 1500# RF FLG WN A105 NO RM RMS 125-250	A105	2	1500#	3	24	72.00



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 2 Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
2" XXH ON 6 1500# S160 90 FLG RF PIPET OLT A105 NORM 6"	A105	2	1500#	2	17	34.00
2" XXH ON 8 1500# S160 90 FLG RF PIPET OLT A105 NORM 6"	A105	2	1500#	1	17	17.00
2" XXH ON 8 1500# S160 90 FLG RF PIPET OLT A105 NORM 9"	A105	2	1500#	2	17	34.00
2" S160 300# RF FLG SW A105 NO RM RMS 125-250	A105	2	300#	1	7	7.00
2" S160 ON 10 300# XHV 90 FLG RF PIPET OLT A105 NORM 6"	A105	2	300#	1	19	19.00
2" S160 ON 6 300# XHV 90 FLG R F PIPET OLT A105 NORM 6"	A105	2	300#	1	19	19.00
2" XHV 300# FLG ORF RFWN SW TA PS 1/2" A105 NORM RMS 125-250	A105	2	300#	3	13.5	40.50
2" XHV 300# RF FLG SW A105 NOR M RMS 125-250	A105	2	300#	2	7	14.00
2" XHV 300# RF FLG WN A105 NOR M RMS 125-250	A105	2	300#	6	8	48.00
2" XHV 300# RTJ FLG WN A105 NO RM RMS 63	A105	2	300#	2	9	18.00
2" XHV ON 12 300# STD 90 FLG R F PIPET OLT A105 NORM 6"	A105	2	300#	1	17	17.00
2" XHV ON 3 300# STD 90 FLG RF PIPET OLT A105 NORM 6"	A105	2	300#	1	17	17.00
2" XHV ON 4 300# STD 90 FLG RF PIPET OLT A105 NORM 6"	A105	2	300#	1	17	17.00
2" XHV ON 6 300# STD 90 FLG RF PIPET OLT A105 NORM 6"	A105	2	300#	3	17	51.00
2" 3000# HX SW UN A105	A105	2	3000#	1	5.12	5.12
2" 3000# SW CAP A105	A105	2	3000#	6	1.688	10.13
2" 3000# SW TEE A105	A105	2	3000#	2	4.07	8.14
2" ON 10 3000# SOL OLT A105	A105	2	3000#	10	1.6	16.00
2" ON 12 3000# SOL OLT A105	A105	2	3000#	3	1.6	4.80
2" ON 18 3000# SOL OLT A105	A105	2	3000#	4	1.6	6.40
2" ON 20 3000# SOL OLT A105	A105	2	3000#	2	1.6	3.20
2" ON 3 3000# SOL OLT A105	A105	2	3000#	16	1.6	25.60
2" ON 3 3000# THDOLT OLT A105	A105	2	3000#	2	1.75	3.50
2" ON 30 3000# SOL OLT A105	A105	2	3000#	1	1.6	1.60
2" ON 4 3000# SOL OLT A105	A105	2	3000#	12	1.6	19.20



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 2 Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
2" ON 4 3000# THDOLT OLT A105	A105	2	3000#	1	1.75	1.75
2" ON 6 3000# SOL OLT A105	A105	2	3000#	19	1.6	30.40
2" ON 8 3000# SOL OLT A105	A105	2	3000#	44	1.6	70.40
2" S160 ON 12 600# XHV 90 FLG RF PIPET OLT A105 NORM 6"	A105	2	600#	2	13.73	27.46
2" S160 ON 6 600# XHV 90 FLG R F PIPET OLT A105 NORM 6"	A105	2	600#	1	13.73	13.73
2" S160 ON 8 600# XHV 90 FLG R F PIPET OLT A105 NORM 6"	A105	2	600#	4	19	76.00
2" STD 600# RF FLG WN A105 NOR M RMS 125-250	A105	2	600#	4	10	40.00
2" XHV 600# RF FLG SW A105 NOR M RMS 125-250	A105	2	600#	14	9	126.00
2" XHV 600# RF FLG WN A105 NOR M RMS 125-250	A105	2	600#	3	10	30.00
2" XXH ON 8 600# XHV 90 FLG RF PIPET OLT A105 NORM 6"	A105	2	600#	1	19	19.00
2" 6000# 45D SW ELB A105	A105	2	6000#	4	4.813	19.25
2" 6000# 90D SW ELB A105	A105	2	6000#	2	6.66	13.32
2" ON 10 6000# SOL OLT A105	A105	2	6000#	1	5.13	5.13
2" ON 12 6000# SOL OLT A105	A105	2	6000#	4	5.13	20.52
2" ON 18 6000# SOL OLT A105	A105	2	6000#	2	5.13	10.26
2" ON 3 6000# SOL OLT A105	A105	2	6000#	5	5.13	25.65
2" 9000# 45D SW ELB A105	A105	2	9000#	2	9.62	19.24
2" 9000# FULL SW CPLNG A105	A105	2	9000#	1	4.66	4.66
2" ON 10 9000# SOL OLT A105	A105	2	9000#	1	5.15	5.15
2" ON 12 9000# SOL OLT A105	A105	2	9000#	1	5.15	5.15
2" RND SW PLUG A105	A105	2		1	3	3.00
2" S160 1" CON SWG PP A234 WP1 1 CL1	A234	2		2	4.25	8.50
2" S160 1-1/2" XXH CON SWG PP A234 WPB	A234	2		2	4.25	8.50
2" S160 1-1/2" XXH ECC SWG PP A234 WPB SMLS	A234	2		2	2.333	4.67
2" S160 3" NPL PIPE A106B SMLS PP	A106B	2		16	1.87	29.92



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 2 Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
2" S160 4" NPL PIPE A335 P11 S MLS PP	A335	2		1	2.46	2.46
2" S160 6" NPL PIPE A106B SMLS PP	A106B	2		4	3.73	14.92
2" S160 ON 10 S80 WOL OLT A105 2-3/16"	A105	2		2	5.5	11.00
2" S160 ON 10 XHV WOL OLT A105 2-3/16"	A105	2		1	2.13	2.13
2" S160 ON 20 S140 WOL OLT A10 5 2-3/16"	A105	2		1	2.13	2.13
2" S160 ON 3 WOL OLT A105	A105	2		3	6.3	18.90
2" S160 ON 3 XHV WOL OLT A105 2-3/16"	A105	2		4	2.13	8.52
2" S160 ON 4 XHV WOL OLT A105 2-3/16"	A105	2		1	2.13	2.13
2" S160 ON 6 STD WOL OLT A105 2-3/16"	A105	2		1	2.13	2.13
2" STD ON 12 NOL PE OLT A105 6 -1/2"	A105	2		1	1.75	1.75
2" XHV 1" CON SWG PP A234 WPB	A234	2		1	2.333	2.33
2" XHV 1" ECC SWG PP A234 WPB	A234	2		3	2.333	7.00
2" XHV 1" S160 CON SWG PP A234 WPB	A234	2		5	2.333	11.67
2" XHV 1" S160 ECC SWG PP A234 WPB	A234	2		3	2.333	7.00
2" XHV 1/2" CON SWG TT A234 WP B GALV	A234	2		4	2.473	9.89
2" XHV 1/2" S160 CON SWG PP A2 34 WPB	A234	2		3	2.333	7.00
2" XHV 3" NPL PIPE A106B GALV SMLS TT	A106B	2		3	1.26	3.78
2" XHV 3" NPL PIPE A106B SMLS PP	A106B	2		21	1.26	26.46
2" XHV 4" NPL PIPE A106B SMLS PP	A106B	2		1	1.66	1.66
2" XHV 6" NPL PIPE A106B SMLS PP	A106B	2		2	3.73	7.46
2" XHV ON 10 STD WOL OLT A105 1-1/2"	A105	2		3	1.75	5.25
2" XHV ON 12 S120 WOL OLT A105 1-1/2"	A105	2		1	1.75	1.75
2" XHV ON 12 S40 NOL PE OLT A1 05 6-1/2"	A105	2		1	2.5	2.50
2" XHV ON 12 S40 WOL OLT A105 1-1/2"	A105	2		1	1.75	1.75
2" XHV ON 12 STD WOL OLT A105 1-1/2"	A105	2		1	1.75	1.75



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 2 Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
2" XHV ON 14 S40 WOL OLT A105 1-1/2"	A105	2		1	1.75	1.75
2" XHV ON 3 STD WOL OLT A105 1-1/2"	A105	2		2	1.75	3.50
2" XHV ON 6 STD NOL PE OLT A10 5 6-1/2"	A105	2		1	2.5	2.50
2" XHV ON 6 WOL OLT A105	A105	2		1	1.75	1.75
2" XXH 1" ECC SWG PP A234 WPB	A234	2		1	4.25	4.25
2" XXH 3" NPL PIPE A106B SMLS PP	A106B	2		10	2.26	22.60
2" XXH 4" NPL PIPE A106B SMLS PP	A106B	2		2	2.98	5.96
2" XXH ON 10 S120 WOL OLT A105 2-3/16"	A105	2		1	2.13	2.13
2" XXH ON 10 S160 WOL OLT A105 2-3/16"	A105	2		1	2.15	2.15
2" XXH ON 6 S160 NOL PE OLT A1 05 6-1/2"	A105	2		4	2.15	8.60
2" XXH ON 6 S160 WOL OLT A105 2-3/16"	A105	2		1	2.15	2.15
2" XXH ON 8 S120 WOL OLT A105 2-3/16"	A105	2		2	2.13	4.26
1-1/2" XHV 150# RF FLG SW A105 NORM RMS 125-250	A105	1.5	150#	18	3	54.00
1-1/2" XXH 150# RF FLG SW A105 NORM RMS 125-250	A105	1.5	150#	1	3	3.00
1-1/2" XXH 1500# RF FLG SW A10 5 NORM RMS 125-250	A105	1.5	1500#	4	15	60.00
1-1/2" XHV 300# RF FLG SW A105 NORM RMS 125-250	A105	1.5	300#	10	6	60.00
1-1/2" XHV ON 8 300# STD 90 FL G RF PIPET OLT A105 NORM 6"	A105	1.5	300#	1	11	11.00
1-1/2" XXH 300# RF FLG SW A105 NORM RMS 125-250	A105	1.5	300#	4	6	24.00
1-1/2" 3/4" 3000# RED SW TEE A 105	A105	1.5	3000#	9	2.64	23.76
1-1/2" 3000# 45D SW ELB A105	A105	1.5	3000#	1	1.63	1.63
1-1/2" 3000# 90D SW ELB A105	A105	1.5	3000#	75	2.088	156.60
1-1/2" 3000# FULL SW CPLNG A10 5	A105	1.5	3000#	11	1	11.00
1-1/2" 3000# SW CAP A105	A105	1.5	3000#	4	1.625	6.50
1-1/2" 3000# SW TEE A105	A105	1.5	3000#	1	2.64	2.64
1-1/2" ON 16 3000# SOL OLT A10 5	A105	1.5	3000#	1	1	1.00



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 2 Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
1-1/2" ON 18 3000# EOL SW OLT A105	A105	1.5	3000#	1	2.56	2.56
1-1/2" ON 3 3000# SOL OLT A105	A105	1.5	3000#	2	1	2.00
1-1/2" ON 4 3000# SOL OLT A105	A105	1.5	3000#	10	1	10.00
1-1/2" ON 6 3000# SOL OLT A105	A105	1.5	3000#	1	1	1.00
1-1/2" ON 8 3000# SOL OLT A105	A105	1.5	3000#	2	1	2.00
1-1/2" ON FLAT 3000# SOL OLT A 105	A105	1.5	3000#	2	1	2.00
1-1/2" S160 600# RF FLG SW A10 5 NORM RMS 125-250	A105	1.5	600#	1	7	7.00
1-1/2" 1/2" 6000# RED SW TEE A 105	A105	1.5	6000#	1	2.64	2.64
1-1/2" 3/4" 6000# RED SW TEE A 105	A105	1.5	6000#	7	7.48	52.36
1-1/2" ON FLAT 6000# SOL OLT A 105	A105	1.5	6000#	1	2.26	2.26
1-1/2" 9000# 90D SW ELB A105	A105	1.5	9000#	5	6.69	33.45
1-1/2" ON 6 9000# SOL OLT A105	A105	1.5	9000#	3	5.5	16.50
1-1/2" 2" RND SW PLUG A105	A105	1.5		7	1.563	10.94
1-1/2" 2" RND THD PLUG A105	A105	1.5		1	1.563	1.56
1-1/2" S160 3" NPL PIPE A106B SMLS PT	A106B	1.5		3	1.602	4.81
1-1/2" S160 3/4" CON SWG PP A2 34 WPB	A234	1.5		1	2	2.00
1-1/2" S160 4" NPL PIPE A106B SMLS PP	A106B	1.5		1	1.6	1.60
1-1/2" S160 4" NPL PIPE A335 P 5 SMLS PP	A335	1.5		1	1.6	1.60
1-1/2" XHV 1/2" S160 CON SWG P P A234 WPB	A234	1.5		1	1.167	1.17
1-1/2" XHV 1/2" S160 ECC SWG P P A234 WPB	A234	1.5		3	1.167	3.50
1-1/2" XHV 3" NPL PIPE A106B S MLS PP	A106B	1.5		1	0.91	0.91
1-1/2" XHV 3/4" CON SWG PP A23 4 WPB	A234	1.5		7	1.167	8.17
1-1/2" XHV 3/4" ECC SWG PP A23 4 WPB	A234	1.5		1	1.167	1.17
1-1/2" XHV 3/4" S160 CON SWG P P A234 WPB	A234	1.5		6	1.167	7.00
1-1/2" XHV 6" NPL PIPE A106B S MLS PP	A106B	1.5		10	1.82	18.20



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 2 Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
1-1/2" XXH 3" NPL PIPE A106B S MLS PP	A106B	1.5		1	1.602	1.60
1-1/2" XXH 4" NPL PIPE A106B S MLS PP	A106B	1.5		3	2.11	6.33
1" S160 150# RF FLG SW A105 NO RM RMS 125-250	A105	1	150#	21	2	42.00
1" S160 150# RF FLG WN A105 NO RM RMS 125-250	A105	1	150#	1	2.5	2.50
1" XXH 150# RF FLG SW A105 NOR M RMS 125-250	A105	1	150#	1	2	2.00
1" S160 1500# RF FLG SW A105 N ORM RMS 125-250	A105	1	1500#	2	8	16.00
1" S160 300# RF FLG SW A105 NO RM RMS 125-250	A105	1	300#	43	3	129.00
1" XHV 300# RF FLG SW A105 NOR M RMS 125-250	A105	1	300#	1	3	3.00
1" 3/4" 3000# RED SW TEE A105	A105	1	3000#	23	1.307	30.06
1" 3000# 45D SW ELB A105	A105	1	3000#	1	1.307	1.31
1" 3000# FULL SW/THD CPLNG A10 5	A105	1	3000#	2	0.563	1.13
1" 3000# SW CAP A105	A105	1	3000#	16	0.375	6.00
1" 3000# SW TEE A105	A105	1	3000#	1	1.307	1.31
1" ON 10 3000# EOL SW OLT A105	A105	1	3000#	1	1.42	1.42
1" ON 10 3000# SOL OLT A105	A105	1	3000#	2	0.64	1.28
1" ON 12 3000# EOL SW OLT A105	A105	1	3000#	1	1.42	1.42
1" ON 14 3000# EOL SW OLT A105	A105	1	3000#	1	1.42	1.42
1" ON 14 3000# SOL OLT A105	A105	1	3000#	1	0.64	0.64
1" ON 16 3000# SOL OLT A105	A105	1	3000#	3	0.64	1.92
1" ON 18 3000# SOL OLT A105	A105	1	3000#	1	0.64	0.64
1" ON 20 3000# SOL OLT A105	A105	1	3000#	1	0.64	0.64
1" ON 3 3000# SOL OLT A105	A105	1	3000#	2	0.64	1.28
1" ON 3 3000# THDOLT OLT A105	A105	1	3000#	5	0.64	3.20
1" ON 4 3000# SOL OLT A105	A105	1	3000#	1	0.64	0.64
1" ON 6 3000# EOL SW OLT A105	A105	1	3000#	1	1.42	1.42



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 2 Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
1" ON 8 3000# SOL OLT A105	A105	1	3000#	1	0.64	0.64
1" ON FLAT 3000# SOL OLT A105	A105	1	3000#	5	0.6	3.00
1-1/2" 1" 3000# RED SW TEE A10 5	A105	1	3000#	7	2.64	18.48
1" XHV 600# RF FLG SW A105 NOR M RMS 125-250	A105	1	600#	1	4	4.00
1" 1/2" 6000# RED SW TEE A105	A105	1	6000#	7	3.313	23.19
1" ON 10 6000# SOL OLT A105	A105	1	6000#	2	1.26	2.52
1" ON 12 6000# SOL OLT A105	A105	1	6000#	1	1.26	1.26
1" ON 4 6000# SOL OLT A105	A105	1	6000#	3	1.26	3.78
1" ON 6 6000# SOL OLT A105	A105	1	6000#	10	1.3	13.00
1" ON 8 6000# SOL OLT A105	A105	1	6000#	4	1.25	5.00
1" 9000# 90D SW ELB A105	A105	1	9000#	2	3.19	6.38
1" ON 10 9000# SOL OLT A105	A105	1	9000#	2	0.64	1.28
1" ON 4 9000# SOL OLT A105	A105	1	9000#	2	1.5	3.00
1" ON 6 9000# SOL OLT A105	A105	1	9000#	1	1.5	1.50
1" ON 8 9000# SOL OLT A105	A105	1	9000#	2	0.64	1.28
1" ON FLAT 9000# SOL OLT A105	A105	1	9000#	1	1.5	1.50
1" 1-3/4" RND THD PLUG A105	A105	1		14	0.75	10.50
1" 2" RND SW PLUG A105	A105	1		4	0.75	3.00
1" 2" RND THD PLUG A105	A105	1		18	0.75	13.50
1" RND SW PLUG A105	A105	1		20	0.8	16.00
1" S160 1/2" CON SWG PP A234 W PB	A234	1		4	1	4.00
1" S160 3" NPL PIPE A106B SMLS PP	A106B	1		166	0.71	117.86
1" S160 3" NPL PIPE A106B SMLS PT	A106B	1		1	0.71	0.71
1" S160 3" NPL PIPE A335 P5 SM LS PP	A335	1		7	0.71	4.97
1" S160 3/4" CON SWG PT A234 W PB	A234	1		1	1	1.00



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 2 Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
1" S160 4" NPL PIPE A106B SMLS PP	A106B	1		1	0.93	0.93
1" S160 4" NPL PIPE A106B SMLS PT	A106B	1		1	0.93	0.93
1" S160 6" NPL PIPE A106B SMLS PP	A106B	1		2	1.422	2.84
1" XHV 1/2" S160 CON SWG PP A2 34 WPB	A234	1		1	0.666	0.67
1" XHV 3/4" ECC SWG PP A234 WP B	A234	1		4	0.666	2.66
1" XHV 3/4" S160 ECC SWG PP A2 34 WPB	A234	1		2	0.666	1.33
1" XHV ON 6 STD WOL OLT A105 1 -1/16"	A105	1		1	0.32	0.32
1" XXH 1/2" ECC SWG PP A234 WP B	A234	1		2	0.66	1.32
1" XXH 3" NPL PIPE A106B SMLS PP	A106B	1		56	0.94	52.64
1" XXH 6" NPL PIPE A106B SMLS PP	A106B	1		23	1.83	42.09
1-1/2" S160 1" CON SWG PP A234 WPB	A234	1		1	2	2.00
1-1/2" XHV 1" CON SWG PP A234 WPB	A234	1		1	1.167	1.17
1-1/2" XHV 1" S160 CON SWG PP A234 WPB	A234	1		4	1.167	4.67
1-1/2" XHV 1" S160 ECC SWG PP A234 WPB	A234	1		1	1.167	1.17
3/4" S160 150# RF FLG WN A105 NORM RMS 125-250	A105	0.75	150#	2	2	4.00
3/4" XHV 150# RF FLG SW A105 N ORM RMS 125-250	A105	0.75	150#	2	2	4.00
3/4" XXH 150# RF FLG SW A105 N ORM RMS 125-250	A105	0.75	150#	5	2	10.00
3/4" S160 1500# RF FLG SW A105 NORM RMS 125-250	A105	0.75	1500#	3	6.25	18.75
3/4" XHV 300# RF FLG SW A105 N ORM RMS 125-250	A105	0.75	300#	3	3	9.00
3/4" XXH 300# RF FLG SW A105 N ORM RMS 125-250	A105	0.75	300#	1	3	3.00
3/4" 3000# FULL SW/THD CPLNG A 105	A105	0.75	3000#	1	0.438	0.44
3/4" 3000# SW CAP A105	A105	0.75	3000#	2	0.313	0.63
3/4" 3000# THD CAP A105	A105	0.75	3000#	3	0.313	0.94
3/4" 1/2" 6000# RED SW TEE A10 5	A105	0.75	6000#	2	2	4.00
3/4" 6000# FULL SW CPLNG A105	A105	0.75	6000#	2	0.563	1.13



Phone: (989) 941-1346
Fax: (281) 944-4218



1304 Langham Creek, #200
Houston, TX 77084



www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 2 Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
3/4" 6000# SW TEE A105	A105	0.75	6000#	4	2	8.00
3/4" ON 10 6000# SOL OLT A105	A105	0.75	6000#	1	0.8	0.80
3/4" ON 12 6000# SOL OLT A105	A105	0.75	6000#	3	0.8	2.40
3/4" ON 6 6000# SOL OLT A105	A105	0.75	6000#	3	0.8	2.40
3/4" 9000# FULL SW CPLNG A105	A105	0.75	9000#	1	1.06	1.06
3/4" ON 10 9000# SOL OLT A105	A105	0.75	9000#	5	1.6	8.00
3/4" 1-3/4" RND SW PLUG A105	A105	0.75		1	0.375	0.38
3/4" 1-3/4" RND THD PLUG A105	A105	0.75		11	0.375	4.13
3/4" RND SW PLUG A105	A105	0.75		34	0.345	11.73
3/4" S160 1/2" ECC SWG PP A234 WPB	A234	0.75		5	0.75	3.75
3/4" S160 3" NPL PIPE A106B SM LS PP	A106B	0.75		340	0.49	166.60
3/4" S160 3" NPL PIPE A106B SM LS PT	A106B	0.75		25	0.49	12.25
3/4" S160 3" NPL PIPE A335 P11 SMLS PP	A335	0.75		7	0.49	3.43
3/4" S160 3" NPL PIPE A335 P5 SMLS PP	A335	0.75		10	0.49	4.90
3/4" S160 4" NPL PIPE A106B SM LS PP	A106B	0.75		1	0.64	0.64
3/4" S160 4" NPL PIPE A335 P11 SMLS PP	A335	0.75		20	0.64	12.80
3/4" S160 6" NPL PIPE A106B SM LS PP	A106B	0.75		2	0.97	1.94
3/4" S160 6" NPL PIPE A335 P11 SMLS PP	A335	0.75		5	0.97	4.85
3/4" S160 ON 10 STD NOL PE OLT A105 6-1/2"	A105	0.75		1	1.29	1.29
3/4" S160 ON 20 S40 NOL PE OLT A105 6-1/2"	A105	0.75		1	1.34	1.34
3/4" S160 ON 6 STD NOL PE OLT A105 6-1/2"	A105	0.75		1	1.4	1.40
3/4" S160 ON 8 STD NOL PE OLT A105 6-1/2"	A105	0.75		1	1.29	1.29
3/4" XHV 3" NPL PIPE A106B GAL V SMLS TT	A106B	0.75		2	0.37	0.74
3/4" XHV 3" NPL PIPE A106B SML S PP	A106B	0.75		4	0.37	1.48
3/4" XXH 3" NPL PIPE A106B SML S PP	A106B	0.75		39	0.61	23.79



 Phone: (989) 941-1346
 Fax: (281) 944-4218
 1304 Langham Creek, #200
Houston, TX 77084
 www.materialmg.com

Inventory MMR-23-0159 C Fittings & Flanges

Lot 2 Fe continued						
Description	Grade	Size	Rating	Qty	Unit Weight	Ttl lbs
3/4" XXH 3" NPL PIPE A106B SML S PT	A106B	0.75		7	0.61	4.27
3/4" XXH 3" NPL PIPE A335 P11 SMLS PP	A335	0.75		24	0.61	14.64
3/4" XXH 6" NPL PIPE A106B SML S PP	A106B	0.75		6	1.22	7.32
3/4" XXH 6" NPL PIPE A106B SML S PT	A106B	0.75		4	1.22	4.88
1/2" S160 150# RF FLG SW A105 NORM RMS 125-250	A105	0.5	150#	10	2	20.00
1/2" XXH 1500# RF FLG SW A105 NORM RMS 125-250	A105	0.5	1500#	2	5	10.00
1/2" S160 300# RF FLG SW A105 NORM RMS 125-250	A105	0.5	300#	3	3	9.00
1/2" 3000# FULL SW CPLNG A105	A105	0.5	3000#	10	0.25	2.50
1/2" 6000# 90D SW ELB A105	A105	0.5	6000#	4	0.938	3.75
1/2" 6000# FULL SW CPLNG A105	A105	0.5	6000#	7	1	7.00
1/2" 6000# SW TEE A105	A105	0.5	6000#	2	1.375	2.75
1/2" 9000# 90D SW ELB A105	A105	0.5	9000#	1	1.44	1.44
1/2" 9000# FULL SW CPLNG A105	A105	0.5	9000#	1	0.75	0.75
1/2" 1-3/4" RND SW PLUG A105	A105	0.5		15	0.25	3.75
1/2" 1-3/4" RND THD PLUG A105	A105	0.5		13	0.25	3.25
1/2" S160 3" NPL PIPE A106B SM LS PP	A106B	0.5		54	0.33	17.82
1/2" S160 4" NPL PIPE A106B SM LS PP	A106B	0.5		2	0.43	0.86
1/2" XXH 3" NPL PIPE A106B SML S PP	A106B	0.5		10	0.43	4.30
1/2" XXH 3" NPL PIPE A106B SML S PT	A106B	0.5		8	0.43	3.44
1/2" XXH 4" NPL PIPE A106B SML S PP	A106B	0.5		12	0.43	5.16
1/2" XXH 6" NPL PIPE A106B SML S PT	A106B	0.5		1	0.86	0.86
				<u>2,637</u>		<u>108,623</u>

SELLER DOES NOT BIND ITSELF TO AWARD A SALES AGREEMENT TO THE HIGHEST BIDDER. GOODS BEING OFFERED FOR SALE MAY NOT NECESSARILY BE AWARDED FOR SALE AFTER THE SUBSEQUENT ANALYSIS OF BIDS. SELLER RESERVES THE RIGHT TO WITHDRAW ANY ITEM FROM THE LOT ON OFFER.