

IRG-17-150 INVENTORY

SED	LOT	ITEM	DESCRIPTION	QTY	Weight, KG	Notes
17-227	1	Casing	CASING JOINT VAM TOP KX 13 5/8" 88.2#(P-P) P110 DR# KSB-045-17	2		loose
17-227	1	Casing	CASING, 13-5/8", 88.20 LB./FT., GRADE P-110, SEAMLESS, VAM TOP KX CONNECTIONS, BOX X PIN, RANGE 3 LENGTH DR# KSB-051-17	1		loose
17-227	1	Casing	Casing, 18-5/8", 87.5 ppf, J-55N, BTC, Range 3, ERW	6		loose
17-259	1	Casing	CASING, 7", 26.00 LB./FT., GRADE L-80, ATLAS BRADFORD, TC-II/A CONNECTIONS, BOX X PIN, RANGE 3 LENGTH. without coupling Retrieved from Z-4 (Workover in 2013)	4	1980.00	
17-259	1	Casing	CASING, 7", 26.00 LB./FT., GRADE L-80, ATLAS BRADFORD, TC-II/A CONNECTIONS, BOX X PIN, RANGE 3 LENGTH. Retrieved from Z-4 (Workover in 2013)	431	213345.00	
17-253	1	Casing	CASING, 7", 26.00 LB./FT., GRADE L-80, ATLAS BRADFORD, TC-II/A CONNECTIONS, BOX X PIN, RANGE 3 LENGTH. Retrieved from Z-6 (Workover in 2014)	424	241680.00	
17-253	1	Casing	CASING, 7", 26.00 LB./FT., GRADE L-80, ATLAS BRADFORD, TC-II/A CONNECTIONS, BOX X PIN, RANGE 3 LENGTH. With installed Centralizer 7", ROLLER LOTORQ Retrieved from Z-6 (Workover in 2014)	3	1680.00	
17-259	1	Casing	CASING, 7", 26.00 LB./FT., GRADE L-80, SEAMLESS, VAM TOP HC CONNECTIONS, BOX X PIN, RANGE 3 LENGTH. Retrieved from Z-12 (Workover in 2014)	476	235620.00	
17-259	1	Casing	CASING, 7", 26.00 LB./FT., GRADE L-80, SEAMLESS, VAM TOP HC CONNECTIONS, BOX X PIN, RANGE 3 LENGTH. Retrieved from Z-3 (Workover in 2011)	511	252945.00	
17-253	1	Casing	CASING, 7", 26.00 LB./FT., GRADE L-80, SEAMLESS, VAM TOP HC CONNECTIONS, BOX X PIN, RANGE 3 LENGTH. Retrieved from Z-5 (Workover in 2011)	462	228690.00	
17-259	1	Casing	CASING, 7", 29.00 LB./FT., GRADE L-80, ATLAS BRADFORD, TC-II/A CONNECTIONS, BOX X PIN, RANGE 3 LENGTH. Retrieved from Z-4 (Workover in 2013)	55	30360.00	
17-253	1	Casing	CASING, 7", 29.00 LB./FT., GRADE L-80, ATLAS BRADFORD, TC-II/A CONNECTIONS, BOX X PIN, RANGE 3 LENGTH. Retrieved from Z-6 (Workover in 2014)	63	39438.00	
17-259	1	Casing	CASING, 7", 29.00 LB./FT., GRADE L-80, ATLAS BRADFORD, TC-II/A CONNECTIONS, BOX X PIN, RANGE 3 LENGTH. without coupling Retrieved from Z-4 (Workover in 2013)	3	1656.00	
17-259	1	Casing	CASING, 7", 29.00 LB./FT., GRADE L-80, SEAMLESS, VAM TOP HC CONNECTIONS, BOX X PIN, RANGE 3 LENGTH. Retrieved from Z-12 (Workover in 2014)	80	44160.00	
17-259	1	Casing	CASING, 7", 29.00 LB./FT., GRADE L-80, SEAMLESS, VAM TOP HC CONNECTIONS, BOX X PIN, RANGE 3 LENGTH. Retrieved from Z-3 (Workover in 2011)	77	42504.00	
17-253	1	Casing	CASING, 7", 29.00 LB./FT., GRADE L-80, SEAMLESS, VAM TOP HC CONNECTIONS, BOX X PIN, RANGE 3 LENGTH. Retrieved from Z-5 (Workover in 2011)	80	44160.00	
17-227	1	Casing	COUPLING 16.000 84.00 PPF TENARIS ER P110 14F / Broken down from 689082 DR# KSB-044-17	3		pkg
17-227	1	Casing	COUPLING 18 5/8" 87.5# K-55 BTC (BxB) / Broken down from 641699 DR# KSB-044-17	1		
17-227	1	Casing	COUPLING 7" 29# VAM TOP HC (B-B) L1 / Broken down from 300189 DR# KSB-045-17	1		
17-227	1	Casing	COUPLING 9 5/8" 47# TENARIS WEDGE 563 (B-B) P110 DR# KSB-044-17	2		pkg
17-227	1	Casing	COUPLING VAM TOP KX 13 5/8" 88.2# P110 DR# KSB-044-17	1		
17-227	1	Casing	COUPLING VAM TOP KX 13 5/8" 88.2#(B-B) P110 DR# KSB-044-17	2		pkg
17-227	1	Casing	Coupling, 7", 26ppf, 1Cr80, Vam Top HC SB, 39-42.48 FT, PAL1/ CTP 2 no DR required	1		pkg
17-240	1	Casing	COUPLING, CASING, 7", 26.00 LB./FT., GRADE L-80, SEAMLESS, VAM TOP HC CONNECTIONS, BOX X BOX. Retrieved from O-7 (made up with 546448 D/C and 300191 D/C) part of #300191	1	144.24	loose
17-240	1	Casing	COUPLING, CASING, 7", 26.00 LB./FT., GRADE L-80, SEAMLESS, VAM TOP HC CONNECTIONS, BOX X BOX/ part of 300191	1	144.24	loose
17-240	1	Casing	COUPLING, CASING, 7", 26.00 LB./FT., GRADE L-80, SEAMLESS, VAM TOP HC CONNECTIONS, BOX X BOX/ part of 300191.	1	144.24	loose
17-240	1	Casing	COUPLING, CASING, 7", 29.00 LB./FT., GRADE L-80, VAM TOP HC CONNECTIONS, BOX X BOX part of 300232	1		loose

IRG-17-150 INVENTORY

SED	LOT	ITEM	DESCRIPTION	QTY	Weight, KG	Notes
17-259	1	Casing	COUPLING, FLOW, CASING, 7", 26.00 LB./FT., GRADE L-80, SEAMLESS, VAM TOP HC CONNECTIONS, BOX X PIN, 2 METER LENGTH. PO # AGS 45095, AGS 65043 Retrieved from Z-12 (Workover in 2014)	2		
17-253	1	Casing	<u>COUPLING, FLOW</u> , CASING, 7", 29.00 LB./FT., GRADE L-80, SEAMLESS, TC-II/A CONNECTIONS, 2 MTR LONG, BOX x PIN Retrieved from Z-6 (Workover in 2014)	2		7" CONTROL LINE PROTECTOR
17-259	1	Casing	COUPLING, FLOW, CASING, 7", 29.00 LB./FT., GRADE L-80, SEAMLESS, VAM TOP HC CONNECTIONS, BOX X PIN, 2 METER LENGTH Retrieved from Z-4 (Workover in 2013)	2	250.00	
17-259	1	Casing	<u>COUPLING, FLOW</u> , TUBING, 7", 26 ppf, GRADE L-80, ATLAS BRADFORD TC-II/A CONNECTION, 2 MTR LONG Retrieved from Z-4 (Workover in 2013)	2	250.00	
17-227	1	Casing	Coupling: 10.750", 60.70 lb/ft, L80-1Cr, Vam Top KX, PAL1, CTP1 DR# KSB-045-17	2		pkg
17-227	1	Casing	Coupling: 18.625", 87.50 lb/ft, J55 BTC, PAL1, CTP1 DR# KSB-045-17	2		pkg
17-227	1	Casing	CSG, 16IN, 84PPF, L80, TSH, ER, SC, R3 DR# KSB-047-17	1		loose
17-227	1	Casing	LANDING PUP JOINT, TUBING, 7", 26 LB/FT, P-110, VAM TOP HC BOX X PIN, INTERNALLY PLASTIC COATED WITH TK-34XT, LENGTH = 12.5 M. (DRIFT = 6.151" AFTER IPC IS APPLIED) DR# KSB-036-17	1		loose
17-240	1	Casing	LOWER CROSSOVER FLOW COUPLING: 7.000" 29.00# SUPER 13CR95 VAM TOP HC PIN X 5.500" 23.00# VAM TOP HC BOX X , 100"	1	610.00	loose
17-240	1	Casing	LOWER CROSSOVER FLOW COUPLING: 7.000" 29.00# SUPER 13CR95 VAM TOP HC PIN X 5.500" 23.00# VAM TOP HC BOX X , 100"	1	610.00	loose
17-240	1	Casing	LOWER CROSSOVER FLOW COUPLING: 7.000" 29.00# SUPER 13CR95 VAM TOP HC PIN X 5.500" 23.00# VAM TOP HC BOX X , 100"	1	226.80	loose
17-240	1	Casing	PUP JOINT 7" 26# L80-1CR VAM TOP HC BOX X PIN X 4 METER LONG, PAL 1, CTP 2. PO # 4501009592	1	190.51	loose
17-240	1	Casing	PUP JOINT 7" 26# L80-1CR VAM TOP HC BOX X PIN X 4 METER LONG, PAL 1, CTP 2. PO # 4501009592	1	190.51	loose
17-227	1	Casing	PUP JOINT 7" 29# VAM TOP HC (P-P) L1 DR# KSB-045-17	1		
17-227	1	Casing	PUP JOINT, 1.0M, 3-1/2# 9.2PPF P-110, WITH TK-2 INTERNAL COATING, PAL 1, CTEP 2 TENARIS HYDRIL 511 FLUSH JOINT PIPE DR# KSB-042-17	1		pkg
17-227	1	Casing	Pup Joint, 2.5m, 3-1/2" 9.2ppf P-110, with TK-2 internal coating, PAL 1, CTP 2 TenarisHydril 511 flush joint pipe DR# KSB-042-17	1		pkg
17-240	1	Casing	PUP JOINT, 7", 29 PPF, 1CR80, VAM TOP HC BOX X PIN, 2M LONG	1	113.40	loose
17-240	1	Casing	PUP JOINT, CASING, 7", 26.00 LB./FT., GRADE L-80, SEAMLESS, VAM TOP HC CONNECTIONS, BOX X PIN, 2 METER LENGTH Retrieved from O-7	1	90.72	loose
17-240	1	Casing	PUP JOINT, CASING, 7", 26.00 LB./FT., GRADE L-80, SEAMLESS, VAM TOP HC CONNECTIONS, BOX X PIN, 2 METER LENGTH Retrieved from O-7	1	90.72	loose
17-240	1	Casing	PUP JOINT, CASING, 7", 26.00 LB./FT., GRADE L-80, SEAMLESS, VAM TOP HC CONNECTIONS, BOX X PIN, 4 METER LENGTH	1	175.99	loose
17-240	1	Casing	PUP JOINT, CASING, 7", 26.00 LB./FT., GRADE L-80, SEAMLESS, VAM TOP HC CONNECTIONS, BOX X PIN, 4 METER LENGTH.	1	175.99	loose
17-240	1	Casing	PUP JOINT, CASING, 7", 29.00 LB./FT., GRADE L-80, SEAMLESS, VAM TOP HC CONNECTIONS, BOX X PIN, 4 METER LENGTH	1	196.86	loose
17-259	1	Casing	PUP JOINT, CASING, 7", 29.00 LB./FT., GRADE L-80, SEAMLESS, VAM TOP HC CONNECTIONS, BOX X PIN, <u>4 METER LENGTH</u> , max coupling Length 11.653" Retrieved from Z-3 (Workover in 2011)	1	200.00	
17-259	1	Casing	PUP JOINT, CASING, SEAMLESS, 7", 26 PPF, GRADE L-80, ATLAS BRADFORD TC-II/A CONNECTIONS, 2 MTR LONG Retrieved from Z-4 (Workover in 2013)	2	250.00	
17-253	1	Casing	PUP JOINT, CASING, SEAMLESS, 7", 26 PPF, GRADE L-80, ATLAS BRADFORD TC-II/A CONNECTIONS, 2 MTR LONG Retrieved from Z-6 (Workover in 2014)	2	250.00	TR-SCSSV Assy - retrieved from Z-6. Removed from CWS per CM#CWS-T14-510
17-253	1	Casing	PUP JOINT, CASING, SEAMLESS, 7", 26 PPF, GRADE L-80, ATLAS BRADFORD TC-II/A CONNECTIONS, <u>4 METER LONG</u> , BOX x PIN Retrieved from Z-6 (Workover in 2014)	1	150.00	GLM Assy - retrieved from Z-6. Removed from CWS per CM#CWS-T14-510
17-253	1	Casing	PUP JOINT, CASING, SEAMLESS, 7", 29 PPF, GRADE L-80, ATLAS BRADFORD TC-II/A CONNECTIONS, 2 MTR LONG Retrieved from Z-6 (Workover in 2014)	2		7" CONTROL LINE PROTECTOR
17-240	1	Casing	PUP JOINT, TUBING, 7", 26.00 LB./FT., GRADE L-80, SEAMLESS, VAM TOP HC CONNECTIONS, BOX X PIN, 4 METER LENGTH	2	170.10	loose

IRG-17-150 INVENTORY

SED	LOT	ITEM	DESCRIPTION	QTY	Weight, KG	Notes
17-227	1	Casing	PUP,16IN,84PPF,L80,TSH ER-SC,11FT DR# KSB-047-17	1		loose
17-227	1	Casing	PUP,9-5/8,47#,P110HC,SMLS,VTHC-ND,BxP,3M DR# KSB-047-17	1		loose
17-259	1	Casing	SUB, CROSSOVER, SIZE 7", 29 LB/FT, GRADE L-80, VAM TOP HC BOX X ATLAS BRADFORD TCII/A PIN, INTEGRAL JOINT CONNECTION, 3 FT LENGTH. Retrieved from Z-4 (Workover in 2013)	1	250.00	
17-240	1	Casing	UPPER CROSSOVER FLOW COUPLING: 7.000" 29.00# SUPER 13CR95 VAM TOP HC PIN X 5.500" 23.00# VAM TOP HC PIN X ≈ 100"	1	440.00	loose
17-240	1	Casing	UPPER CROSSOVER FLOW COUPLING: 7.000" 29.00# SUPER 13CR95 VAM TOP HC PIN X 5.500" 23.00# VAM TOP HC PIN X ≈ 100"	1	-	loose
17-240	1	Casing	UPPER CROSSOVER FLOW COUPLING: 7.000" 29.00# SUPER 13CR95 VAM TOP HC PIN X 5.500" 23.00# VAM TOP HC PIN X ≈ 100"	1	251.74	loose
17-227	2	Tubing	2-7/8" S135 RGII 10.40#/FT DRILLPIPE W/ HT-26 CONNS & PROTS. 3.375"OD 1.750"ID TOOL JOINTS. TENSILE STRENGTH= 264,600# REC TORQUE= 5,200ft# TUBE OD= 2.875" TUBE ID=2.151" DRIFT= 1.625" (SPECIAL DRIFT) no DR required	8		loose
17-259	2	Tubing	TUBING 4-1/2" BTS-6, 15.2 PPF, 1CR80, RANGE 2, PAL 1, CTP QA/QC DR # DR-OPF-005-14 After used on OD-WS1 (in 2014)	52	11544.00	
17-259	2	Tubing	TUBING 4-1/2" BTS-6, 15.2 PPF, 1CR80, RANGE 2, PAL 1, CTP QA/QC DR # DR-OPF-005-14 After used on OD-WS1 (in 2014)	20	4440.00	
17-227	2	Tubing	TUBING, 5-1/2" 17.00LB/FT GRADE L-80, SEAMLESS, VAM TOP HC CONNECTIONS, BOX X PIN, RG 3 LENGTH PAL 1 / CTP 2 no DR required	344	112683.95	loose
17-227	2	Tubing	TUBING, 5-1/2" 20.00LB/FT GRADE L-80, SEAMLESS, VAM TOP HC CONNECTIONS, BOX X PIN, RG 3 LENGTH PAL 1 / CTP 2 no DR required	104	40079.11	loose
17-227	2	Tubing	TUBING, 7", 26 LB/FT, 1CR80, VAM TOP HC SB, RANGE 3, SEAMLESS 39-42.48 FT, PAL1/ CTP2 Retrieved from O-42 no DR required	388	194383.67	loose
17-227	2	Tubing	TUBING, 7", 29 LB/FT, 1CR80, VAM TOP HC SB, RANGE 3, SEAMLESS 39-42.48 FT, PAL1/ CTP 2 Retrieved from O-42 no DR required	36	20116.63	loose
17-227	2	Tubing	TUBING,3-1/2" 9.2ppf P-110 Range 2, with TK-2 internal coating, PAL 1, CTP 2 TenarisHydriil 511 flush joint pipe; 1JT is equivalent to average length 9.6M DR# KSB-043-17	1	134.37	loose
17-227	2	Tubing Hanger	11" Upper Tubing Hanger RT PN 2115455-03 S/N: 11257001-10-01 DR# KSB-032-17	1		pkg
17-259	2	Tubing Hanger	HANGER, TUBING, 11" NOMINAL, MANUFACTURER CAMERON IRON WORKS, assy PART NO. 2206427-01, THREADED WITH 29.00 LB./FT. TC-II/A, PIN DRAWING NO.M07026VAMTOP REV.0, SEAL OVERLAY EPT103.2, THREAD OVERLAY EFT153, BOX DRAWING M07027VAMTOP REV.0, SEAL OVERLAY EPT2, assy S/N: 110021823-1. Retrieved from Z-6 AGS 25006A	1	400.00	
17-241	3	Retainer	RETAINER , CMT, 7", 17.0-35.0# CAST IRON MMR Sleeve-Valve Cement retainer, 5.68" OD, 7" 17.0-35.0#, Mechanical Set, 062-0568-002	5	20320.00	
17-241	3	Retainer	RETAINER CAST IRON, 7IN, 17-35PPF, EUE PIN Retainer, MMR, 5.687" OD, Sleeve valve, 7" 17.0-35.0 #, Mechanical set and/or Hadraulical set, W/3 1/2" EUE PIN	1		
17-241	3	Retainer	RETAINER, CAST IRON, 13-3/8IN, 48-80.7PPF Retainer, MMR, 11.88" OD, Sleeve valve, 13 3/8" 48.0-80.7 #, Mechanical set and/or Hydraulic ste, W/ 3 1/2" EUE PIN	2		
17-241	3	Retainer	RETAINER, CMT, 13-3/8", 48.0-80.7#CAST IRON MMR Sleeve-Valve Cement Retainer, 11.88" OD, 13 3/8" 48.0-80.7#, Mechanical Set	7		
17-241	3	Retainer	RETAINER, CMT, 9-5/8", 29.3-58.43#CAST IRON MMR Sleeve-Valve cement Retainer, 8.12" OD, 9 5/8" 29.3-58.4#, Mechanical Set. S/N: W126992-002	7	19304.00	
17-241	3	Retainer	RETAINER, CMT, 9-5/8, 29-58# ciW3.5" EUE MAP OIL CI MMR SLEEVE-VALVE CEMENT RETAINER, 8.12" OD, 9.5/8" CSG, 29.3-58.4#, MECHANICAL AND/OR HYDRAULICAL SET, P/N 0620812203 W 3 1/2" EUE PIN CONNECTION BELOW S/N: W135671-001-001	3		

IRG-17-150 INVENTORY

SED	LOT	ITEM	DESCRIPTION	QTY	Weight, KG	Notes
17-240	4	Valve	GAS LIFT VALVE, 1.5" SHEAR SAFELIFT, INCONEL 718, ORIFICE SIZE: 7.5MM, SHEAR PRESSURE: 2500 PSI (+/-5%), 350MM EXTENSION, MANUFACTURER: US PTC INC., P/N: AN2706-2500	1	3.35	loose
17-259	4	Valve	MANDREL, POCKET, SIDE, ORIENTING "BGLO-1.0R", MANUFACTURER: BAKER OIL TOOLS, P/N: H981106379N98, FOR 1" VALVE AND BK-2 SERIES LATCH PROFILE, PRODUCT FAMILY: H98110, SIZE 7", OD: 8.415", ID: 5.812", DRIFT: 5.687", CONNECTION UP: 7" 26 LB/FT VAM TOP HC BOX, CONNECTION DOWN: 7" 26 LB/FT VAM TOP HC PIN, LENGTH: 103.17".PO # AGS 65077 Retrieved from Z-12 (Workover in 2014)	1		
17-259	4	Valve	ORIENTING "BGLO-1.0R" SIDE POCKET MANDREL W/MACHINED POCKET FOR 1" VALVE AND BK-2 SERIES LATCH PROFILE PRODUCT FAMILY: H98110 SIZE: 7" OD: 8.375" ID: 5.182" DRIFT: 5.687" CONNECTION UP: 7" 26 LB/FT TC-11A BOX CONNECTION DOWN: 7" 26 LB/FT TC-11A PIN MATERIAL: 13 CR 16-22 RC INTERNAL TEST: 6,000 PSI LENGTH: 103.17" THREADS TO ANNOUNCED (PO # C-59949-03-2003). S/N 851-03 Retrieved from Z-4 (Workover in 2013)	1	250.00	
17-240	4	Valve	Side Pocket Mandrel w/Dual Check Valves, SBRO-2GRDVX, w/ 5-1/2", 17 ppf, Vam TOP HC, Box x Pin, 13Cr80, Weatherford, PN: 1905645 (Mandrel) 821943 (Check Vlvs)	1	331.12	loose
17-240	4	Valve	Side Pocket Mandrel w/Dual Check Valves, SBRO-2GRDVX, w/ 5-1/2", 17 ppf, Vam TOP HC, Box x Pin, 13Cr80, Weatherford, PN: 1905645 (Mandrel) 821943 (Check Vlvs)	1	331.12	loose
17-259	4	Valve	VALVE, LIFT, GAS, WIRELINE RETRIEVABLE, MFGR: BAKER, PART NO. H86016XXXX, CIRCULATING, BCV-1DC (1"), NICKEL-COPPER ALLOY, VITON, MOLY-GLASS FILLED TEFLON VEE PKG., 2 (2) REVERSE FLOW CHECK VALVES, CIRCULATES FLUID/GAS THROUGH BOTH TOP & BOTTOM, REQUIRES. 2117-76769. P/N: H860169999N97. Installed inside GLM (L/I #22.3) Retrieved from Z-4 (Workover in 2013)	1	250.00	
17-259	4	Valve	VALVE, LIFT, GAS, WIRELINE RETRIEVABLE, MFGR: BAKER, PART NO. H860169999N97, CIRCULATING, BCV-1DC (1"), NICKEL-COPPER ALLOY, VITON, MOLY-GLASS FILLED TEFLON VEE PKG., 2 (2) REVERSE FLOW CHECK VALVES, CIRCULATES FLUID/GAS THROUGH BOTH TOP & BOTTOM, REQUIRES PORTED LATCH, 0.153 SQ IN FLOW AREA, 350 DEG F TEMP RATING, XOM QUALITY PLAN. Retrieved from Z-12 (Workover in 2014)	1		
17-259	4	Valve	VALVE, SAFETY, SUBSURFACE, RETRIEVABLE, TUBING, BAKER MODEL: "ONYX-5R", MANUFACTURER: BAKER OIL TOOLS, PART NOS: H8262458R0B70, H8262858R384K, AND H8262958R384K, WITH NON-EQUALIZING MTM FLAPPER & METAL-TO-METAL HOUSING THREADS W/REDUNDANT, NON-ELASTOMER. Retrieved from Z-4 (Workover in 2013)	1	250.00	
17-240	4	Valve	VALVE, WIRELINE RETRIEVABLE, DUMMY, MFGR: BAKER OIL TOOLS, P/N H860119995N98 (OLD PART NO.H860119995N97), BDY-1.5 (1-1/2"), NICKEL-COPPER ALLOY, MOLYGLASS FILLED TEFLON VEE PACKING, RATED TO 7500 PSI AT 350 DEGREES F	1	4.14	loose
17-253	4	Valve	WIRELINE RETRIEVABLE "JM-SOR" DUMP/KILL VALVE SIZE: 1" MATERIAL: NACE PACKING: NEOPRENE PACKING PORT SIZE: 1/8" TO 3/8" WEIGHT: 4 LBS. INCLUDES: DOUBLE REVERSE FLOW METAL TO METAL CHECKS SETTING: PRESSURE: 500 - 4,000 PSI DIFFERENTIAL REQUIRES: RFK-2 PORTED LATCH (INSTALLED IN - BGLO-1.0R). Installed inside GLM (L/I #25.1) Retrieved from Z-6 (Workover in 2014)	1	250.00	TR-SCSSV Assy - retrieved from Z-6. Removed from CWS per CM#CWS-T14-510
17-227	5	Assy	ASSEMBLY, HANGER, CASING, 18-3/4" NOM X 9-5/8" 47LB/FT VAM TOP-KX BOX THREAD BOTTOM WITH TONING NECK TO SUIT 2 RE-CUTS; MANUFACTURER: CAMERON, PART NO. 2249674-02; COMPLETE WITH 72" LONG FREE ISSUE PUP JOINT, SP-005117-01 SN 110401215-1 DR# KSB-050-17	1		pkg
17-259	5	Assy	ASSEMBLY, HANGER,TUBING, 11" NOMINAL, MANUFACTURER CAMERON IRON WORKS THREADED WITH 7",29.00 LB./FT. VAM TOP HC, PIN DRAWING NO.M07026VAMTOP REV.0, SEAL OVERLAY EPT103.2, THREAD OVERLAY EFT153, BOX DRAWING M07027VAMTOP REV.0, SEAL OVERLAY EPT2. assy PN: 2206427-01-01, assy SN: 110653536-1 Retrieved from Z-4 AGS 55108	1	400.00	
17-259	5	Assy	ASSEMBLY, HANGER,TUBING, 11" NOMINAL, MANUFACTURER CAMERON IRON WORKS, PART NO. 2206427-01-01, THREADED WITH 7",29.00 LB./FT. VAM TOP HC, PIN DRAWING NO.M07026VAMTOP REV.0, SEAL OVERLAY EPT103.2, THREAD OVERLAY EFT153, BOX DRAWING M07027VAMTOP REV.0, SEAL OVERLAY EPT2. S/N: 110290151-1 Retrieved from Z-3 AGS 45059; Import P/L # PHS 0424161	1	400.00	
17-259	5	Assy	ASSEMBLY, HANGER,TUBING, 11" NOMINAL, MANUFACTURER CAMERON IRON WORKS, PART NO: 2206427-01-01, THREADED WITH 7",29.00 LB./FT. VAM TOP HC, PIN DRAWING NO.M07026VAMTOP REV.0, SEAL OVERLAY EPT103.2, THREAD OVERLAY EFT153, BOX DRAWING M07027VAMTOP REV.0, SEAL OVERLAY EPT2. S/N: 110592085-1 Retrieved from Z-5 AGS 55108; Import P/L # PHO 0624722	1	400.00	
17-227	5	Assy	ASSEMBLY, RUNNING TOOL, CASING HANGER, 2 STAGE, 18-3/4" NOM X 13-3/8" CASING HANGER, MFR: CAMERON, P/N 2249853-01; TYPE 'SSMC' 13-3/8" API BUTTRESS CASING THREAD BOX TOP X 16.250 - STUB ACME, 2G LH THREAD BOTTOM, COMBINED WITH FLOW-BY FLA MADE UP ON 13-3/8" CSG JOINT PN 2249853-01 S/N: 110421009-1 DR# KSB-031-17	1		pkg

IRG-17-150 INVENTORY

SED	LOT	ITEM	DESCRIPTION	QTY	Weight, KG	Notes
17-227	5	Assy	ASSEMBLY, SAVER SUB, 5-1/2 IN NOM MODIFIED STUB ACME THREAD ADAPTOR, 5-7/8 GRANT PRIDE CO XT57 BOX X PIN. API 6A 20TH ED.***ACCORDING TO SP-007073-01, EXXON DR# KSB-048-17	1		pkg
17-227	5	Assy	ASSEMBLY, SUB, S.S.S.B.T.V. STYLE 'FF', TYPE 'FLS' 6-3/8" 5KWP, - XMAS TREE ***ALSO INCLUDED**** 1 EA DATA BOOK, 1 EA GAUGE, 1 EA VALVE; P/N 2250161-01, S/N: 110623661-1 Retrieved from O-8 DR# KSB-046-17	1		pkg
17-227	5	Assy	ASSEMBLY, UPPER 11" TUBING HANGER RUNNING TOOL, 7", 26 LB/FT, VAM TOP CONN, P/N: 2115455-03 SN: 4501861102-1-1, SN 4501861102-1-2 DR# KSB-050-17	2		pkg
17-227	5	Assy	ASSY,TL,RN,HGR,TBG,11",LWR,CAM2249402-04 ASSY, LOWER 11 IN TUBING HANGER RUNNING TOOL W/BODY CONVERTED TO ACCEPT 'SRL' SEAL PROTECTOR SLEEVE SN: 111434857 DR# KSB-050-17	1		pkg
17-253	5	Assy	<u>COUPLING. FLOW</u> , TUBING, 7", 26 ppf, GRADE L-80, ATLAS BRADFORD TC-II/A CONNECTION, 2 MTR LONG, BOX x PIN Retrieved from Z-6 (Workover in 2014)	2	250.00	TR-SCSSV Assy - retrieved from Z-6. Removed from CWS per CM#CWS-T14-510
17-253	5	Assy	ORIENTING "BGLO-1.0R" SIDE POCKET MANDREL W/MACHINED POCKET FOR 1" VALVE AND BEK-2 SERIES LATCH PROFILE PRODUCT FAMILY: H981106377B98 SIZE: 7" OD: 8.375" ID: 5.182" DRIFT: 5.687" CONNECTION UP: 7" 26 LB/FT TC-II/A BOX; CONNECTION DOWN: 7" 26 LB/FT TC- II/A PIN MATERIAL: 13 CR 16-22 RC INTERNAL TEST: 6,000 PSI LENGTH: 103.17" THREADS TO ANNOUNCED S/N 85101 Retrieved from Z-6 (Workover in 2014)	1	1000.00	TR-SCSSV Assy - retrieved from Z-6. Removed from CWS per CM#CWS-T14-510
17-227	5	BOP	BOP Test Stump 18-3/4" 5,000 psi w/5-1/2" IF Test Ports (Mfg p/n 20085272) no DR required	1		pkg
17-227	5	Centralizer	CENTRALIZER, 13-5/8", WEATHERFORD, PART NO. 800706, SPIRAGLIDER, HEAVY DUTY, W/SPIRAL VANES, FOR 17-1/2" HOLE. DR# KSB-051-17	2		
17-253	5	Centralizer	CENTRALIZER, 7", WEATHERFORD, PART # RCLQ7000-8375, ROLLER, LOTORQ, FOR 8 - 3/8" HOLE installed on 7" Casing # 300102 Retrieved from Z-6 (Workover in 2014)	3	10.00	
17-253	5	Control Line Protector	7" CONTROL LINE PROTECTOR, TUBE-TEC, 7" CAST IRON, 8.405" OD, NOVA P/N: 2270-019 (INCLUDES TOOLING CHARGE, SUITABLE TO PROTECT 2x 0.410" CONTROL LINE ACROSS A 7", 26-29 LB/FT, VAM TOP HC COUPLING) TUBE-TEC P/N: 7000-495 Retrieved from Z-6 (Workover in 2014)	30	150.00	
17-259	5	Control Line Protector	7" CONTROL LINE PROTECTOR, TUBE-TEC, 7" CAST IRON, 8.405" OD, NOVA P/N: 2270-019 (INCLUDES TOOLING CHARGE, SUITABLE TO PROTECT 2x 0.410" CONTROL LINE ACROSS A 7", 26-29 LB/FT, VAM TOP HC COUPLING) TUBE-TEC P/N: A7000-A86-T3 Retrieved from Z-12 (Workover in 2014)	88	70.00	
17-259	5	Control Line Protector	7" CONTROL LINE PROTECTOR, TUBE-TEC, 7" CAST IRON, 8.405" OD, NOVA P/N: 2270-019 (INCLUDES TOOLING CHARGE, SUITABLE TO PROTECT 2x 0.410" CONTROL LINE ACROSS A 7", 26-29 LB/FT, VAM TOP HC COUPLING) TUBE-TEC P/N: A7000-A86-T3 Retrieved from Z-12 (Workover in 2014)	360	300.00	
17-227	5	Control Line Protector	Roller control line protector ASSY, RCLP, 5.50, latch on, 9x20/10/11x11 mm cables DR# KSB-051-17	63		loose
17-253	5	Control Line Protector	VALVE, SAFETY, SUBSURFACE, RETRIEVABLE, TUBING, BAKER "TUSM-5", MANUFACTURER: BAKER OIL TOOLS, P/N: H826025804B70, WITH NON-EQUALIZING MTM FLAPPER AND METAL TO METAL HOUSING THREADS WITH REDUNDANT, NON-ELASTOMIC STOP SEALS, SIZE 7" X 5.812" PROFILE: BAK, 7", 29 LB/FT, TC-II/A CONN, BOX x PIN S/N:169943, P.O.#Contract C-59949-02-2003 Retrieved from Z-6 (Workover in 2014)	1		7" CONTROL LINE PROTECTOR
17-227	5	Float Shoe	9-5/8" DOWN JET FLOAT SHOE W/ ECCENTRIC COMPOSITE NOSE W/ 7500PSI RATED VALVE FOR 47# 110KSI CASING W/ TH WEDGE 563 CONNECTION BOX UP S/N's: 13.187.10; 14.275.15; 13.187.4 no DR required	3		pkg
17-227	5	Float Shoe	FLOAT SHOE 18-5/8", BUTTRESS THD. DAVIS-LYNCH DOUBLE VALVE UP-JET TAG-IN FLOAT SHOE, TYPE 502-DV-TLP-PVTS WITH LATCH-DOWN RECEPTACLE, TO BE RUN ON 87,50#, GRADE K-55 CSG	1		loose
17-240	5	FRAC BALL	1.25" DIA, BLACK PHENOLIC FRAC BALL, SPECIFIC GRAVITY 1.85	1	0.03	loose
17-240	5	FRAC BALL	1.25" DIA, BLACK PHENOLIC FRAC BALL, SPECIFIC GRAVITY 1.85	1	0.03	loose
17-240	5	FRAC BALL	1.25" DIA, BLACK PHENOLIC FRAC BALL, SPECIFIC GRAVITY 1.85	1	0.03	loose
17-240	5	FRAC BALL	1.5 DIA FRAC BALL MFR: UTEX INDUSTRIES INC	1	0.04	loose
17-240	5	FRAC BALL	1.50" DIA, BLACK PHENOLIC FRAC BALL, 10318104, SPECIFIC GRAVITY 1.85	1	0.04	loose

IRG-17-150 INVENTORY

SED	LOT	ITEM	DESCRIPTION	QTY	Weight, KG	Notes
17-240	5	FRAC BALL	1.50" DIA, BLACK PHENOLIC FRAC BALL, SPECIFIC GRAVITY 1.85	1	0.04	loose
17-240	5	FRAC BALL	1.50" DIA, BLACK PHENOLIC FRAC BALL, SPECIFIC GRAVITY 1.85	1	0.05	loose
17-227	5	Gauge	5.50 ResShunt -DW, 9 gauge (225 micron)/825, Case 2, 9-Shunts W/6mm Nozzles, 20 ppf Vam Top, 37.75ft Super 13Cr-95 S/Ns: 4159604, SN: 2236692, 4159583 DR# KSB-033-17	3		loose
17-227	5	Gauge	5.50 ResShunt -DW, 9 gauge (225 micron)/825, Case 2, 9-Shunts W/6mm Nozzles, 20 ppf Vam Top, 37.75ft Super 13Cr-95 SN: 4159553, 4159697, 4159709, 4159701 DR# KSB-049-17	4		loose
17-240	5	Gauge	7" Dual Gauge Carrier, machined, 7", 26 ppf, 13% Cr, Vam TOP HC, PinxPin, 2 Recut capability, OD 8.110", 1/4 AE MP Gauge Connection for Control Line P/N:270260-0061 S/N:1992- 1/DB060206-1	1	195.04	loose
17-259	5	Gauge	CARRIER, GAUGE, SIZE 7" DUAL, MACHINED, 7" 26 LB/FT, 9% cR-1%Mo, VAM TOP HC, PIN X PIN, 2 RECUT CAPABILITY, ROD X.XXX", 1/4" AE MP GAUGE CONNECTION FOR CONTROL LINE, PART NO. NOVA 270260-0061, S/N: 2039-2 Retrieved from Z-12 (Workover in 2014)	1	200.00	
17-227	5	Hose	Hose Vibrator 4"ID X 5Meters 7500 Psi with 4-1/16"10M X 5-1/8"10M Flange	1		pkg
17-227	5	Hose	HOSE, OIL, BASE, DRILLING, 4", 70 METER LENGTH W/WEAK LINK	1		pkg
17-227	5	Hose	Mud Pump Kicker Hose 7500 psi- 1 ea (s/n's 30348)	1		pkg
17-227	5	Hose	Mud Pump Kicker Hoses 7500 psi- 2 ea (s/n's 30347, 30349)	2		pkg
17-240	5	Latch	LATCH, WIRELINE, "RK", 1-1/2", BOT PN: H890289996N97, PTC PN: 721LTC150110, NICKEL- COPPER ALLOY, VITON O-RINGS, DRILLED AND PINNED	1	1.89	loose
17-240	5	Latch	LATCH, WIRELINE, "RK", 1-1/2", BOT PN: H890289996N97, PTC PN: 721LTC150110, NICKEL- COPPER ALLOY, VITON O-RINGS, DRILLED AND PINNED	1	1.36	loose
17-259	5	Latch	LATCH, WIRELINE, MODEL "BEK-2", MANUFACTURER: BAKER OIL TOOLS, P/N: H890269999N97, PORTED THROUGH RUN HEAD, SIZE 1", MATERIAL: NACE, WEIGHT: 2 LBS. Installed inside GLM (L/I #22.3) Retrieved from Z-4 (Workover in 2013)	1	250.00	
17-259	5	Latch	LATCH, WIRELINE, MODEL "BEK-2", MANUFACTURER: BAKER OIL TOOLS, P/N: H890269999N97, PORTED THROUGH RUN HEAD, SIZE 1", MATERIAL: NACE, WEIGHT: 2 LBS. Retrieved from Z-12 (Workover in 2014)	1		
17-253	5	Latch	MODEL "BEK-2" WIRELESS LATCH, PORTED THROUGH RUN HEAD SIZE: 1" MATERIAL: NACE WEIGHT: 2 LBS. (INSTALLED IN - BGLO-1.0R) Installed inside GLM (L/I #25.1) Retrieved from Z-6 (Workover in 2014)	1	250.00	TR-SCSSV Assy - retrieved from Z- 6. Removed from CWS per CM#CWS-T14- 510
17-253	5	Packer	Part of 9-5/8" HHC Packer Assy. Halliburton Assy Tag # HHC-002 PBR SEAL UNIT ASSEMBLY, PART NO. 212PBA170-ZHAC, 7.250, MOLDED NITRILE, 7", 26#, TC-II/A. S/N: N/A PART OF HHC PACKER. HCC AND PBA, MANUFACTURER: HALLIBURTON, ASSEMBLY NO: 12003366; CONSISTS OF: HCC PACKER PART NO. 12HHC97606-VHAC, 9-5/8", 48# TO 53.5# X 7", 26# TC-II/A PIN X PIN, ALLOY AND Retrieved from Z-6 (Workover in 2014)	1	800.00	GLM Assy - retrieved from Z- 6. Removed from CWS per CM#CWS-T14- 510
17-241	5	Plug	PLUG, BRIDGE, 7", 23.0-32.0# COMPOSITE MAGNUM Series Bridge Plug, 5.750" OD, 7" 23.0-32.0#, Composite	6		
17-241	5	Plug	PLUG, BRIDGE, 9-5/8", 43.5-53.5# COMPOSITE MAGNUM Series Bridge Plug, 8.125" OD, 9 5/8" 43.5-53.5#, Composite	2		
17-227	5	Plug	PLUG, PUMP OUT, 4-1/2", MANUFACTURER: HALLIBURTON, P/N: 812POP5008-A, MAXIMUM OD: 4.991", INSIDE DIAMETER AFTER EXPENDING: 3.920"; LENGTH: 12.98", TOP THREAD: 4-1/2-13.5 HYD-CS; H2S SERVICE. PO# 4500480571 no DR required	1		pkg
17-240	5	Seal	RES SEAL TSM-5 6.115 IN 42.50 LB/FT RBT-6 BOX UP RIGHT HAND THREAD UP 7.690 IN 45.30 LB/FT RBT-6 BOX DOWN RIGHT HAND THREAD DOWN 7.700 IN OD 4.625 IN ID CO2 & LTD CL SERVICE 2,300 FT SETTING DEPTH 20-300 DEGF WK TEMPERATURE 5,000 PSI WP ABOVE - H82493005184K 5.500 IN NIPPLE ADAPTER F/TSME-5 W/A-1 SELECTIVE PROFILE 5.500 IN 23.00 LB/FT VAM TOP HC BOX UP RIGHT HAND THREAD UP 6.115 IN 42.50 LB/FT RBT-6 PIN DOWN RIGHT HAND THREAD DOWN 6.250 IN OD 4.562 IN ID 35.75 IN LG 4.562 IN SEAL BORE SUPER 13 CR 110 MYS 32 HRC CO2 & MILD H2S SERVICE SURFACE TREATMENT 5,000 PSI WP ABOVE 530,000 LBS CALCULATED TENSILE API 14L MONOGRAM REQUIRED - H82497005584K 5.500 IN BOTTOM SUB F/TS(M)(E)-5(-8) 7.690 IN 45.30 LB/FT RBT-6 PIN UP RIGHT HAND THREAD UP 5.500 IN 23.00 LB/FT VAM TOP HC PIN DOWN RIGHT HAND THREAD DOWN 7.700 IN OD 4.562 IN ID 21.62 IN LG SUPER 13 CR 110 MYS 32 HRC CO2 & MILD H2S SERVICE SURFACE TREATMENT 20-300 DEGF WK TEMPERATURE 5,000 PSI WP ABOVE 4.562 IN SEAL BORE	1	306.17	loose

IRG-17-150 INVENTORY

SED	LOT	ITEM	DESCRIPTION	QTY	Weight, KG	Notes
17-227	5	Setdown	9-5/8in X 6.000in QUANTUM MAX ANTI-SWAB EXTENSION (FIV COMPATIBLE), FULL BORE SETDOWN, 13CR (80), HNBR, 7.000-6 Stub Acme Box no DR required	1		pkg
17-227	5	Stop Collar	13-5/8" STOP COLLARS, SLIP-ON, ONE SIDE BEVELLED FOR 13-5/8" SPIRAGLIDER CENTRALIZERS, HEAVY DUTY W/DOUBLE SET SCREWS P/N 800701 DR# KSB-051-17	4		
17-235	5	SwellPacker	SWELLPKR,OS,ND,5-1/2IN,H521,7.400,5M,6M; PACKER, Swell, 5-1/2", 17 PPF, Hydriil 521, 6M Long, BOX X PIN BASE PIPE W/5M LONG X 7.400" OD OBM SWELL PACKER ELEMENT, 230F TEMPERATURE RATING. EASYWELL TO SUPPLY BASE PIPE	2	312.98	loose
17-235	5	SwellPacker	SWELLPKR,OS,ND,5-1/2IN,H521,7.750,3M,6M; SWELL PACKER, 5-1/2", 17 PPF, 1% CR,L-80, Hydriil 521, BOX X PIN BASE PIPE W/3M LONG X 7.75" OD OBM SWELL PACKER ELEMENT ON 6M LONG PUP JOINT (ENL SUPPLIED)	3	278.96	loose
17-235	5	SwellPacker	SWELLPKR,OS,ND,5-1/2IN,H521,7.750,5M,9M; SWELL PACKER, 5-1/2", 17 PPF, 1% CR,L-80, Hydriil 521, BOX X PIN BASE PIPE W/5M LONG X 7.75" OD OBM SWELL PACKER ELEMENT ON 9M LONG PUP JOINT (ENL SUPPLIED)	1	403.70	loose
17-235	5	SwellPacker	SWELLPKR,OS,ND,6-5/8IN,H521,7.875,5M,9M; SWELL PACKER, 6-5/8", 24 PPF, 1% CR,L-80, Hydriil 521, BOX X PIN BASE PIPE W/5M LONG X 7.875" OD OBM SWELL PACKER ELEMENT ON 9M LONG PUP JOINT	1	512.56	loose
17-235	5	SwellPacker	SWELLPKR,OS,ND,6-5/8IN,H521,7.950, 5M,9M; Customer Supplied Pipe, Swellpacker WS NT no delay, 6.625 in X 7.95 in x 5m, Basepipe: 6.625# 24# 1Cr80, +/- 9m, Threads: Hydriil 521 Box X P/N 102061606	1	498.95	loose