

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
1	Smith	2	150	Gate	-	-	WCB	-
2	DSI	3	150	Gate	-	-	WCB	-
3	-	2	150	Gate	-	-	-	-
4	Smith	2	150	Gate	-	-	WCB	-
5	DSI	2	300	Gate	-	-	WCB	-
6	GWC	2	150	Gate	-	-	WCB	-
7	Lunkenheimer	3	150	Gate	-	-	WCB	-
8	Smith	2	150	Gate	-	-	WCB	-
9	DSI	-	-	Gate	-	-	-	-
10	Smith	2	150	Gate	-	-	WCB	-
11	Smith	2	150	Gate	-	-	WCB	-
11.1	Smith	2	150	Gate	-	-	WCB	-
12	DHV	10	150	Ball	-	-	WCB	-
13	-	6	300	Ball	-	-	WCB	-
14	SCV	4	300	Ball	-	AL0403B12341RGFT	A105	-
15	DHV	3	600	Ball	-	0611057	A105	-
16	DSI	3	300	Gate	-	-	WCB	-
17	WKM	-	-	Ball	-	-	-	-
18	NIBCO	8	150	Gate	-	CS-102-U	WCB	-
19	-	8	-	Gate	-	-	-	Fire Main
20	E & L	4	300	Gate	-	-	WCB	-
21	DHV	4RB	300	Ball	-	-	WCB	-
21.1	GWC	6	600	Gate	-	-	WCB	-
22	SCV	4	600	Check	-	PCK0406B0812R	A216 WCC	Piston
23	WKM	4x4	600	Ball	-	-	CS	-
24	WKM	6	300	Ball	370CT	-	WCC	-
25	SCV	2	2500	Ball	-	BAL0225B131JLFT	A105/LF2	-
26	SCV	2	2500	Ball	-	BAL0225B131JLFT	A105/LF2	-
27	SCV	2	2500	Ball	-	BAL0225B131JLFT	A105/LF2	-
28	KF	12x10	300	Ball	-	E3789-861G613	LCC	-

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
29	KF	12x12	300	Ball	-	03790-129G613	WCB	-
30	DSI	4	300	Gate	-	-	WCB	-
31	SCV	6	300	Check	-	-	WCC	-
32	Rhino	6	300	Ball	-	-	A105	-
33	Kitz	6	300	Gate	-	-	WCB	-
34	SCV	8	1500	Ball	-	BAL085B1241JGFT	LF2	-
35	PBV	6	900	Ball	-	6790-73-2200-NY-NG	A105/LF2	-
36	KF	3x3	300	Ball	-	-	WCB	-
37	DHV	4RB	300	Ball	-	-	WCB	-
38	DHV	10	150	Gate	-	-	WCB	-
39	KF	4x4	300	Ball	-	-	LCC	-
40	DHV	8	300	Check	-	-	WCB	-
41	WKM	3x3	600	Ball	370D4	-	CS	-
42	Balon	4	-	Ball	-	-	-	-
43	KF	6x6	300	Ball	-	-	WCB	-
44	OCV	6	-	Control	129FC	-	-	-
45	SCV	6	300	Check	-	-	WCC	Missing Parts
46	-	-	-	Check	-	-	-	-
47	DHV	3	600	Ball	-	B5601F43	A105	-
48	DHV	3	600	Ball	-	B5601F43	A105	-
49	DHV	3	600	Ball	-	B5601F43	A105	-
50	DHV	3	600	Ball	-	B5601F43	A105	-
51	DHV	3	600	Ball	-	B5601F43	A105	-
52	WKM	3x3	300	Ball	-	-	CS	-
53	DHV	2	300	Check	-	C320F3	WCB	-
54	-	3	300	Ball	-	-	-	-
55	GWC	3x3	300	Ball	-	B300-1-BC-02-1	WCB	MFG - 2013
56	Balon	4	-	Ball	-	-	-	-
57	DHV	2	300	Check	-	C320F3	WCB	-
58	Stockham	4	150	Gate	-	16-OZRF-316-7-5	CF8M	-

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
59	KF	4x4	300	Ball	-	-	WCB	-
60	-	4	300	Ball	-	-	WCB	-
61	GWC	4	300	Gate	-	-	WCB	-
62	DSI	4	300	Gate	-	-	WCB	-
63	Beric	4	300	Check	-	-	WCB	-
64	TY	6	600	Ball	-	T355RF0010	WCB	-
65	Kitz	6	150	Check	-	-	WCB	-
66	TY	6	600	Ball	-	T355RF0010	WCB	-
67	Pacific	3	300	Gate	-	-	-	-
68	DHV	4	600	Ball	-	B5601F13-60	A105N	MFG - 2008
69	DHV	6	300	Ball	-	-	WCB	MFG - 2011
70	-	6	-	Check	-	-	-	-
71	-	12	-	Butterfly	-	-	-	Bettis Actuator - Model: HD732-SR60CW
72	-	6	150	Ball	-	-	CF8M	NuFlo Actuator
73	-	10	150	Ball	-	-	-	tyco Actuator
74	Fisher	6	-	Control	-	-	-	Body Only
75	-	-	-	-	-	-	-	Limiterorque: L120-20
76	-	4	-	Check	-	-	-	Piston
77	-	10	150	Ball	-	-	-	Bettis Actuator - Model: 732-SR80M3HW
78	Neway	3	600	Gate	-	-	WCB	-
79	DHV	6	300	Ball	-	-	WCB	-
80	TY	2	300	Gate	-	-	WCB	-
81	-	16	150	Butterfly	-	-	-	-
82	-	16	150	Butterfly	-	-	-	-
83	TK	18	300	Ball	-	-	-	LimiTorque: T350L437273
84	Cameron	18x18	300	Ball	-	509269-32-55	LF2H	Limiterorque: R-L40-V3L-03R1
85	KF	16x16	300	Ball	-	V227-199A6AGA	CS	-
86	SCV	18	300	Ball	-	BAL1803B1215RGFT-HD	LF2	Limiterorque: 34-7317S296G1
87	PBV	16	600	Ball	-	C-6760-71-2200-NV-NG	A105/A350 LF2	-
88	PBV	20	600	Ball	-	C-6760-71-2200-NV-NG-106	A105/LF2	-

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
89	Virgo	-	1500	Ball	-	-	WCB	-
90	Balley	-	-	-	-	-	-	-
91	Jamesbury	6	300	Ball	-	-	-	Neles-Jamesbury Actuator - Model: H
92	-	-	-	-	-	-	-	Nossiseal Actuator - Model: S-36TGVN-12HA
93	Virgo	9	300	Ball	-	-	WCB	-
94	-	3	300	Check	-	-	WCB	-
95	Amot	-	-	Control	2180ES21	-	-	-
96	-	-	-	-	-	-	-	Bettis Actuator - Model: C13420
97	-	-	-	-	-	-	-	RCS Electripowr - Model: DCR100-30
98	-	-	-	-	-	-	-	Body Only
99	DHV	12	300	Ball	-	B3300F1M-60	WCB	Right Angle
100	Jamesbury	-	-	-	-	-	-	-
101	DHV	3	600	Globe	-	-	WCB	-
102	-	18	-	Butterfly	-	-	-	-
103	-	-	-	Ball	-	-	-	-
104	Kennedy	4	-	Gate	-	-	-	175W
105	Fairbanks	2	300	Gate	-	-	WCB	-
106	DSI	1-1/2	600	Gate	-	-	-	-
107	SCV	12	300	Ball	-	BAL1203BI24IRGFT	FL2	-
108	DHV	16	150	Ball	-	-	WCB	Right Angle
109	Newco	6	150	Globe	-	-	WCB	-
110	DHV	10	300	Ball	-	-	WCB	-
111	DHV	3	1500	Ball	-	B91500R42	WCB	-
112	DHV	3	1500	Ball	-	B91500R42	WCB	-
113	DHV	3	1500	Ball	-	B91500R42	WCB	-
114	DHV	3	1500	Ball	-	B91500R42	WCB	-
115	DHV	3	1500	Ball	-	B91500R42	WCB	-
116	DHV	3	1500	Ball	-	B91500R42	WCB	-
117	-	4	-	Ball	-	-	-	-
118	DHV	3	300	Check	-	-	WCB	-

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
119	KF	2	600	Ball	-	M311-199N6AG4	A105	-
120	KF	2	600	Ball	-	M311-199N6AG4	A105	-
121	KF	2	600	Ball	-	M311-199N6AG4	A105	-
122	KF	2	600	Ball	-	M311-199N6AG4	A105	-
123	WKM	6	300	Ball	-	370D4	WCC	-
124	KF	2	600	Ball	-	M311-199N6AG4	A105	-
125	KF	2	600	Ball	-	M311-199N6AG4	A105	-
126	KF	2	600	Ball	-	M311-199N6AG4	A105	-
127	KF	2	600	Ball	-	M311-199N6AG4	A105	-
128	KF	2	600	Ball	-	M311-199N6AG4	A105	-
129	KF	2	600	Ball	-	M311-199N6AG4	A105	-
130	KF	2	600	Ball	-	M311-199N6AG4	A105	-
131	KF	2	600	Ball	-	M311-199N6AG4	A105	-
132	Skipped	-	-	-	-	-	-	-
133	KF	2	600	Ball	-	M311-199N6AG4	A105	-
134	KF	2	600	Ball	-	M311-199N6AG4	A105	-
135	KF	2	600	Ball	-	M311-199N6AG4	A105	-
136	KF	2	600	Ball	-	M311-199N6AG4	A105	-
137	KF	2	600	Ball	-	M311-199N6AG4	A105	-
138	KF	2	600	Ball	-	M311-199N6AG4	A105	-
139	DHV	6	300	Ball	-	-	WCB	Stem: F316; Ball CF8M
140	Cameron	4	150	Check	-	-	WCC	-
141	WKM	4	150	Ball	-	-	WCC	-
142	GWC	2	600	Check	-	-	WCB	-
143	GWC	2	600	Check	-	-	WCB	-
144	Neway	10	150	Check	-	-	WCB	-
145	-	6	300	Gate	-	-	WCB	-
146	Grove	10	600	Ball	B5U RFXRF	2268036-10-43	A350 LF2	Stem: SS; Ball SS
147	Wheatley	8	300	Check	-	9D-723-085074-121	WCC	-
148	Bettis	-	-	Actuator	CBA415-SR80	-	-	-

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
150	-	8	300	Gate	-	-	WCB	-
151	Daniel	4	300	Check	-	-	-	-
152	Bettis	-	-	Actuator	G2014-SR1 CW	-	-	-
153	KF	12x12	150	Ball	-	03770-129G61A	WCB	Stem: SS; Ball SS
154	PBV	6	150	Ball	-	-	WCC	-
154	Daniel	3	300	Check	-	-	-	-
155	DHV	2	300	Check	-	-	WCB	-
156	KF	3x3	150	Ball	-	-	WCB	-
157	Cameron	2	150	Check	-	-	WCC	-
158	Wheatley	-	-	Check	-	-	-	-
159	-	-	-	-	-	-	-	3 Way
160	Bonnie Forge	3	800	Gate	-	-	A105N	-
161	-	3x3	600	-	-	-	WCB	-
162	-	-	-	Ball	-	-	-	-
163	CHV	2	300	Gate	-	-	WCB	-
164	-	3	150	Ball	-	-	WCB	-
165	SCV	6	1500	Ball	-	BAL0615B1341JGFT	A105N	-
166	Velan	6	150	Gate	-	-	WCB	-
167	DHV	8	150	Ball	-	B3150F1M-GO	WCB	-
168	KF	6x6	300	Ball	-	-	LCC	-
169	GWC	3	600	Gate	-	-	WCB	-
170	-	3	300	Gate	-	-	WCB	-
171	Warren	8	600	Check	-	3605-8	WCB	-
172	TY	4	150	Check	-	153RF008	WCB	-
173	DSI	3	300	Gate	-	-	WCB	-
174	WKM	2	600	Ball	-	-	-	-
175	Cameron	2	600	Check	-	90-510-025144-121	WCC	-
176	WKM	3x3	300	Ball	310F	-	WCC	-
177	Newco	3	300	Globe	-	-	WCB	-
178	Sharpe	4	300	Ball	-	-	WCB	Stem: 316, Ball: 316

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
179	Sharpe	4	300	Ball	-	-	WCB	Stem: 316, Ball: 316
180	Sharpe	4	300	Ball	-	-	WCB	Stem: 316, Ball: 316
181	Sharpe	4	300	Ball	-	-	WCB	Stem: 316, Ball: 316
182	KF	2x1-1/2	600	Ball	-	-	-	-
183	KF	2x1-1/2	601	Ball	-	-	-	-
184	KF	2x1-1/2	602	Ball	-	-	-	-
185	KF	2x1-1/2	603	Ball	-	-	-	-
186	KF	2x1-1/2	604	Ball	-	-	-	-
187	DSI	3	150	Check	-	-	WCB	-
188	Mueller	6	-	Seat Angle Valve	-	-	-	V-Shaped
189	-	4	-	Butterfly	-	j022122-511202	Duct. Iron	Disc: 316
190	-	-	-	-	-	-	-	Actuator
191	MK	3	-	Gate	-	-	WCB	-
192	Wheatley	3	300	Check	-	-	WCC	-
193	-	3	300	Check	-	-	WCB	-
194	SCV	4	900	Gate	-	-	WCB	-
195	SCV	4	900	Gate	-	-	WCB	-
196	SCV	4	900	Gate	-	-	WCB	-
197	SCV	4	900	Gate	-	-	WCB	-
198	DHV	6	300	Ball	-	-	WCB	-
199	Velan	6	300	Ball	-	-	WCB	Ball: 316 - Stem 316
200	Limitorque	-	-	Actuator	-	-	-	L120-20 - Duty: 15 Min.
201	Fisher	3	-	Control	-	-	-	Partial Valve Only
202	-	-	-	Gate	-	-	-	-
203	Fisher	2	-	Control	-	-	WCB	Actuator - Type 657 - Size: 40
204	Mallard	-	-	Control	-	-	WCC	With Control
205	Flip	-	-	-	-	-	-	-
206	-	6	600	Ball	-	-	WCB	-
207	DHV	2	600	Ball	-	H1600F12	WCB	Ball: A105N+ENP
208	KF	2x2	600	Ball	-	-	LCC	-

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
209	Valve Works	2-1/16	-	Gate	-	-	-	WellHead - 5000 PSI
210	Barton	3	-	Gate	-	-	-	WellHead - 5000 PSI
211	Mallard	4	600	Check	-	-	WCC	-
212	-	6	-	Gate	-	-	-	-
213	-	6	300	Ball	-	-	WCB	Ball: 316
214	DHV	6	150	Ball	-	B3150F1M-GO	WCB	Right Angle
215	GWC	3	150	Check	-	-	WCB	-
216	WKM	6	300	Ball	37004	2191539-10-02	WCC	Ball: CS
217	Williams	-	-	Ball	-	-	-	Neles-Jamesbury Actuator - Model: H
218	Williams	3	600	Gate	-	-	WCB	-
219	Williams	2	300	Gate	-	-	WCB	-
220	Williams	3	600	Gate	-	-	WCB	-
220.1	KTM	3	150	Ball	-	-	WCB	Ball: CF8M - Stem: 316
221	-	6	-	Ball	-	-	-	-
222	Neptune	-	-	-	501 D N3HP E15	-	-	Chemical Pump
223	GWC	6x6	150	Ball	-	-	WCB	-
224	DSI	3	300	Gate	-	-	WCB	Disc: 13Cr - Stem: 13Cr
225	-	-	-	Gate	-	-	-	-
226	Fairbanks	4	150	Check	-	-	WCB	-
228	KF	12x10	300	Ball	-	-	LCC	-
229	CHV	8	150	Check	-	C3110FS	WCB	Disc: 13CR
230	DHV	12	300	Ball	-	B3300F1M-GO	WCB	Ball: A105N+ENP; Stem 4140+ENP
231	DSI	4	300	Gate	-	-	WCB	-
232	DHV	12	300	Ball	-	B3300F1M-GO	WCB	Ball: A105N+ENP; Stem 4140+ENP
233	DHV	12	300	Ball	-	B3300F1M-GO	WCB	Ball: A105N+ENP; Stem 4140+ENP
234	KF	12x12	300	Ball	-	03790-129G913	WCB	Ball: SS; Stem: SS
235	DHV	12	300	Ball	-	B3300F1M-GO	WCB	-
236	DHV	12	300	Ball	-	B3300F1M-GO	WCB	Ball: A105N+ENP; Stem 4140+ENP
237	Crosby	-	-	PSV	-	-	WCB	-
238	Consolidated	4	125	PSV	-	-	-	Type: 1905P

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
239	Crosby	4xPx6	-	PSV	-	-	-	-
240	Crosby	-	-	PSV	-	-	-	-
241	KF	12x12	300	Ball	-	-	WCB	-
242	Powell	8	15	Gate	-	-	WCB	-
243	Worcester	-	-	Ball	-	-	WCB	-
244	TY	10	600	Ball	-	T355RF0010	WCB	Ball: 316; Stem: F316
246	-	8	-	Ball	-	-	-	Bettis Actuator: Model T316-SR2CW
247	KF	10x10	150	Ball	-	-	WCB	-
248	Cameron	-	300	Check	-	-	WCC	Disc: SS
249	KF	4x4	300	Ball	-	-	-	-
250	Array	3-1/8	-	Gate	-	-	-	WellHead - 5000 PSI
251	-	-	-	Gate	-	-	-	WellHead - 5000 PSI
252	GWS	10	600	Ball	-	-	-	-
253	Fisher	6	-	Control	-	-	-	V100 - Actuator Damaged - Type 1052; Size 60
254	Grove	10x10	300	Ball	-	-	LF2	Ball: F316; Stem: 316. EIM Controls: P/N 9C46003FC-D
254	DHV	2	600	Ball	-	-	WCB	-
255	DHV	3	300	Ball	-	-	WCB	-
256	Fisher	4	1500	Control	-	-	STL	Size: 76 - Type: 667
257	-	-	-	Ball	-	-	-	-
258	Williams	2	300	Check	-	-	-	-
258	DHV	4	600	Ball	-	B5601F3M	A105N	Stem: F316, Ball: F316
259	KF	-	-	Ball	-	-	-	-
259	Newco	2	300	Check	-	-	WCB	Stem: F316, Ball: F316
260	KF	-	-	Ball	-	-	-	-
262	KF	3x3	300	Ball	-	-	WCB	-
264	-	-	-	Ball	-	-	-	-
265	-	-	-	Ball	-	-	-	-
266	-	-	-	Ball	-	-	-	-
267	DHV	2	600	Ball	-	-	WCB	Stem: 4140+ENP, Ball: A105N+ENP
267	TY	10	600	Ball	-	1335RF0010	WCB	Stem: F316, Ball: 316

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
268	Walworth	14	150	Check	-	-	-	-
269	DSI	12	150	Check	-	-	WCB	Disc: 13Cr
270	TY	10	600	Ball	-	-	WCB	-
277	Rockwell	8	150	Plug	-	-	WCB	Hypreseal
280	DHV	6	150	Ball	-	-	-	Stem: 4140+ENP, Ball: A105N+ENP
281	Cameron	4	300	Check	-	-	WCC	-
282	Cameron	4	300	Check	-	-	WCC	-
283	-	-	-	Butterfly	-	-	-	With Actuator
284	Cameron	4	300	Check	-	-	WCC	-
285	Cameron	4	150	Check	-	-	WCC	-
286	Cameron	4	300	Check	-	-	WCC	-
287	Cameron	4	150	Check	-	-	WCC	-
288	Cameron	4	150	Check	-	-	WCC	-
289	Beric	6	300	Check	-	-	WCC	-
289.1	Cameron	4	150	Check	-	-	WCC	-
289.2	SCV	6	150	Ball	-	-	A105N/LF2	Stem: LF2+ENP, Ball: LF2+ENP
290	Grove	12	600	Ball	B5	9921975001-1	A350 LF2	With Becker Actuator
291	Grove	12	600	Ball	-	M256180-3	A350 LF2	With Becker (Model: 12H10L6FG-EFP) Actuator
292	KF	14x14	300	Ball	-	V225-199A6AGA	CS	Stem: 3MIL, Ball: 3MIL
293	PBV	14	300	Ball	-	C-6730-71-2200-NV-NG	A105/LF2	Ball: A105/LF2
294	KF	4x4	-	Check	-	-	-	-
295	DHV	12	300	Ball	-	B3300F1M-G0	WCB	Stem: 4140+ENP, Ball: A105N+ENP
296	DSI	16	150	Check	-	-	-	Disc: Cr13
297	KF	6x6	150	Ball	-	-	LLC	Right Angle
298	KF	6x6	150	Ball	-	-	LLC	Right Angle
299	Cameron	3	300	Check	-	-	WCC	-
300	-	-	-	-	-	-	-	Three Way - Body only
301	Cameron	3	300	Check	-	-	WCC	-
302	Cameron	3	300	Check	-	-	WCC	-
303	Cameron	3	300	Check	-	-	WCC	-

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
304	Wheatley	3	300	Check	-	-	WCC	-
305	Cameron	3	300	Check	-	-	WCC	-
306	Cameron	3	300	Check	-	-	WCC	-
307	Cameron	3	300	Check	-	-	WCC	-
308	Cameron	3	300	Check	-	-	WCC	-
309	GWC	6	150	Check	-	-	WBC	-
310	-	4	-	Gate	-	-	-	-
311	KF	2x2	600	Ball	-	M311-199N6AG4	A105	Stem: A105/3MIL ENP, Ball: A105/3MIL ENP
312	KF	2x2	600	Ball	-	M311-199N6AG4	A105	Stem: A105/3MIL ENP, Ball: A105/3MIL ENP
313	KF	2x2	600	Ball	-	M311-199N6AG4	A105	Stem: A105/3MIL ENP, Ball: A105/3MIL ENP
314	KF	2x2	600	Ball	-	M311-199N6AG4	A105	Stem: A105/3MIL ENP, Ball: A105/3MIL ENP
315	KF	2x2	600	Ball	-	M311-199N6AG4	A105	Stem: A105/3MIL ENP, Ball: A105/3MIL ENP
316	KF	2x2	600	Ball	-	M311-199N6AG4	A105	Stem: A105/3MIL ENP, Ball: A105/3MIL ENP
317	KF	3x3	600	Ball	-	M313-199N6AG4	A105	Stem: A105/3MIL ENP, Ball: A105/3MIL ENP
318	KF	3x3	600	Ball	-	M313-199N6AG4	A105	Stem: A105/3MIL ENP, Ball: A105/3MIL ENP
319	GWC	3	150	Check	-	-	WCB	-
320	Cameron	4	300	Check	-	8D-S108-A26A299901	WCC	-
321	Kitz	2-1/2	150	Ball	-	-	WCB	-
322	Skipped	-	-	-	-	-	-	-
323	Rhino	6	300	Ball	-	-	A105	Stem: 316, Ball: 316
324	Fairbanks	8	300	Gate	-	-	WCB	-
325	Grove	4	150	Ball	-	9D-9CC04140-1101K	-	-
328	SCV	12	300	Ball	-	BAL1203BI24IRGFT	LF2	-
329	Williams	8	300	Gate	-	-	WCB	-
330	KF	4x4	150	Ball	-	-	WCB	-
331	KF	2x2	300	Ball	-	-	-	-
332	Velan	6	300	Ball	-	-	WCB	-
333	-	3	300	Check	-	-	-	-
333.1	Newco	2	300	Check	-	-	WCB	-

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
334	Cameron - AOP	4x4	900	Ball	-	-	WCC	Stem: 17-4, Ball: CF8M - Bettis Actuator - Model: EM830F-18-C7-02-001
335	KF	4x4	150	Ball	-	-	WCB	-
336	DHV	2	300	Ball	-	-	WCB	Stem: F316, Ball: F316
337	KF	4x4	150	Ball	-	-	LCC	-
338	WKM	6	300	Ball	-	-	CS	Stem: CS/ENP, Ball: AS/ENP
339	-	-	-	-	-	-	-	Stainless Steel Three Way Valve
340	Jamesbury	6	150	Ball	-	6150312200TT1	CSTL	-
341	-	6	150	-	-	-	CF8M	Three Way - Body only
342	-	6	150	-	-	-	CF8M	Three Way - Body only
343	Wheatley	4	150	Check	-	9D-510-045027-121	-	-
344	Velan	12	300	Ball	-	10402-SSG	WCB	Stem: F316, Ball: F316 - VALVE HAS BEEN REWORKED.
345	Array	-	-	Check	-	-	-	Lock Open Arms
346	Array	-	-	Check	-	-	-	Lock Open Arms
347	DHV	6	300	Ball	-	-	WCB	Stem: 4140+ENP, Ball: A105N+ENP
348	DHV	6x4	600	Ball	-	B6601F1M-G0	A105N/WCB	Stem: 4140+ENP, Ball: A105N+ENP
349	GWC	10	150	Gate	-	-	WCB	-
350	Mallard	3	300	Check	3F3NGN3SG	-	CS	-
351	Mallard	3	300	Check	3F3NGN3SG	-	CS	-
352	Amot	6	150	-	5BOCF10003	-	-	-
353	Amot	6	150	-	5BOCF10003	-	-	-
354	Amot	6	150	-	5BOCF10003	-	-	-
355	SCV	12	300	Ball	-	BAL1203B1241RGFT	LF2	Stem: F6a, Ball: F6a
356	SCV	6	600	Ball	-	BAL0606B1241RGFT-HD	LF2	Stem: F6a, Ball: F6a
357	SCV	12	300	Ball	-	BAL1203B1241RGFT	LF2	Stem: F6a, Ball: F6a
358	DHV	10	150	Ball	-	B3150F1M-GO	WCB	Stem: 4140+ENP, Ball: A105N+ENP
359	IKS	12	600	Ball	-	TBW2	A105	-
360	-	8	150	Gate	-	-	WCB	-
361	KMP	2-1/16	5000	Gate	-	235-5241	-	Expanding Gate Valve
362	KMP	2-1/16	5000	Gate	-	235-5241	-	Expanding Gate Valve

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
365	-	-	-	Gate	-	-	-	WellHead
366	-	-	-	Check	-	-	-	-
367	KF	8x8	600	Ball	-	-	LCC	-
368	-	3-1/18	-	Gate	-	-	-	WellHead
369	Valve Works	1-13/16	-	-	-	-	-	-
370	Valve Works	1-13/16	-	-	-	-	-	-
371	kiTZ	6	300	Ball	-	-	WCB	-
372	DHV	2	300	Check	-	-	WCB	-
373	WKM	2x2	150	Ball	310F	-	CS	-
374	DHV	3	300	Ball	-	-	WCB	-
374	DHV	10	150	Ball	-	-	WCB	Stem: 4140+ENP, Ball: A105N+ENP
375	DHV	3	300	Ball	-	-	WCB	-
376	Williams	2	150	Gate	-	-	WCB	-
377	WKM	3	300	Ball	-	-	WCC	-
378	KF	2x2	300	Ball	-	-	WCB	-
379	KF	3x3	300	Ball	-	-	WCB	-
380	DSI	4	150	Gate	-	-	-	-
381	DHV	2	600	Ball	-	-	WCB	Stem: 4140+ENP, Ball: A105N+ENP
382	DHV	3	300	Ball	-	-	WCB	Stem: F316, Ball: CF8M
383	Flowserve	-	-	Actuator	R312SR80	-	-	Actuator Only
384	SF	3	150	-	-	-	WCB	-
385	SF	3	150	-	-	-	WCB	-
386	SF	6	150	-	-	-	WCB	-
387	Greenwood	3	150	Check	-	-	-	-
388	WKM	3x3	300	Ball	-	-	WCB	-
389	Virgo Engineers	8	300	Ball	RF3-F-C6G-F-G	-	WCB	-
389	Grove	10	300	Ball	M163	-	CS	Grease Fittings
390	Taylor Valve	-	-	-	-	-	CF3M	-
392	DHV	8	150	Check	-	-	WCB	-
394	Wheatley	3	150	Check	-	-	WCC	Disc: CF8M, Stem: 316SS

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
395	DSI	3	150	Check	-	-	WCB	-
396	Williams	2	150	Check	-	-	WCB	-
398	Marpac	3	300	Ball	-	-	WCB	Reconditioned
399	SCV	6	300	Ball	-	-	LF2	-
400	-	4	200	Gate	-	-	-	Fire Main
401	-	3	300	Gate	-	-	-	-
402	Floco	-	-	-	-	-	-	Positive Displacement Meter
403	Norriseal	2	150	-	-	-	WCB	-
404	Valveworks	2-1/16	5000	Gate	-	-	-	M-Expanding Gate
405	Velan	4	150	Gate	-	-	WCC	-
406	Valveworks	2-1/16	5000	Gate	-	-	-	M-Expanding Gate
407	-	4	-	Ball	-	-	-	-
408	Velan	6	300	Gate	-	-	WCB	Reconditioned
409	-	4	200	Gate	-	-	-	Fire Main
409.1	-	3	-	Check	-	-	-	-
410	-	6	1500	Check	-	-	WCB	-
411	-	10	-	Gate	-	-	-	-
412	-	3	150	-	-	-	WCB	-
413	-	3	150	-	-	-	WCB	-
414	KF	4x4	600	Check	-	-	WCB	-
415	DSI	4	300	Check	-	-	WCB	-
416	Crane	3	150	Check	-	-	WCB	-
417	Cameron	4	300	Check	-	-	WCC	-
418	Williams	4	300	Check	-	-	WCB	-
419	-	4	150	Check	-	-	WCB	-
420	Fairbanks	4	150	Check	-	-	WCB	-
421	-	4	300	Check	-	-	WCB	-
422	GWC	4	300	Check	-	-	WCB	-
423	4E	3	150	Check	-	-	WCB	-
424	4E	3	150	Check	-	-	WCB	-

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
425	Norriseal	-	600	Check	-	-	-	-
426	Grove	6	600	Ball	-	-	A350LF2	Series B5
427	GWC	4	300	Check	-	-	WCB	-
428	KF	4x4	150	Ball	-	-	WCB	-
429	TK	6	1500	Ball	-	-	WCC	-
430	KF	4x4	150	Ball	-	-	WCB	-
431	Fairbanks	4	150	Check	-	-	WCB	-
432	Williams	3	150	Check	-	-	WCB	-
433	Kinka	4	300	Check	-	-	WCB	-
434	DHV	3	300	Ball	-	-	WCB	Stem: F316, Ball: CF8M
435	Vlawareworks	2-1/16	5000	Gate	-	-	-	M-Expanding Gate
436	-	-	-	Gate	-	-	-	-
437	Williams	3	300	Check	-	-	WCB	-
438	DHV	4	900	Check	-	-	WCB	-
439	DHV	6	600	Check	-	-	WCB	-
440	DHV	6	300	Ball	-	-	WCB	-
441	Daniel	8	300	Check	-	-	WCB	-
442	Newco	6	300	Check	-	-	WCB	-
444	Newco	6	300	Ball	-	FIG.53F-CB4-FP-NC-FS	WCB	-
446	KF	8x8	300	Ball	-	-	LCC	-
447	DHV	3	300	Gate	-	-	WCB	-
448	-	3	150	-	-	-	WCB	-
449	-	3	150	-	-	-	WCB	-
450	-	-	-	-	-	-	-	-
451	Wheatley	10	600	Check	-	9D-510-105144-121	WCC	-
452	Cameron	4	150	Check	-	8D-5108-A26A299901	WCC	-
453	Cameron	4	150	Check	-	8D-5108-A26A299901	WCC	-
456	WKM	3x3	300	Ball	310	-	SC2	-
457	GWC	6	150	Check	-	-	WCB	-
458	GWC	6	150	Check	-	-	WCB	-

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
459	Wheatley	6	150	Check	-	-	WCC	-
460	Kimray	4	-	-	-	-	-	-
461	Newco	6	150	Check	-	-	WCB	-
462	-	6	300	Gate	-	-	WCB	-
463	-	6	-	Gate	-	-	-	-
464	DSI	3	300	Gate	-	-	WCB	-
465	-	6	-	Gate	-	-	-	-
466	Orbit	6	300	Ball	-	-	SC	1223 RF
467	-	4	150	Check	-	-	WCC	-
468	Wheatley	3	300	Check	-	9D-910-035072-121	WCC	-
469	Fairbanks	4	300	Check	-	-	WCB	-
470	Valveworks	2-1/16	5000	Gate	-	835-5241	A487	-
471	Array	2-1/16	5000	Gate	-	-	-	-
472	DHV	2	600	Ball	-	B5301F4M	A105N	-
472.1	-	-	-	Gate	-	-	-	WellHead
473	-	4	300	-	-	-	WCB	-
474	Rhino	6	-	Ball	-	-	-	Right Angle
475	Rhino	6	-	Ball	-	-	-	Right Angle
476	KF	-	-	Ball	-	-	-	-
477	DHV	3x2	150	Ball	-	-	WCB	-
478	Crane	14	-	Gate	-	-	-	125S / 150 WOG
479	Crane	14	-	Gate	-	-	-	125S / 150 WOG
480	DHV	2	300	Gate	-	-	WCB	-
481	Williams	3	150	Gate	-	-	WCB	-
482	DHV	2	600	Ball	-	-	WCB	-
483	Wheatley	2	150	Check	-	9D-910-025027-121	WCC	-
484	-	2x2	150	Ball	-	-	-	-
484.1	KF	2x2	150	Ball	-	-	WCB	-
485	WKM	2R	150	Ball	-	-	WCC	-
485.1	KF	2x2	150	Ball	-	-	WCB	-

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
486	GWC	3x2	150	Ball	-	-	WCB	Stem: 316, Ball:316
486.1	KF	2x2	150	Ball	-	-	WCB	-
487	-	8	-	Gate	-	-	-	-
488	KF	2x2	150	Ball	-	-	WCB	-
489	-	2	600	Ball	-	-	WCB	-
490	KF	6x6	300	Ball	-	-	WCB	-
491	FMC	2-1/16	5000	Gate	-	-	-	-
492	Velan	10	300	Ball	-	-	WCB	Stem: 316, Ball:316
493	DHV	4	300	Check	-	-	WCB	-
494	-	6	300	-	-	-	-	-
495	-	4	300	Gate	-	-	CF8M	-
496	4E	3	150	Check	-	-	WCB	-
497	Tom Wheatley	6	-	Check	-	-	WCB	-
498	Jamesbury	-	-	-	-	-	-	-
499	Tom Wheatley	6	-	Check	-	-	WCB	-
500	Hayward	4	-	-	-	-	-	Model 72
501	KF	4x4	600	Ball	-	M315-199N6AG4	A105	Stem: CS + 3MIL ENP, Ball: CS + 3MIL ENP
502	Crane	3	150	Check	-	-	WCB	-
503	GWC	2	150	Gate	-	-	-	-
504	Newco	6	300	Ball	-	-	WCB	-
505	Rhino	4	150	Ball	446-T S-152	-	WCB	-
506	GWC	2	300	Gate	-	-	WCB	-
507	-	2	300	Gate	-	-	Steel	-
508	KF	4x4	300	Ball	-	03782-1696411	WCB	-
509	GWC	2	300	Gate	-	-	WCB	-
510	GWC	16	150	Ball	-	-	WCB	Right Angle
510.2	DSI	2	150	Check	-	-	WCB	-
511	Valveworks	2-1/16	5000	Gate	-	835-5241	A487	-
512	Fairbanks	8	150	Gate	-	-	WCB	-
513	Wheatley	3	300	Check	-	-	WCB	-

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
514	DSI	3	300	Gate	-	-	WCB	Disc: Cr13
516	Beric	4	300	Gate	-	-	WCB	-
517	Newco	8	150	Gate	-	-	WCB	-
518	Williams	10	150	Gate	-	-	WCB	-
519	Valveworks	2-1/16	5000	Gate	-	-	A487	-
520	Valveworks	2-1/16	5000	Gate	-	-	A487	-
521	WKM	4	150	Ball	-	2168131-23-23	WCC	-
522	Eaton	6	175	-	-	-	-	Fire Main
522.1	DHV	3	300	Check	-	-	WCB	-
523	KF	4x4	150	Ball	-	-	WCB	-
524	-	-	-	-	-	-	-	-
526	Fisher	3	-	Control	-	-	WCB	No Actuator
527	KF	4x4	150	Ball	-	-	WCB	-
528	WKM	3F	-	-	-	-	CS	Type: B128 - DynaSeal 310
529	Wheatley	4	150	Check	-	9D-910-045027-121	WCC	Disc: CF8M, Stem: 316SS
530	DSI	4	300	Check	-	-	WCB	Disc: Cr13
531	DFT	4	300	-	-	-	WCB	Excalibur
532	-	3	-	Check	-	-	-	-
533	SCV	4	900	Check	-	-	WCC	-
534	DSI	4	150	Check	-	-	WCB	Disc: Cr13
535	Beric	3	900	Check	-	-	WCB	-
536	-	2-1/16	5000	Gate	-	-	-	-
537	-	4	900	Check	-	-	-	-
538	Beric	4	300	Check	-	303-04-RF-EA08-X	WCB	-
539	SCV	6	150	Ball	-	BAL0601B1341RGFT	A105	-
540	SCV	6	150	Ball	-	BAL0601B1341RGFT	A105	-
541	SCV	6	150	Ball	-	BAL0601B1341RGFT	A105	-
542	Rhino	6	150	Ball	-	-	WCB	-
543	Williams	4	300	Ball	-	W37F6RT	WCB	Stem: 316, Ball:316
544	DSI	4	300	Gate	-	-	WCB	Disc: Cr13

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
546	Newco	4	300	Check	-	-	WCB	-
547	SKVC	4x4	300	Ball	-	CF 1800 300 T316 M1	WCB	-
548	DSI	4	300	Gate	-	-	WCB	-
549	DHV	4	300	Check	-	4C320F3	WCB	-
550	PBV	6	600	Ball	-	-	A105/LF2	-
551	DSI	3	600	Gate	-	-	WCB	-
552	Wheatley	4	300	Check	-	-	WCC	-
553	Wheatley	3	300	Check	-	9D-510-035072-121	WCC	-
553.1	4E	3	150	Check	-	-	WCC	Disc: Cr13
554	Fisher	-	-	-	-	-	WCC	310 Regulator
554.1	Crane	3	150	Check	-	-	WCB	-
555	GWC	4	300	Check	-	-	WCB	-
556	DHV	3	300	Check	-	-	WCB	-
557	Wheatley	3	150	Check	-	-	WCC	-
558	Bonney Forge	4	300	Check	-	-	WCB	-
558.1	Fairbanks	3	300	Check	-	-	WCB	-
559	Wheatley	3	300	Check	-	9D-510-035072-121	WCC	-
560	DHV	4	300	Check	-	-	WCB	-
561	Beric	3	900	Check	-	-	WCB	-
562	Fairbanks	6	150	Check	-	-	WCB	-
563	WKM	3F	150	Ball	-	-	-	-
564	Wheatley	3	150	Check	-	-	WCC	-
565	Wheatley	3	300	Check	-	9D-510-035072-121	WCC	-
566	4E	3	150	Check	-	-	WCB	-
567	Velan	8	300	Ball	-	-	WCB	Stem: 316, Ball:316
569	Davis Valve	3	900	Check	-	90FCHW	WCB	-
570	4E	4	600	Check	-	-	WCB	-
571	-	3	-	Check	-	-	WCB	-
572	DHV	10	150	Ball	-	B5151F12-G0	A105	Stem: 4140+ENP, Ball: A105N+ENP
573	-	8	-	-	-	-	-	-

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
574	Daniel	12	600	Meterrun	-	-	-	Senior
575	Williams	2	300	Check	-	-	WCB	-
576	4E	3	150	Check	-	-	WCB	-
577	4E	8	300	Check	-	-	WCB	-
578	Wheatley	3	300	Check	-	-	WCC	-
579	-	6	-	Ball	-	-	-	Upside Down. Carbon Steel
580	Wheatley	3	300	Check	-	9D-510-035072-121	WCC	-
581	-	14	-	-	-	-	-	-
582	Newco	12	300	Check	-	-	WCB	-
583	-	12	300	Ball	-	-	WCB	-
584	DSI	8	150	Check	-	-	WCB	-
585	Bonney Forge	16	150	Gate	-	-	WCB	-
586	4E	4	150	Check	-	-	WCB	-
587	SCV	4	300	Check	-	PCK0403B1012R	WCB	Piston
588	-	3-1/8	5000	Gate	-	-	-	-
589	Newco	10	300	Ball	-	53F-LCC4-FP-NC-FS	LCC	-
590	WKM	6	1500	Ball	370-E4	-	LCC	RN35125
591	DHV	14	300	Ball	-	-	A216 WCB	Stem: A29 4140+ENP, Ball: A105N+ENP
592	Wheatley	12	300	Check	-	9D-510-125072-121	WCC	-
593	Kinka	12	150	Check	-	-	WCB	-
594	Rockwell	12	150	Plug	-	F1949A	WCB	-
595	WKM	12	150	Ball	-	-	WCC	-
596	Williams	10	150	Check	-	-	WCB	-
597	WKM	2F	150	Ball	-	-	WCC	2168091-24-21
598	Crane	12	125	Gate	-	-	-	-
599	SCV	6	300	Check	-	-	WCC	Piston
599.1	WKM	4F	150	Ball	-	-	WCC	-
600	DHV	8	300	Ball	-	B3300F1M	WCB	-
601	-	-	-	Ball	-	-	WCB	-
602	KF	14	150	Ball	-	AA609B-099	LF2	P3

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
603	DHV	10	150	Ball	-	B3150F12-GO	WCB	Right Angle
603	-	10	-	-	-	-	-	-
604	Velan	6	300	Ball	-	-	WCB	Right Angle
604	DHV	8	300	Ball	-	B3300F1M-GO	WCB	Right Angle
605	KTM Industries	-	300	Ball	E0802	-	Steel	Stem: 304, Ball: 304
606	Beric	3	900	Check	-	-	WCB	-
609	SCV	4	300	Ball	-	BAL0403B1341RGFT	A105	-
610	DHV	4	300	Ball	-	-	WCB	-
612	DHV	4	150	Check	-	-	WCB	-
613	KF	2x2	150	Ball	-	-	WCB	-
614	Velan	3	300	Ball	-	-	WCC	-
615	Velan	3	300	Ball	-	-	WCC	-
616	Jamesbury	-	300	Ball	-	-	-	-
617	Kuka	10	300	Ball	-	CFA30-BG	WCB	Stem: 316, Ball: CF8M
618	Kuka	10	300	Ball	-	CFA30-BG	WCB	Stem: 316, Ball: CF8M
619	Newco	14	300	Check	-	-	WCB	2710076001AX
620	Kuka	10	300	Ball	-	CFA30-BG	WCB	Stem: 316, Ball: CF8M
621	DHV	10	300	Ball	-	B3300F1M-GO	WCB	Stem: 4140+ENP, Ball: A105N+ENP
622	KF	10x10	300	Ball	-	3788-1111113	WCB	Stem: CS, Ball: CS
623	KF	6x6	150	Ball	-	E3764-8216613	LCC	Bettis Actuator: Model G01- 9-00
624	Vanessa	12	300	Butterfly	-	-	WCB	Bettis Actuator: Model T316-SR1
625	-	8	300	Ball	-	-	-	Bettis Actuator: Model G3014-SR4CW
626	No Valve	-	-	-	-	-	-	Bettis Actuator: Model T316-SR2CW (Damaged)
627	No Valve	-	-	-	-	-	-	Bettis Actuator: Model 722-SR80-M3HW
628	Wheatley	4	300	Check	-	9D-510-045027-121	WCC	-
629	Barton	2-9/16	-	Gate	-	-	-	-
630	PBV	8	900	Ball	-	C-6790-73-2200-NV-NG	A105/LF2	Bettis Actuator: Model G4020-SR4CW
630	Vanessa	10	300	Butterfly	-	-	WCB	-
631	No Valve	-	-	-	-	-	-	Bettis Actuator: Model G3014-SR3CW
632	-	16x16	150	Ball	-	-	A105	Right Angle

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
633	Nordstrom	6	300	Plug	-	H4249	WCC	-
634	-	4	-	Ball	-	-	WCB	-
635	Wheatley	4	300	Check	-	9D-510-045027-121	WCC	-
637	-	-	-	Plug	-	-	-	Right Angle
638	Neles-Jamesbury	-	-	-	-	-	-	-
639	-	-	-	-	-	-	-	-
640	-	4	300	Check	-	-	WCB	-
641	-	6	-	Ball	-	-	-	-
642	Rhino	6	-	Ball	-	-	-	-
643	-	-	-	Check	-	-	-	-
644	Wheatley	-	300	Check	-	-	-	-
645	DHV	6	150	Ball	-	B51501R1M-G0	A105N	Stem: 4140+ENP, Ball: A105N+ENP
646	Valveworks	4-1/16	5000	Gate	-	-	-	-
647	WKM	10	600	Ball	-	2191468-04-02	WCC	Stem: 17-4PH/NI, Ball: CF8M - With Actuator
648	WKM	6	-	Ball	-	-	-	Type: B122
649	Wheatley	3	150	Check	-	-	WCC	-
650	Jenkins	6	125	Gate	-	-	-	-
651	WKM	6	-	Ball	-	-	-	Type: B122 - Model 310-B
652	-	-	-	Check	-	-	-	-
653	Valveworks	2-1/16	5000	Gate	-	-	A487	-
654	Valveworks	2-1/16	5000	Gate	-	-	A487	-
655	Newco	3	300	Check	-	-	WCB	-
656	Crane	3	150	Check	-	-	WCB	-
657	-	3	150	Ball	-	-	WCB	-
658	4E	3	150	Check	-	-	WCB	-
659	-	-	-	Gate	-	-	-	Wellhead
660	Valveworks	2-1/16	5000	Gate	-	-	A487	Wellhead
661	-	8	300	Ball	-	-	WCB	-
662	-	3	-	Gate	-	-	-	Wellhead
663	WKM	10	300	Ball	-	-	WCB	Right Angle

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
664	Newco	6	300	Check	-	33F-CB2	WCB	-
665	Seaboard	1-13/16	10000	Gate	1640	-	CS	Wellhead
666	Bonney Forge	8	150	Check	-	-	WCB	-
667	DHV	6	150	Ball	-	B1150F32	WCB	-
669	DHV	10	150	Ball	-	-	WCB	Stem: 4140+ENP, Ball: A105N+ENP
670	-	-	-	Check	-	-	-	-
671	Wheatley	4	150	Check	-	9D-510-045027-121	WCC	-
672	DFT	3	150	-	-	-	WCB	Excalibur
672	Wheatley	4	300	Check	-	9D-510-045027-121	WCC	-
673	KF	4x4	150	Ball	-	E2156-1922291	WCB	-
674	Barton	-	-	-	-	-	-	Wellhead
675	DHV	8	150	Check	-	C310F3	WCB	Disc: Cr13
676	Bonney Forge	8	150	Ball	-	-	WCC	Right Angle
677	-	8	-	Ball	-	-	-	Right Angle
679	-	-	-	Unknown	-	-	-	-
680	-	6	-	Gate	-	-	-	-
681	DHV	10	150	Ball	-	-	WCB	Right Angle
683	Wheatley	3	300	Check	-	-	WCC	-
684	Wheatley	3	300	Check	-	9D-510-035072-121	WCC	-
684.1	-	3	-	-	-	-	-	Wellhead
685	Beric	4	300	Check	-	-	WCB	-
686	Crane	3	150	Check	-	-	WCB	-
687	Newco	4	300	Check	-	-	WCB	-
689	Williams	3	300	Check	-	-	WCB	-
690	Wheatley	3	300	Check	-	-	WCC	-
691	Valveworks	2-1/16	5000	Gate	-	835-5241	A487	Wellhead
692	-	2	-	-	-	-	-	Wellhead
693	Wheatley	3	150	Check	-	-	WCC	-
694	DHV	6	150	Ball	-	-	WCB	-
695	Cameron	3	-	-	H2	20299253-01	-	-

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
696	-	-	-	Unknown	-	-	-	-
697	SCV	6	600	Ball	-	BAL0606B1236RGFT	LF2	Stem: F316, Ball: F316
698	WKM	3	300	Ball	-	-	WCC	-
699	DHV	4	300	Check	-	-	WCB	-
700	-	-	-	Unknown	-	-	-	-
701	AOP	2-1/16"	5000	Gate	-	-	-	-
702	-	6	-	Gate	-	-	-	-
703	Valveworks	2-1/16	5000	Gate	-	-	A487	M Expanding Gate
704	Valveworks	3-1/8	5000	Gate	-	-	A487	M Expanding Gate
712	Consolidated	1	-	PSV	-	-	-	-
705	-	2	-	-	-	-	-	-
706	Fairbanks	4	150	Check	-	-	WCB	-
706	KF	6x6	300	Ball	-	-	WCC	-
707	KF	6x6	300	Ball	-	AA6099-099	WCC	Right Angle
708	GWC	3	150	Gate	-	-	WCB	-
709	WKM	10	300	Ball	370CT	-	WCC	Stem: 316SS, Ball: A105
710	Valveworks	2-1/16	5000	Gate	-	-	-	Expanding Gate
711	Newco	4	300	Check	-	33F-CB2	-	-
713	Valveworks	2-1/16	5000	Gate	-	-	A487	M Expanding Gate
714	-	-	-	Gate	-	-	-	Wellhead
715	KF	3x3	300	Ball	-	-	WCB	-
716	-	-	-	Gate	-	-	-	Wellhead
718	Flow-Lift	6	600	Check	-	-	-	-
719	KF	3x3	300	Ball	-	-	WCB	-
720	-	-	-	Ball	-	-	-	-
721	Fairbanks	3	300	Gate	-	-	WCB	-
723	SCV	6	600	Ball	-	BAL0606B1236RGFT-VP	LF2	Stem: F316, Ball: F316
724	SCV	6	600	Ball	-	BAL0606B1236RGFT-VP	LF2	Stem: F316, Ball: F316
725	SCV	6	150	Ball	-	BAL0601B1341RGFT	A105	-
726	SCV	6	150	Ball	-	BAL0601B1341RGFT	A105	Stem: F6, Ball: F6 - With Actuator

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
727	Valveworks	4-1/16	5000	Gate	-	-	A487	M Expanding Gate
728	Bonney Forge	4	600	Check	-	-	WCB	-
729	Barton	2-1/16	5000	Gate	-	-	-	-
730	KF	8x8	600	Check	-	-	WCB	-
731	-	10	-	Check	-	-	-	-
732	-	-	-	-	-	-	-	Flip
733	-	16	300	Ball	-	-	A105	Welded
734	DHV	10	600	Ball	-	B5601F13-G0	A105	Stem: 4140+ENP, Ball: A105N+ENP
735	DHV	12	300	Ball	-	B3300F1M-G0	WCB	Stem: 4140+ENP, Ball: A105N+ENP
736	-	16	-	Ball	-	-	-	Right Angle
738	WKM	10	300	Ball	370D-4	-	CS	-
739	DSI	4	300	Gate	-	-	WCB	-
740	GWC	6	150	Gate	-	-	WCB	-
741	GWC	6	150	Gate	-	-	WCB	-
742	DSI	6	150	Gate	-	-	WCB	-
743	Fairbanks	10	150	Gate	-	-	WCB	-
744	Sharpe	6	150	Gate	-	-	WCB	-
745	DSI	6	150	Gate	-	-	WCB	-
746	TY	4	150	Gate	-	151RF008	WCB	-
747	TY	4	300	Gate	-	251RF008	WCB	-
748	Daniel	8	300	Meterrun	-	-	-	Senior
748.1	Crane	3	150	Check	-	-	WCB	-
749	Balon	4	300	Ball	-	-	-	-
750	DSI	3	300	Gate	-	-	WCB	-
751	-	2	1500	Gate	-	-	-	-
752	DHV	6x6	-	Ball	-	-	-	Right Angle
753	DHV	3	150	Gate	-	-	WCB	-
754	Valveworks	3-1/8"	5000	Gate	-	-	-	-
755	-	6	-	Check	-	-	-	-
756	DHV	4	150	Ball	-	B1150F31	WCB	Stem: F316, Ball: CF8M

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
757	Newco	6	300	Check	-	-	WCB	-
758	GWC	3	600	Globe	-	-	WCB	-
759	Fisher	4	300	Control	-	-	WCC/WCB	Body Only - No Internals
760	SCV	6	1500	Ball	-	-	A105	-
761	-	6	-	Ball	-	-	-	Right Angle
762	Velan	6	300	Ball	-	-	WCB	-
763	-	-	-	Gate	-	-	-	Wellhead
764	DHV	16	150	Gate	-	-	WCB	-
765	Williams	4	300	Ball	-	-	WCB	Stem: 316, Ball: 316
767	DSI	4	300	Gate	-	-	WCB	-
768	-	4	300	Check	-	-	WCB	-
769	Williams	10	150	Gate	-	-	WCB	-
770	GWC	6	150	Gate	-	-	WCB	-
771	GWC	4	150	Gate	-	-	WCB	-
772	Crane	8	150	Gate	-	-	WCB	-
773	-	4-1/16	5000	Gate	-	-	-	Wellhead
774	Bonney Forge	8	150	Gate	-	-	WCB	-
775	Fairbanks	3	150	Gate	-	-	WCB	-
775	-	6	150	Gate	-	-	-	-
776	Fairbanks	6	150	Gate	-	-	WCB	-
777	TY	4	150	Gate	-	-	-	-
778	Fairbanks	6	150	Gate	-	-	WCB	-
779	DSI	4	150	Gate	-	-	WCB	-
780	Velan	8	300	Gate	-	-	WCB	-
781	Velan	8	300	Gate	-	-	WCB	-
782	Kitz	3	300	Gate	-	-	WCB	-
783	Williams	3	300	Gate	-	-	WCB	-
784	DSI	4	300	Gate	-	-	WCB	-
785	Newco	4	300	Gate	-	-	WCB	-
786	-	6	-	Gate	-	-	-	Fire Main

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
787	-	8	-	Gate	-	-	-	-
788	-	2	300	Gate	-	-	WCB	-
789	DHV	4	300	Gate	-	-	WCB	-
790	DHV	4	900	Gate	-	-	WCB	-
791	GWC	6	300	Gate	-	-	WCB	-
792	DHV	10	150	Gate	-	-	WCB	-
793	DHV	10	150	Gate	-	C110F3	WCB	-
794	Beric	10	150	Gate	-	-	WCB	-
795	GWC	6	150	Gate	-	-	WCB	-
796	GWC	6	150	Gate	-	-	WCB	-
797	GWC	6	150	Gate	-	-	WCB	-
798	GWC	6	150	Gate	-	-	WCB	-
799	DHV	8	150	Gate	-	-	WCB	-
800	Powell	8	150	Gate	-	-	WCB	-
801	DSI	6	150	Gate	-	-	WCB	-
802	Kennedy	6	150	Gate	-	-	-	-
803	Velan	6	150	Gate	-	-	WCB	-
804	-	4	-	Gate	-	-	-	-
805	GWC	3	300	Gate	-	-	WCB	-
806	-	4	-	Gate	-	-	-	-
807	DHV	4	150	Gate	-	C110F3	WCB	-
808	Kitz	3	300	Gate	-	-	WCB	-
809	Velan	4	150	Gate	-	-	WCB	-
810	OIC	4	300	Gate	-	-	Steel	-
811	Velan	4	150	Gate	-	-	WCB	-
812	DSI	4	300	Gate	-	-	WCB	-
813	-	-	-	Gate	-	-	-	-
814	Fairbanks	4	150	Gate	-	-	WCB	-
815	GWC	8	150	Gate	-	-	WCB	-
816	-	6	-	Gate	-	-	-	-

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
817	GWC	6	150	Gate	-	-	WCB	-
818	DHV	6	150	Gate	-	C110F3	WCB	-
819	-	6	125	Gate	-	-	-	Water Valves
820	Velan	4	300	Gate	-	-	WCB	-
821	Crane	6	150	Gate	-	-	WCB	-
822	Powell	6	300	Gate	-	-	Steel	-
823	Fairbanks	3	300	Gate	-	-	WCB	-
824	Fairbanks	4	300	Gate	-	-	WCB	-
825	Chapman	6	600	Gate	-	-	Steel	-
826	-	6	300	Gate	-	-	Steel	-
827	-	6	300	Gate	-	-	Steel	-
828	Balon	3	300	Ball	-	-	WCB	-
829	-	-	-	Ball	-	-	-	-
830	Balon	3	300	Ball	-	-	Steel	-
831	DHV	3	300	Check	-	-	WCB	-
832	-	4	150	Gate	-	-	-	-
833	DHV	3	300	Gate	-	-	WCB	-
834	-	3	-	Gate	-	-	-	-
835	Williams	4	150	Gate	-	-	WCB	-
836	DHV	3	-	Gate	-	-	WCB	-
837	-	3	-	Gate	-	-	-	-
838	-	4	-	Gate	-	-	-	-
839	-	4	-	Gate	-	-	-	-
840	Fairbanks	2	300	Gate	-	-	WCB	-
841	DHV	3	150	Gate	-	C110F3	WCB	-
842	DHV	3	150	Gate	-	-	WCB	-
843	-	4	150	Gate	-	-	-	-
844	-	4	-	-	-	-	-	-
845	-	2	300	Gate	-	-	WCB	-
846	Balon	3	300	Ball	-	-	WCB	-

**Tupman, CA - 18G Rec. Yard
+/- 866 Ea. Used Surplus Valves
GEHA-17-011**

#	Mfg	Size	ANSI	Type	Model	Fig/Part #	Body	Comments
847	Balon	3	300	Ball	-	-	WCB	-
901	Fairbanks	4	150	Check			WCB	
902	Wheatley	4	150	Check		9D-510-045027-121	WCC	
903	DHV	6	150	Gate			WCB	
904	Fisher	2	150	Control			WCC	Plug: SST - Type: 667 - Size 45
905	Fairbanks	4	150	Check			WCB	
906	Wheatley	4	300	Check		9D-510-045027-121	WCC	
907	Fisher	10	150	Butterfly			WCB	Type: 1052-A-31 - Size: 60 - Disc: 316SS - Stem: 17-4PH
908	Fisher	18	150	Butterfly			STL	Type: 1052 - Size: 70 - Disc: SST - Stem: SST
909	Newco	8	150	Check			WCB	
910	TY	16	300	Ball		T255RF0010	WCB	Stem: F316 - Ball: 316
911	PBV	14	300	Ball		C-6730-71-2200-GV-NG CMP1	A105/A350 LF2	Stem: CS ENP - Ball: CS ENP
912	GWC	12	150	Ball			CS	
913	PBV	12	-	Ball		C-6710-71-2200	A105/LF2	Stem: 4130LT - Ball: A105/LF2
914	Barton	2-3/16		Gate				Wellhead
915				Gate				Wellhead
916		3	900	Gate				
917	Davis Valve	8	300	Check				
918	Balon	6	300	Ball				
919				Gate				Wellhead
920	KF	6x4	300	Ball			WCB	
921	4E	3	150	Check			WCB	
922	4E	3	150	Check			WCB	
923								Gear Operator
924	Wheatley	4	300	Check		9D-510-045027-121	WCC	
925	Daniel			Meterrun				Senior
926	Fisher			Level	249B			Size: 1-5/8x48
927	Fisher			Level	249B			Size: 1-5/8x48