

San Luis Obispo, CA.
IRP-19-007

I&E, Motor Parts, Pump Parts, Valves, Valve Parts, Misc. Warehouse Materials, Spools of Cable, Band Saw, & Radiation Equipment.

Lots	MMR #	Source Bin	Material Description	MFG	MFG Part No	Qty	Additional Information
1	2	SA01071	MONITOR CONTAMINATION HAND/CUFF/FOOT	CANBERRA NUCLEAR PRODUCTS GROUP	SIRIUS-5PBG	5	1-STEP HAND/CUFF/FOOT MON; PLAST B/G *RADIATION DETECTED: BETA AND GAMMA WITH SEPARATION (INCLUDING SOME ALPHA COUNTED AS BETA WITH NO SEPARATION) *SIX LATGE AREA TPS DETECTORS (GASLESS), 1 STEP PROCESS FOR HANDS *INDUSTRIAL QUALITY PC-BASED ELECTRONICS
1	3	SA03011	SWITCH SAFETY DISCONNECT	SQUARE D CO	H365DS	1	3PH FUSIBLE NEMA 4X STAINLESS SINGLE THROW FUSIBLE NEMA 4, 4X, 5 (STAINLESS STEEL) 3 WIRE (3 BLADES AND FUSEHOLDERS)
1	14	SA09011	BOARD ANALOG OUTPUT ALS CHASSIS A	WESTINGHOUSE ELEC CO LLC	5116-42101GXX	1	Board Type ALS-421-1
1	14	SA09011	BOARD DIGITAL OUTPUT ALS CHASSIS A	WESTINGHOUSE ELEC CO LLC	5116-40201GXX	1	Board Types ALS-402-1 <(>&<)> ALS-402-2
1	14	SA09011	BOARD ANALOG INPUT ALS CHASSIS A	WESTINGHOUSE ELEC CO LLC	5116-32101GXX	1	Board Type ALS-321-1
1	14	SA09011	BOARD DIGITAL INPUT ALS CHASSIS A	WESTINGHOUSE ELEC CO LLC	5116-30201GXX	1	Board Type ALS-302-1
1	14	SA09011	BOARD ANALOG OUTPUT ALS CHASSIS A	WESTINGHOUSE ELEC CO LLC	5116-42102GXX	1	Board Type ALS-421-2
1	14	SA09011	BOARD CORE LOGIC ALS CHASSIS A	WESTINGHOUSE ELEC CO LLC	5116-10201GXX	1	Board Type ALS-102
1	14	SA09011	BOARD ANALOG OUTPUT ALS CHASSIS B	WESTINGHOUSE ELEC CO LLC	5116-42101GXX	1	Board Type ALS-421-1
1	14	SA09011	BOARD DIGITAL OUTPUT ALS CHASSIS B	WESTINGHOUSE ELEC CO LLC	5116-40201GXX	1	Board Types ALS-402-1 <(>&<)> ALS-402-2
1	14	SA09011	BOARD RTD INPUT ALS CHASSIS B	WESTINGHOUSE ELEC CO LLC	5116-31101GXX	1	Board Type ALS-311-1
1	14	SA09011	BOARD ANALOG INPUT ALS CHASSIS B	WESTINGHOUSE ELEC CO LLC	5116-32101GXX	1	Board Type ALS-321-1
1	14	SA09011	BOARD DIGITAL INPUT ALS CHASSIS B	WESTINGHOUSE ELEC CO LLC	5116-30201GXX	1	Board Type ALS-302-1
1	14	SA09011	BOARD ANALOG OUTPUT ALS CHASSIS B	WESTINGHOUSE ELEC CO LLC	5116-42102GXX	1	Board Type ALS-421-2
1	14	SA09011	BOARD CORE LOGIC ALS CHASSIS B	WESTINGHOUSE ELEC CO LLC	5116-10201GXX	1	Board Type ALS-102
1	19	SA18071	MONITOR 40" LCD 1080P DISPLAY	NEC DISPLAY SOLUTIONS	P401	4	-
1	26	SC03011	MODULE POWER SUPPLY DDR10 RECORDER	WESTRONICS INC	KT100287-01	1	F/DDR10 RECORDER KT100287-01 contains: a. power supply module ZB100719-01 with power supply board PA100056-04 b. terminal sticker to relabel board c. modification instructions
1	32	SC06012	BATTERY 12V 6-1/2"X22-1/4"X30-1/2"	BIG JOE	003124	5	F/TRUCK MDL WPT-60-48 REF: TRUCK SERIAL NO 341011
1	33	SC07011	HEATER 480V 3PH 12KW 8"-150# FLNG	WATLOW ELECTRIC MFG CO	7-10-567-1	1	-
1	34	SC08012	BATTERY 12V 6-1/2"X22-1/4"X30-1/2"	BIG JOE	003124	5	F/TRUCK MDL WPT-60-48 REF: TRUCK SERIAL NO 341011
1	37	SC10011	RING CORONA 11" F/INSULATOR SUSPENSION	NGK-LOCKE, INC.	97011-RG	8	11" Grading Ring USED WITH INSULATOR SUSPENSION SOCKET-BALL 138"
1	42	SC12012	BOARD CIRCUIT	ACRO-MAG INC	712-H	3	F/ANI-1109
1	42	SC12012	GASKET	WHITTAKER ELECTRONICS RESOURCES	100A104P1	5	F/CEL-1109
1	43	SC14011	SERVO-AMPLIFIER ASSY	WESTINGHOUSE ELEC CORP	473993-002	3	F/OPTIMAC RECORDER SPIN QBELREAA
1	62	SD14011A	METER DUAL 0-15V & 0-25A DC 50MV	CORRPRO COMPANIES, INC.	54011923	1	F/RECTIFIER S/N 76A1022 YOKOGAWA 3.5" METER #41-C-0020
1	63	SD14011D	ROTAMETER 0-2GPM 316SS SW CONN	BROOKS INSTRU DIV EMERSON ELEC	3636A09B2A5A	1	CONN W/INDICATOR 5618-1C1A ADDITONAL SPECIFICATIONS: MODEL 3636A09B2A5A, SIZE 9 WITH INDICATOR 5618-1C1A. HORIZONTAL INLET & OUTLET WITH 6000# 1/2" SW CONNECTIONS MATERIALS: ALL 316SS WITH VITON SEALS 0 TO 2.0 GPM SCALE MAX OPERATING PRESS/TEMP IS 268
1	64	SD16011A	BOARD PRINT/DISPLAY CNTL CIRCUIT	WESTRONICS INC	CB100161-02 REV.H	2	F/DDR10 RECORDER
1	65	SD16011A	BOARD PC MULTIPLEXER RECEIVER	WESTRONICS INC	CB100079-01	3	F/DDR10 RECORDER
1	66	SD16011A	BOARD PC MX60 RELAY RTD	WESTRONICS INC	CB100078-05	2	F/DDR10 RECORDER
1	67	SD16011B	MODULE PERIFELD ANALOG COATED	PERIFELD	S24244-A1041-B2	1	NSSC 74-0005 CONFORMAL COATING REQUIREMENT.
1	67	SD16011B	MODULE PERIFELD ANALOG COATED	PERIFELD	S24244-A1041-B2	2	NSSC 74-0005 CONFORMAL COATING REQUIREMENT.
1	67	SD16011A	RADIO HANDHELD SEC MDL PRC7332 USED	Thales Communications, Inc.	4102023-501	7	PRC7332 (P/N 4102023-501) Liberty Multiband RTU Reference S/N 11443 WITH THE FOLLOWING OPTIONS: 1600678-1 Liberty Multiband Antenna (136-174, 380-520, 763-869 MHz) 1600691-1 Standard Rechgle Li-Ion Battery PROGRAMMING REQ
1	67	SD16011B	DISPLAY ASSY	WESTRONICS INC	PA100059-01	1	F/DDR10 RECORDER
1	67	SD16011B	BOARD PC CPU CIRCUIT	WESTRONICS INC	CB100188-01	1	F/DDR10 32 POINT RECORDER
1	67	SD16011B	BOARD PC ADC/MCU CIRCUIT	WESTRONICS INC	CB100186-01	1	F/DDR10 RECORDER

San Luis Obispo, CA.
IRP-19-007

I&E, Motor Parts, Pump Parts, Valves, Valve Parts, Misc. Warehouse Materials, Spools of Cable, Band Saw, & Radiation Equipment.

Lots	MMR #	Source Bin	Material Description	MFG	MFG Part No	Qty	Additional Information
1	67	SD16011B	BOARD PC MX60 RELAY RTD	WESTRONICS INC	CB100078-05	2	F/DDR10 RECORDER
1	67	SD16011B	RADIO 2-WAY VHF 25-45W CDM1550	MOTOROLA INC	AAM25KKF9DP6AN	1	136-174 MHZ
1	67	SD16011B	CASE DOOR F/DDR10 RECORDER	TRACOR WESTRONICS INC	MP100858-01	1	-
1	69	SD16011C	BOARD RTD INPUT ALS CHASSIS A	WESTINGHOUSE ELEC CO LLC	5116-31101GXX	1	Board Type ALS-311-1
1	69	SD16011C	FLOWMETER CORIOLIS W/ SENSOR	MICRO MOTION	CMFS015M323J2BAECZZ	1	FLOWMETER W/ SENSOR TO BE SUPPLIED PER ATTACHED PROPOSAL 118952-2. PEAK PERFORMANCE CORIOLIS METER 0.15 INCH 316L STAINLESS STEEL STANDARD TEMPERATURE AND PRESSURE STANDARD FINISH SENSOR = CMFS015M FLOWMETER SHALL BE FACTORY TESTED AND TRACEABLE TO NIS
1	69	SD16011C	INTERFACE 422RS	WESTRONICS INC	CB100246-01	3	F/DDR10 RECORDER
1	69	SD16011C	INTERRUPTER ASSY PRINTHEAD HOME	WESTRONICS INC	ZB100386-01	1	F/DDR10 RECORDER
1	69	SD16011C	MOTOR ASSY PRINT HEAD DRIVE	WESTRONICS INC	MA100009-01	4	F/DDR10 RECORDER
1	69	SD16011C	CIRCUIT INTEGRATED EEPROM	WESTRONICS INC	PG1019-0001	3	F/DDR10 RECORDER
1	69	SD16011C	GAUGE PRESS 0-60PSIG 4-1/2"DIA	ASHCROFT GAUGE	45-1279AS-02L-60	2	1/4" LWR BRZ
1	69	SD16011C	SPRING PLUNGER F/DDR10 RECORDER	TRACOR WESTRONICS INC	FA100012-01	4	-
1	69	SD16011C	HINGE CASE BLOCK F/DDR10 RECORDER	TRACOR WESTRONICS INC	MP100881-00	6	-
1	69	SD16011C	DIAPHRAGM F/TRANSMITTER ASSY 5225M	MOORE PROD CO	6750-17	10	2X6
1	69	SD16011C	PIN HINGE LWR F/DDR10 RECORDER	TRACOR WESTRONICS INC	MP100228-01	4	-
1	69	SD16011C	CATCH DOOR F/DDR10 RECORDER	TRACOR WESTRONICS INC	MP100849-01	2	-
1	69	SD16011C	LATCH F/DDR10 RECORDER	TRACOR WESTRONICS INC	MP100848-01	6	-
1	69	SD16011C	PLUNGER PILOT	MOORE PROD CO	6750-21	10	F/523T2 M/P CONTROL STATION
1	69	SD16011C	FUSE 3A	WESTRONICS INC	FU100006-04	7	F/DDR10 RECORDER
1	71	SD17011	SENSOR HYDROGEN	EXO SENSORS INC	107D002-3	1	F/CEL-1109
1	71	SD17011	SENSOR HYDROGEN	EXO SENSORS INC	107D002-3	2	F/CEL-1109
1	71	SD17011	SPLICE KIT BREAKOUT	TYCO ELECTRONICS CORP	NPKP-5-42B(N)	15	NEW FORMULA KIT CONSISTS OF: 4 EA 1/C WIRE RANGE (O.D.) 0.21"-0.34" LARGE 1/C WIRE RANGE (O.D.) 0.53"-1.0" MAX BOLT - 3/8" DIA X 1.0"L MAX OVERALL CONNECTOR LENGTH = 5-1/8". MAX CONNECTOR WIDTH = 0.81", MAX VOLTAGE = 1000V
1	72	SD18011B	RADIO HANDHELD SEC MDL PRC7332 USED	Thales Communications, Inc.	4102023-501	7	PRC7332 (P/N 4102023-501) Liberty Multiban RTU Reference S/N 11443 WITH THE FOLLOWING OPTIONS: 1600678-1 Liberty Multiband Antenna (136-174, 380-520, 763-869 MHz) 1600691-1 Standard Rechgble Li-Ion Battery PROGRAMMING REQ
1	72	SD18011B	GENERATOR TEST	GAMMA - METRICS	100025-001	1	-
1	72	SD18011A	CABINET RACK MNT PRE-TERM ALMOND	PREFORMED LINE PRODUCTS COMPANY	RDC6A24STU3	2	-
1	72	SD18011D	MODULE SET MEMORY-EPROM	WESTRONICS INC	CB100190-01	2	F/DDR10 32 POINT RECORDER
1	72	SD18011D	BOARD PC MULTIPLEXER RECEIVER	WESTRONICS INC	CB100079-01	3	F/DDR10 RECORDER
1	72	SD18011D	MODULE SIO RS-232C	WESTRONICS INC	CB100189-01	1	F/DDR10 32 POINT RECORDER
1	72	SD18011D	INTERFACE 422RS	WESTRONICS INC	CB100246-01	3	F/DDR10 RECORDER
1	72	SD18011D	BOARD PC MX60 RELAY THERMOCOUP	WESTRONICS INC	CB100078-04	2	F/DDR10 RECORDER
1	72	SD18011D	BOARD PC CONTACT OUTPUT EMI HARD	WESTRONICS INC	CB100206-02	3	F/DDR10 32 POINT RECORDER
1	72	SD18011D	FLOWMETER W/VLV	BROOKS INSTRU DIV EMERSON ELEC	1350-VR-2-15D	1	20-250 CCM F/ANALYZER BYPASS MODEL 1350-VR-2-15D FLOWMETER W/INLET MOUNTED VALVE SCALE: 196A TUBE: 0-65MM RANGE: 20-250 CCM (AIR) VITON SEALS 316 SS FLOAT & FTGS
1	72	SD18011D	BOARD PC EXTENDER CPU	WESTRONICS INC	CB100177-01	1	F/TR-83 YR-2001
1	72	SD18011D	CIRCUIT ALARM STATUS INDICATOR	WESTRONICS INC	CB100162-01	2	F/DDR10 RECORDER
1	72	SD18011D	EPROM SET SLAVE SET SPECIAL	WESTRONICS INC	R1-00102	1	F/DDR10 MULTIBANK RECORDER SET CONTAINS 6 EA EPROMS LABELED P0 THRU P5. SOFTWARE SPECIFIC TO DCP
1	72	SD18011D	BOARD PC CONTACT OUTPUT	WESTRONICS INC	CB100206-01	1	F/DDR10 RECORDER

**San Luis Obispo, CA.
IRP-19-007**

I&E, Motor Parts, Pump Parts, Valves, Valve Parts, Misc. Warehouse Materials, Spools of Cable, Band Saw, & Radiation Equipment.

Lots	MMR #	Source Bin	Material Description	MFG	MFG Part No	Qty	Additional Information
1	72	SD18011D	KEYBOARD FRONT PANEL ASSY	WESTRONICS INC	ZB100395-02	1	F/DDR10 32 POINT RECORDER
1	72	SD18011D	BOARD ASSY TERMINAL MX60	WESTRONICS INC	ZB100216-02	2	F/DDR10 RECORDER
1	72	SD18011D	KEYBOARD ASSY FRONT PANEL	WESTRONICS INC	ZB100395-05	1	F/DDR10 MULTIBANK RECORDER
1	75	SF FLOOR	CABINET DATA DIGITAL POSITION	WESTINGHOUSE ELEC CORP	-	1	DNR 10-10-88
1	77	SRCH FLOOR	SYSTEM PPS UNIT 1 SET 2 SAFETY-RELATED	TRICONEX	-	1	Unit 1 PPS System, Protection Set 2 shall be supplied per Invensys Quotation TPC031008442 R1 & update per Scott Zimmerman email, dated November 28, 2011 1:34PM Hardware is purchased in conjunction with Engineering Services & Software on Contract 350102583
1	77	SRCH FLOOR	SYSTEM PPS UNIT 1 SET 3 SAFETY-RELATED	TRICONEX	-	1	Unit 1 PPS System, Protection Set 3 shall be supplied per Invensys Quotation TPC031008442 R1 & update per Scott Zimmerman email, dated November 28, 2011 1:34PM Hardware is purchased in conjunction with Engineering Services & Software on Contract 350102583
1	77	SRCH FLOOR	SYSTEM PPS UNIT 1 SET 4 SAFETY-RELATED	TRICONEX	-	1	Unit 1 PPS System, Protection Set 4 shall be supplied per Invensys Quotation TPC031008442 R1 & update per Scott Zimmerman email, dated November 28, 2011 1:34PM Hardware is purchased in conjunction with Engineering Services & Software on Contract 350102583
1	-	RTSPALLET	REGULATOR 3/4" FPT 10-125PSIG	WILKERSON CORP	R30-06-000	1	3/4" NPT ports, 0-125 PSIG operating range, 300 PSIG max pressure.
1	-	60008980	CORD DRIVE F/MDL 2500 RECORDER	LEEDS & NORTHRUP CO	062410	6	-
1	-	60110672	GAUGE PRESS 0-300PSIG	TYCO FIRE PRODUCTS	92-343-1-005	2	-
1	-	60110678	GAUGE PRESS 0-300PSIG	TYCO FIRE PRODUCTS	92-343-1-005	2	-
2	5	SA03071	PUMP ASSY TRANSFORMER COOLING	GENERAL ELECTRIC COMPANY	3995X566G2	6	W/5HP 460V MOTOR PUMP ASSEMBLY, AS IDENTIFIED ON GENERAL ELECTRIC "CUSTOMER INSTALLATION KIT," FOR GE GENERATOR STEP-UP (GSU) TRANSFORMERS M101116, M101117, M101118 AND M101119. BUSHING INCLUDES THE ASSOCIATED CURRENT TRANSFORMER (CT).
2	10	SA07011	BEARING SET SLEEVE W/OIL GUARDS	SIEMENS ENERGY AUTOMATION	-	1	F/3000HP 3600RPM 6812 FR MOTOR SET CONSISTS OF: OPPOSITE END BEARING 53-904-813-501 DRIVE END BEARING 53-903-103-501 OIL GUARD (2EA) 55-902-328-502 OIL GUARD 55-700-909-501 OIL GUARD
2	13	SA07072	PUMP ASSY TRANSFORMER COOLING	GENERAL ELECTRIC COMPANY	3995X566G2	5	W/5HP 460V MOTOR PUMP ASSEMBLY, AS IDENTIFIED ON GENERAL ELECTRIC "CUSTOMER INSTALLATION KIT," FOR GE GENERATOR STEP-UP (GSU) TRANSFORMERS M101116, M101117, M101118 AND M101119. BUSHING INCLUDES THE ASSOCIATED CURRENT TRANSFORMER (CT).
2	67	SD16011A	BEARING CYL ROLLER 65MM BORE C3 FIT	NTN BEARING CORP OF AMERICA	NU313EG1C3	1	-
2	67	SD16011B	MOTOR 1HP 1140RPM 56H FRAME	GENERAL ELECTRIC COMPANY	5K49ZG1971AT	1	-
2	70	SD16011D	CYLINDER ASSY MASTER W/BRAKEPEDAL	HARNISCHFEGER CORP.	382192D1	1	F/HYD BRAKE KIT CB231
2	72	SD18011B	PORT PLATE	BROWN & SHARPE MFG CO	20-44613-02	4	F/BRG LIFT OIL PMP DWG S-10006
2	72	SD18011B	ROTOR SET	BROWN & SHARPE MFG CO	20-69050-02	4	F/BRG LIFT OIL PMP DWG S-10006
2	72	SD18011B	BEARING	BROWN & SHARPE MFG CO	20-60907-02	4	F/BRG LIFT OIL PMP DWG S-10006
2	72	SD18011B	RING	BROWN & SHARPE MFG CO	20-45203-02	2	F/BRG LIFT OIL PMP DWG S-10006
2	72	SD18011B	BEARING	BROWN & SHARPE MFG CO	20-60903-02	4	F/BRG LIFT OIL PMP DWG S-10006
2	72	SD18011B	BEARING THRUST	MRC	R10	2	F/BRG LIFT OIL PMP DWG S-10006
2	72	SD18011B	BEARING SLEEVE	GENERAL ELECTRIC COMPANY	153B4435AC1	1	F/GE MOTOR CAT 5K365AK2095
2	72	SD18011C	HEATER SPACE 500W 120V 17-7/8"	WESTINGHOUSE ELEC CORP	519A332H06	3	-
2	72	SD18011B	BEARING SPRING B 164 CL A	C & S VALVE CO	D09-Z010G-30	10	F/24" CHECK VLV VALVE DWG #88-0429-01 (PG&E PO #20136)
2	72	SD18011B	BEARING PLATE LUG B 164 CL A	C & S VALVE CO	D08-Z010G-30	4	F/24" CHECK VLV VALVE DWG #88-0429-01 (PG&E PO #20136)
2	72	SD18011B	BEARING BODY LUG B 164 CL A	C & S VALVE CO	D08-Z009G-30	4	F/24" CHECK VLV VALVE DWG #88-0429-01 (PG&E PO #20136)
2	78	WA06151	MOTOR 25HP 3600RPM 256TP FRAME	WESTINGHOUSE ELEC CORP	71D22411	1	-

San Luis Obispo, CA.
IRP-19-007

I&E, Motor Parts, Pump Parts, Valves, Valve Parts, Misc. Warehouse Materials, Spools of Cable, Band Saw, & Radiation Equipment.

Lots	MMR #	Source Bin	Material Description	MFG	MFG Part No	Qty	Additional Information
2	81	WB06042	MOTOR 1HP 1150RPM 145T TEFC 460VAC	BALDOR ELEC	05F125X010	1	1HP, 1140RPM, 145T FRAME MOTOR. TEFC ENCLOSURE, NEMA DESIGN CLASS B, KVA CODE J, INSULATION CLASS F, CONTINUOUS DUTY AT 40C AMB, 1.15SF SUPPLY WITH TROPICALIZATION OPTION M26 GREASE WITH POLYREX-EM GREASE. MOTOR SHALL BE EQUIPPED WITH A THREE-PHASE AUTOM
2	-	DB29012	RUNNER ASSY #1 SEAL HI-TEM	WESTINGHOUSE ELEC CORP	4D00540G03	0	F/REACTOR COOL PMP M/N 93AS DD SPIN: RCPCPI CONSISTING OF: 1 EA NO 1 SEAL RUNNER P/N 4D00540G03 S/N: 13439 1 EA NO 1 SEAL RING P/N 4D00541G03 S/N: 13447 INCLUDES HIGH TEMPERATURE O-RINGS . DOCUMENTATION: P.O. REQUIREMENTS - CERTIFICATE OF C
2	-	DB37071	INSERT RING #1 SEAL	WESTINGHOUSE ELEC CORP	5060D37G01	3	F/RCTR COOL PMP M/N W-11004-A1 F/TYPE 93AS DD SEAL REF: DWG 4D00545 REF WESTINGHOUSE GENERAL ASSY DWG 618J861 ITEM 37 SPIN RCPCPI
2	-	GC09131	INSERT RING #1 SEAL	WESTINGHOUSE ELEC CORP	5060D37G01	3	F/RCTR COOL PMP M/N W-11004-A1 F/TYPE 93AS DD SEAL REF: DWG 4D00545 REF WESTINGHOUSE GENERAL ASSY DWG 618J861 ITEM 37 SPIN RCPCPI
2	-	GB17131	SLEEVE RETAINER RUNNER ASSY	WESTINGHOUSE ELEC CORP	6935C91H01	3	F/#1 SEAL UNIT-REAL CLNT PMP
2	-	AC11162	ADAPTER RETAINER SLEEVE #1 RUNNER	WESTINGHOUSE ELEC CORP	6935C95H01	2	F/RCP MDL 93 AS DD REF: WESTINGHOUSE DRAWING 618J861 ITEM 33 SPIN: RCPCPI
2	-	60102378	MOTOR 1HP 1140 RPM 56H FRAME	BALDOR ELEC	05F125X010	1	1HP, 1140RPM, 145T FRAME MOTOR. TEFC ENCLOSURE, NEMA DESIGN CLASS B, KVA CODE J, INSULATION CLASS F, CONTINUOUS DUTY AT 40C AMB, 1.15SF SUPPLY WITH TROPICALIZATION OPTION M26 GREASE WITH POLYREX-EM GREASE. MOTOR SHALL BE EQUIPPED WITH A THREE-PHASE AUTOM
2	-	RTS AC	PROBE PROXIMITY	HOMEWOOD ENERGY SERVICES	9997A109H05	1	MOTOR VIBRATION SENSOR FOR MOTOR SERIAL NUMBERS 1-E-10107-01 AND 1-E-10107-02
2	-	RTS AB	BEARING NEEDLE	LIMITORQUE CORP	CD1-B-1910	1	F/SMB-3
3	7	SA05011	PLATE SET MACHINED SB148 ALLOY 954	C & S VALVE CO	D02-N100G-03S	1	F/24" CHECK VLV.
3	8	SA05012	VALVE 24" CHECK 150# SB148 ALY 954	C & S VALVE CO	D00-N128H-00	1	WAFER FLG SPEC 8179 IS APPLICABLE STYLE "B" ORIG MISSION ORDER #8948 ORIG VALVE SPEC 8729 ITEM 57 CERTIFICATE OF COMPLIANCE TO ASME SECT III, SUBSECTION ND REQUIREMENTS THE PROVISIONS OF 10CFR21 SHALL APPLY AGAINST THE COMPLETE VALVE ASSEMBLY AND THE PA
3	24	SB01011	VALVE 6"X10" RELIEF STPT 200# CS	LONERGAN , J.E. CO	DB30R	1	RF 300# IN X 150# OUT W/GAG, PLAIN LIFT & BELLOW VALVE PER BELOW SPECIFICATIONS: ASME SECT VIII APPLIES SERVICE CONDITIONS: FLUID: CONDENSATE TEMPERATURE: 372 DEG F SPECIFIC GRAVITY: 0.88 VISCOSITY: - FLOWRATE: 2,600 GPM PRESS
3	25	SB01011	VALVE 6"X8" RELIEF CS STPT 124#	LONERGAN , J.E. CO	D10R	1	150# RF FLG W/GAG AND PLAIN LIFT LEVER VALVE PER BELOW SPECIFICATIONS: ASME SECTION VIII APPLIES SERVICE CONDITIONS: FLUID: STEAM TEMPERATURE: 350 DEG F SPECIFIC GRAVITY: - VISCOSITY: - FLOWRATE: 100,000 LB/HR PRESSURE
3	26	SC03011	VALVE 1-1/2"X2" RELIEF STPT 150#	CROSBY VALVE	JLT-JBS-E-SPECIAL-25-A	1	CS 300# FLGD TYPE "A" SCREWED CAP BELLOW FLUID: OIL "SPECIAL" indicates w/test rod (supplied but not installed) REPLACEMENT FOR S/N VA0016857 WITH EXCEPTION THE SETPOINT HAS BEEN CHANGED TO 150# WITH THE APPLICATIONS SEEING BACKPRESSURE OF 75#
3	26	SC03011	VALVE 3/4"X1" RELIEF STPT 120# CS	ANDERSON GREENWOOD CROSBY	83S1F68-8L/SPL	1	W/PACKED LIFT LEVER, GAG AND BUNA-N SEAT & SEALS SERVICE CONDITIONS: FLUID: AIR TEMPERATURE: 70 DEG F SPECIFIC GRAVITY: - VISCOSITY: - FLOWRATE: 250 SCFM 262 SCFM (RATED @ SET & BACK PRESS & ACCUM) PRESSURE
3	26	SC03011	VALVE 3/4"X1" RELIEF STPT 120# CS	ANDERSON GREENWOOD CROSBY	83S1F68-8L/SPL	3	W/PACKED LIFT LEVER, GAG AND BUNA-N SEAT & SEALS SERVICE CONDITIONS: FLUID: AIR TEMPERATURE: 70 DEG F SPECIFIC GRAVITY: - VISCOSITY: - FLOWRATE: 250 SCFM 262 SCFM (RATED @ SET & BACK PRESS & ACCUM) PRESSU

San Luis Obispo, CA.
IRP-19-007

I&E, Motor Parts, Pump Parts, Valves, Valve Parts, Misc. Warehouse Materials, Spools of Cable, Band Saw, & Radiation Equipment.

Lots	MMR #	Source Bin	Material Description	MFG	MFG Part No	Qty	Additional Information
3	26	SC03011	VALVE 1-1/2"X3" RELIEF STPT 115#	LONERGAN , J.E. CO	D10H	1	CS W/SS TRIM 150# RF SW FLG W/PLAIN LIFT LEVER ASME SECT VIII APPLIES SERVICE CONDITIONS: FLUID: AIR TEMPERATURE: 100 DEG F SPECIFIC GRAVITY: - VISCOSITY: - FLOWRATE: 1335 SCFM (REQ'D) 1973 SCFM (RATED @ SET)
3	26	SC03011	VALVE 1/2" RELIEF SS MNPT X FNPT	PARKER FLUID POWER	646B-12-1/2-T	1	F/LIQ N2 COMP DISCH LINE RV 1/2" STAINLESS STEEL MALE NPT INLET X FEMALE NPT OUTLET WITH TEFLON SOFT SEAT AND SPRING CAPABLE OF 2400 PSIG SETTING.
3	43	SC14011	VALVE INNER 3" % PLUG SS 316	WKM DIV / ACF IND INC	357995	7	F/4" VLV MFG DWG 70-27-1
3	43	SC14011	ADAPTER ST STL FOR VALVE KIT	ENERTECH	PD94325-4	7	F/SNUBBER ASSY STEAM GEN
3	43	SC14011	PIN DISC ARM	CRANE-ALOYCO INC	Y05639	12	F/6" GATE VLV FIG 114
3	43	SC14011	PIN DISC ARM	CRANE-ALOYCO INC	Y05639	72	F/6" GATE VLV FIG 114
3	55	SD10011	ACCESSORIES F/BACKDRAFT D964620 STORAGE	PACIFIC GAS AND ELECTRIC COMPANY	-	1	FHBV BACKDRAFT DAMPER COMPLETELY ASSEMBLED, SEISMICALLY QUALIFIED AND FACTORY TESTED, COMPLETE WITH COUNTERWEIGHT. DAMPER SHALL BE DESIGNED/FABRICATED PER PG<(>&<)>E APPROVED SPECIFICATION 10108-M-NPG (ATTACHED)
3	67	SD16011A	PIN HINGE & STOP SB 164 CL A	C & S VALVE CO	D04-Z027G-30S	2	F/24" CHECK VLV.
3	72	SD18011B	RETAINER STOP PIN & HINGE SB164 CL A	C & S VALVE CO	D07-Z006X-30S	4	F/24" CHECK VLV.
3	72	SD18011D	VALVE 1/2" RELIEF SS 316 65PSI NPT	CIRCLE SEAL CONTROLS	D562T1-4M-65	3	W/EPR O-RING
3	79	WB05011	VALVE 1-1/2"X2" RELIEF STPT 115#	LONERGAN , J.E. CO	L40JGG22-KS	1	150# LAP JT FLG F/RV-174,-175,-239,-240 W/GAG & PACKED LIFT LEVER VALVE PER BELOW SPECIFICATIONS: SERVICE CONDITIONS: FLUID: AIR TEMPERATURE: 350 DEG F SPECIFIC GRAVITY: - VISCOSITY: - FLOW RATE: 668 SCFM (REQ'D) PRESSURE:
3	80	WB05011	VALVE 1"X2" RELIEF STPT 735# CS	CROSBY VALVE	JLT-JOS-45E	1	FLGD MDL JLT-JOS-45E ORIFICE SIZE "D", W/TYPE E CAP, SS TRIM... INLET - 1", 600# RF, OUTLET - 2" 150# RF... CROSBY SHOP ORDER #68634 M1 SERVICE - WATER
3	-	60008980	CHAIN SET CONVEYOR	ACME ENGG & MFG CO	40	2	F/DEWATERING FILTERS REF C-R DWG C-54340 SET CONSISTS OF TWO SEPARATE LENGTHS: EACH LENGTH IS 105" DIFFERENT PINS ON EACH CHAIN LENGTH
3	-	RTS AD	CHAIN SET CONVEYOR	ACME ENGG & MFG CO	40	2	F/DEWATERING FILTERS REF C-R DWG C-54340 SET CONSISTS OF TWO SEPARATE LENGTHS: EACH LENGTH IS 105" DIFFERENT PINS ON EACH CHAIN LENGTH
3	-	RRMM	VALVE 3/4"X1" RELIEF STPT 200# SS	ANDERSON , GREENWOOD & CO	JL14J-D99-JS0200	1	SS TRIM 150# LAP JOINT FLANGES W/PACKED CAP AND GAG OR SCREW CAP SERVICE CONDITIONS: FLUID: WATER TEMPERATURE: 200 DEG F SPECIFIC GRAVITY: - VISCOSITY: - FLOW RATE: THERMAL RELIEF PRESSURE: SET: 200 PSIG
3	-	LRTS EVIR	VALVE 1-1/2" GLOBE 150# PVC Y	G F PLASTIC SYSTEMS, INC.	192-301-549 1-1/2"	1	TEFLON SEAL SCREWED BONNET VALVE CONNECTIONS SLIP ON
3	-	AB87351F	VALVE 1/4" RELIEF 3000# SS SWAGE	NUPRO CO	SS-4CA-50	10	F/CONTAINMENT HYDROGEN MONITOR ADJUSTABLE RANGE 50 TO 150 PSI
3	-	AF17163	VALVE 1/4" RELIEF SS 316 60PSI MPT	CIRCLE SEAL CONTROLS	D562T1-2M-60	1	W/EPT O-RING
3	-	AF17163	VALVE 1/4" RELIEF SS 316 60PSI MPT	CIRCLE SEAL CONTROLS	D562T1-2M-60	5	W/EPT O-RING
3	-	60008980	CONE ROLLER BEARING	LIMITORQUE CORP	CA1-67780	0	F/SMB-3
3	-	RTS AB	BEARING BALL 45MM SGL ROW OPEN	LIMITORQUE CORP	CC1-6209	1	F/SMB-3
3	-	RTS AB	BEARING BALL 45MM SGL ROW OPEN	LIMITORQUE CORP	CC1-6209	2	F/SMB-3
3	-	RTS AB	BEARING BALL SGL ROW OPEN RET RING	LIMITORQUE CORP	CC1-6206-NR	1	F/SMB-1, 3
3	-	RTS AB	BEARING BALL SGL ROW OPEN RET RING	LIMITORQUE CORP	CC1-6206-NR	3	F/SMB-1, 3
3	-	60008980	NUT LOCK BEARING	LIMITORQUE CORP	60-558-0144-1	1	F/SMB-3
3	-	60008980	NUT LOCK BEARING	LIMITORQUE CORP	60-558-0144-1	3	F/SMB-3
4	1	SA01011	FLANGE 24" BLIND CS SA 105 150#	ASME	SA 105	2	ASME SECT III SUB SECT NC ANSI B16.5 FLAT FACE
4	4	SA03012	HOIST 2-TON TWO SPEED	LIFT-IT MFG CO, INC	NER020SD	1	NER020SD # 2 ton, modified to provide? * Dual speed 28 / 4.5 lift feet per minute * 460VAC / 3ph * 90 ft. of lift * 25 ft. pendant (IP65) * With steel chain container Hoist Standard Features: Die Cast Aluminum Body TEFC (IP55) Motor

**San Luis Obispo, CA.
IRP-19-007**

I&E, Motor Parts, Pump Parts, Valves, Valve Parts, Misc. Warehouse Materials, Spools of Cable, Band Saw, & Radiation Equipment.

Lots	MMR #	Source Bin	Material Description	MFG	MFG Part No	Qty	Additional Information
4	6	SA03072	ELBOW 16" CS 90 DEG SCH 80 LR BW	ASME	SA 234 GR WPB	2	ASME SECT III SUB SECT NC MINIMUM CHROMIUM CONTENT 0.10% ONE END TO HAVE STANDARD 2'0" TANGENT AND THE OTHER END TO HAVE A SPECIAL 2'4" LONG TANGENT.
4	9	SA05071	ELBOW 16" CS 45 DEG SCH 80 LR BW	ASME	SA 234 GR WPB	1	ASME SECT III SUB SECT NC MINIMUM CHROMIUM CONTENT 0.10% MATERIAL SHALL BE IMPACT TESTED USING THE CHARPY V-NOTCH METHOD AT A TEST TEMPERATURE AT OR BELOW THE LOWEST SERVICE METAL TEMPERATURE OF 32 DEGREES F
4	11	SA07011	PANEL 19" SOLID RACK TOP STEEL	AMCO ENGINEERING CO	PX25-19	3	111-T (LIGHT BLUE)
4	12	SA07012	PANEL 19" SOLID PANEL W/ 665 CFM FAN	AMCO ENGINEERING CO	BTA10-PX25-19-E	3	111-T (LIGHT BLUE) INCLUDES A 6' POWER CORD AND INTERNAL FINGER GUARD EXHAUST POSITION
4	15	SA09012	ARRESTER LIGHTNING 228KV	ABB INC.	Q228XA180A	3	180KV MCOV TYPE EXLIM-Q REPLACEMENT LIGHTING ARRESTER FOR TRANSFORMER SERIAL NUMBER MLL9313-02, ABB DRAWING 1B10109. Replaced by Hubbell Arrestors, D815209. Send to IR nds1 05/11/18
4	16	SA11012	ARRESTER LIGHTNING 228KV	ABB INC.	Q228XA180A	3	180KV MCOV TYPE EXLIM-Q REPLACEMENT LIGHTING ARRESTER FOR TRANSFORMER SERIAL NUMBER MLL9313-02, ABB DRAWING 1B10109. Replaced by Hubbell Arrestors, D815209. Send to IR nds1 05/11/18
4	17	SA15011	TRANSITION ASSY	GENERAL ELECTRIC COMPANY	32C111198G03	3	F/420KV LIGHTNING ARRESTOR REFERENCE GE INDUSTRIAL & POWER SYSTEMS SALES QUOTATION 159-10298. SUPPLY PER GE DRAWING 32B168209
4	18	SA15012	RECORDER DIGITAL DATA USED F/PARTS	TRACOR WESTRONICS INC	DDR10	3	-
4	26	SC03011	TRANSDUCER I/P 4-20MA INPUT 3-15	CONOFLOW CORP	GT-18ED	2	PSIG OUTPUT 0.155SCFM CAPACITY
4	27	SC03071	SPROCKET DRIVEN	U.S. TSUBAKI	US1245C37 6	3	F/TRAVELING WATER SCREENS F/ 10 HP MOTOR PER DRW SP11490 FLAME CUT F/ 1245 CHAIN 37 TEETH, 6-1/4" BORE HARDENED
4	28	SC04011	PIPE 30" CS STD WT ELECTRIC-FUSION WELD	AMERICAN SOCIETY FOR TESTING & MATS	A 134	2	PLATE TO CONFORM TO ASTM A 285 GR C, RIREBOX QUALITY OR A 155 GR KCF 65 CLASS II
4	29	SC04012	OPERATOR ASSY W/MANUAL HANDWHEEL	DYNA TORQUE	BG44-GT	4	F/18" MDL 5247PSB-WE VLV SPECIFICATIONS: RATIO: 16:1 THRUST: 80,000 LBS TORQUE: 2300 FT-LBS TEMPERATURE: -20 TO 150 DEGREES F WEIGHT: 115 LBS ASSEMBLY INCLUDES: DYNATORQUE BG44-GT OPERATOR WITH BG4 LUG DRIVER (P/N: 24-007) AND FLAT 24" MANUAL H
4	30	SC05012	FIXTURE LIGHTING 315W MCE TYPE A	GARDCO LIGHTING	G18-1-4XL-315MCE-4K-480V-NP-MG-RPA2	12	18 Gullwing 315 Type A Luminaire Lamp, 480Volt
4	31	SC05072	AFTERFILTER ASSY POSITIVE SEAL	HENDERSON ENGG CO INC	AF-2400	1	1 MICRON UNIT TO INCLUDE SHOP MOUNTED DIFFERENTIAL PRESSURE GAUGE AFTER-FILTERS SHALL BE POSITIVE-SEAL TYPE TO PREVENT PARTICULATES TO BY-PASS THE FILTER MATERIAL AND NOT CONTAMINATE BRANCHES OF INSTRUMENT AIR HEADER WITH DESICCANT AND IRON OXIDE. EACH
4	35	SC08071	MESH .050"x48"x96" SS	MCMaster-CARR CO	9303T98	36	.118" WIDE DIAMOND OPENINGS
4	36	SC09011	TRANSFORMER 240/120 25KVA SS	CUTLER - HAMMER INC (EATON CO)	T20P11S25NVSS	3	Type DS-3 Single Phase Transformer 25KVA 240/480 Pri 120/240 Sec 316 Stainless Steel Enclosure
4	37	SC10011	RECORDER SINGLE PEN W/CARRY CASE	ESTERLINE ANGUS INSTRUMENT CORP	A601C-20-M1-52	2	F/MET TOWER
4	37	SC10011	FAN ASSY W/MOTOR 1750RPM 0.5HP	KRENZ & CO INC	TC16-2HS	28	460VAC 3PH 16" DIAMETER FAN ASSEMBLY INCLUDES: COMPLETE FAN (P/N A8480) AND MOTOR (P/N A8278)
4	39	SC10071	FAN ASSY W/MOTOR 1750RPM 0.5HP	KRENZ & CO INC	TC16-2HS	28	460VAC 3PH 16" DIAMETER FAN ASSEMBLY INCLUDES: COMPLETE FAN (P/N A8480) AND MOTOR (P/N A8278)
4	41	SC12011	ELEMENT FILTER 2UM GLASS FIBER	PALL PROCESS FILTRATION CORP	HFU620GF020J	79	F/CCW FILTER HOUSING
4	42	SC12012	CONTACTOR ISO-REVERSING HOIST	KONECRANES AMERICA	54256721	4	FOR SFP BRIDGE CRANE HOIST CONTACTOR
4	42	SC12012	BREAKER CIRCUIT 250A 250VDC 2P	SIEMENS ENERGY AUTOMATION	HFD62B250	3	1100-2500 INST TRIP RANGE
4	42	SC12012	BREAKER CIRCUIT 250A 250VDC 2P	SIEMENS ENERGY AUTOMATION	HFD62B250	6	1100-2500 INST TRIP RANGE
4	42	SC12012	CONTROLLER SOLAR W/ MPPT	MORNINGSTAR CORPORATION	SS-MPPT-15L	47	-

**San Luis Obispo, CA.
IRP-19-007**

I&E, Motor Parts, Pump Parts, Valves, Valve Parts, Misc. Warehouse Materials, Spools of Cable, Band Saw, & Radiation Equipment.

Lots	MMR #	Source Bin	Material Description	MFG	MFG Part No	Qty	Additional Information
4	42	SC12012	SEAL	PREFERRED ENGINEERING	PE1-120	49	F/REACTOR HEAD STUD HOLE PLUG
4	43	SC14011	BAFFLE BUS DUCT (DUST COVER)	WESTINGHOUSE ELEC CORP	4934D11G01	1	F/SPARE GENERATOR SPEC 9536
4	43	SC14011	BAFFLE BUS DUCT (DUST COVER)	WESTINGHOUSE ELEC CORP	4934D11G01	4	F/SPARE GENERATOR SPEC 9536
4	43	SC14011	HOUSING F/AIR GAP BAFFLE	WESTINGHOUSE ELEC CORP	899D456003	65	F/U-2 MAIN GENERATOR
4	43	SC14011	FILLER HOSE CLAMP	WESTINGHOUSE ELEC CORP	2599A69001	851	F/SPARE GENERATOR SPEC 9536
4	43	SC14011	CASTING INSERT-LOCK	WESTINGHOUSE ELEC CORP	2599A87001	853	F/SPARE GENERATOR SPEC 9536
4	43	SC14011	RELAY QC 1.5-4.5A 60HZ TY IAC	GENERAL ELECTRIC COMPANY	12IAC66B55A	3	TIME OVERCURRENT
4	43	SC14011	BOLT 5/8"-11 HEX HD HVY A 193	PALL POWER GENERATION	5HB-12004-005	4	F/RCS LETDOWN FILT-SPIN-CSFLRC B8M W/WASHER A 240-316 OLD PALL TRINITY # 5HB 12004-005. FILTER S/N IS 5EH-P7846-6 MAT'L IS A193 B8M WITH A240-316 WASHER. BOLTS TO BE CHROMIUM IMPREGNATED REF PALL DWG 5EHD10702-130EG, REV A, ITEM 7... LENGTH 3-1/2"; THRE
4	43	SC14011	LATCH CLOSING	GENERAL ELECTRIC COMPANY	Q0114C5342G001	10	F/4KV SWGR
4	43	SC14011	PLUG STUD HOLE	PRES-TECH MANUFACTURERS	PE1-101	10	PREFERED ENG REACTOR
4	43	SC14011	BUSHING LATCHING PAWL	GENERAL ELECTRIC COMPANY	456A885P201	72	F/4KV SWGR
4	43	SC14011	BUSHING LWR H-LINK	GENERAL ELECTRIC COMPANY	0456A885P202	132	F/4KV SWGR REF: GE SUMMARY #'S - 0224A4469, 0225A1162, 0225A1161, 0269A8065
4	43	SC14011	BOLT 1/2"-13X2" HEX HD HVY	AMERICAN SOCIETY FOR TESTING & MATS	A 564 TP 630	174	17-4 SS
4	44	SC14012	GEAR TRUCK	HARNISCHFEGGER CORP.	1F9625	4	F/TURB BLDG BRIDGE CRANE REF: CRANE S/N C23389
4	47	SD03071	COIL STATOR CWP MOTOR	VISALIA ELECTRIC MOTOR SHOP	-	45	THESE STATOR COILS SHALL BE FOR A SQUIRREL CAGE INDUCTION MOTOR RATED AT 13,000HP, 240 RPM (SYNCHRONOUS SPEED) 3 PHASE, 60 HZ, 11,500 VAC, 1.0 SERVICE FACTOR. INSULATION SHALL BE CLASS "H" AND VACUUM PRESSURE IMPREGNATED (VPI). THE STATOR COILS SHALL BE
4	50	SD04011	AIR-CONDITION SPLIT SYSTEM 10 TON	TRANE CO	TWE063P/TTA120	1	F/ROD CONTROL CABINET ROOM ASSEMBLY CONSISTS OF: 2 EACH 5 TON AIR HANDLING UNIT MODEL #TWE063P 208-230 VOLT 60 HZ SINGLE REFRIGERANT CIRCUIT * 1 EACH 10 TON CONDENSER MODEL #TTA120 DUAL COMPRESSORMP. 460 VOLT 3 PHASE ELECTRO-MECHANICAL CONTRL
4	51	SD04012	AIR CONDITIONER PORTABLE 2 TON	OCEANAIRE	OWC-2412	1	WATER COOLED 208/230/60/1
4	52	SD04101	STRUT ASSY 8' C TO C W/REAR BRKT	BERGEN POWER PIPE SUPPORTS INC	SRF-36-RO	1	ONE END UNWELDED REF NPS PRODUCTS INC, CERTIFIED DESIGN REPORT SUMMARY SRX, REV 12, DATED 06/21/99. STRUT SHALL BE PROVIDED WITH ONE END UNWELDED. CMTR REQUIREMENT IS NOT APPLICABLE TO SPACERS, COTTER PINS OR SPHERICAL BEARINGS.
4	53	SD07011	CART FEEDWATER ROLLING STAND 6' LG	-	-	4	THIS IS AN EMPTY CART F/MOVING
4	56	SD10101	COIL STATOR CWP MOTOR	VISALIA ELECTRIC MOTOR SHOP	-	45	THESE STATOR COILS SHALL BE FOR A SQUIRREL CAGE INDUCTION MOTOR RATED AT 13,000HP, 240 RPM (SYNCHRONOUS SPEED) 3 PHASE, 60 HZ, 11,500 VAC, 1.0 SERVICE FACTOR. INSULATION SHALL BE CLASS "H" AND VACUUM PRESSURE IMPREGNATED (VPI). THE STATOR COILS SHALL BE
4	57	SD11011	HOUSING CONTROL 29"X56"X72"	GENERAL ELECTRIC COMPANY	4092X322XCG01	2	SUPPLY ONE HOUSING AS IDENTIFIED ON GENERAL ELECTRIC "CUSTOMER INSTALLATION KIT," FOR GE GENERATOR STEP-UP (GSU) TRANSFORMERS M101116, M101117, M101118 AND M101119. BUSHING INCLUDES THE ASSOCIATED CURRENT TRANSFORMER (CT).
4	59	SD13011	AIR CONDITIONER PORTABLE 5 TON	OCEANAIRE	OWC-6012	1	WATER COOLED 208/230/60/1
4	60	SD13012	ABRASIVE 16 GRIT ALUMINUM OXIDE	SPONGE JET INC.	-	100	SILVER SPONGE MEDIA 40LB/BAG
4	61	SD14011A	PACKING VALVE SCREW 3-1/4"X1/4"X1/4"	ALCO POWER, INC.	2392074	6	-
4	67	SD16011B	COUNTER DISCH LTG MAIN BANK	GENERAL ELECTRIC COMPANY	9L26FBE005	1	-
4	67	SD16011B	CYLINDER ASSY MASTER	HARNISCHFEGGER CORP.	382192D1	1	F/HYD BRAKE KIT CB231 REF: CRANE S/N C23388&9
4	67	SD16011B	GROMMET PUSH ROD SLEEVE RBR	ALCO POWER, INC.	2153403	49	buna-n
4	67	SD16011A	PACKING 1/2"X1/2"	GARLOCK INC	STYLE 8913	528	GARLOCK SYNTHPEAK STYLE 8913 TWO 44-1/2" PIECES REQUIRED

San Luis Obispo, CA.
IRP-19-007

I&E, Motor Parts, Pump Parts, Valves, Valve Parts, Misc. Warehouse Materials, Spools of Cable, Band Saw, & Radiation Equipment.

Lots	MMR #	Source Bin	Material Description	MFG	MFG Part No	Qty	Additional Information
4	68	SD16011B	STATION AUTO-MANUAL 0-100 LINEAR	FISHER CONTROLS CO INC	TL123	2	SUPPLY ONLY VERSIONS THAT CONTAIN CHIP AR1, AND DO NOT HAVE CHIPS U1 OR U4.
4	69	SD16011C	BOARD PC CARGO WINCH COORDINATION	GENERAL ELECTRIC COMPANY	193X715ACG09	3	F/CRANE 6434
4	69	SD16011C	ADAPTER 2" EPSILON DRYLOK FLANGE	OPW ENGINEERED SYSTEMS	ZE32HS32A01211	1	-
4	69	SD16011C	COUPLER 2" EPSILON DRYLOK FLANGE	OPW ENGINEERED SYSTEMS	ZE32AS32D02211	1	-
4	69	SD16011C	RELAY TIMER	GENERAL ELECTRIC COMPANY	12SAM14A12A	3	SUPPLIER TO SUPPLY OUTLINE DWG AND INTERNAL CONNECTION DIAGRAM & INSTRUCTIONS
4	69	SD16011C	JOINT EXP 3"IDX6" 150# FF EJ7	GOODALL RUBBER CO	E1648	1	VAC-0-EJ7 WITH RETAINING RINGS AND CONTROL RODS
4	69	SD16011C	GUIDE ASSY PAPER	TRACOR WESTRONICS INC	ZB100398-01	2	F/DDR10 RECORDER
4	69	SD16011C	GASKET BUSHING OIL SIGHTGLASS	ABB INC.	W25YXP106	3	F/TYPE-U BUSHING #11B778BB SPARE GASKET FOR THE OIL SITE GLASS, HV BUSHING TYPE U # 11B778BB, TRANSFORMER SN M101116
4	69	SD16011C	CARTRIDGE PRINT COLOR F/DESKJET	HEWLETT - PACKARD CO	51649A	25	F/6XX SERIES PRINTER
4	69	SD16011C	RESISTOR 50 OHM	TRACOR WESTRONICS INC	ZB100134-01	13	F/DDR10 RECORDER
4	69	SD16011C	GASKET 1-7/8"IDX2-5/8" ODX1/8" TEFLON	ADVANCED SEALING & SUPPLY CO, INC	-	1	COVER GASKET F/1-1/2" FIG 862 SS STRAINER MADE OF TEFLON
4	70	SD16011D	GAGE ASSY FLOW	GENERAL ELECTRIC COMPANY	3915B656P24	6	PUMP ASSEMBLY, AS IDENTIFIED ON GENERAL ELECTRIC "CUSTOMER INSTALLATION KIT," FOR GE GENERATOR STEP-UP (GSU) TRANSFORMERS M101116, M101117, M101118 AND M101119. BUSHING INCLUDES THE ASSOCIATED CURRENT TRANSFORMER (CT). THIS PUMP IS ITEM 144 OF GE DWG 3942
4	71	SD17011	MODULE SFP 1-PORT TRANSCEIVER RUGGED	CISCO SYSTEMS, INC	GLC-LX-SM-RGD=	4	-
4	71	SD17011	BUSHING REAR	GENERAL ELECTRIC COMPANY	619C438G001	6	F/4.16KV SWITCHGEAR
4	71	SD17011	BAR 2"X6S" MONEL RD	AMERICAN SOCIETY FOR TESTING & MATS	UNS N05500 K500	8	65" MINIMUM PIECES.
4	72	SD18011B	BOARD PC CARGO WINCH COORDINATION	GENERAL ELECTRIC COMPANY	193X715ACG09	3	F/CRANE 6434
4	72	SD18011D	VALVE BALL 3/4" 150# CS SW	ITT ENGINEERED VALVE PRODUCTS	.75-3014-1-T1	1	Complete Fig. No. .75-3014-1-T1-ST5-SL3-C20-SN1-WCB SIZE: 3/4" BODY TYPE: 150#/300# SOCKET/SCREWED CAMTITE COVER: STANDARD COVER MATERIAL: WCB BALL/STEM: 316SS/316SS SEATS: UHMW POLYETHYLENE STEM SEAL/GASKET: UHMWP/UHMWP ACTUATOR: COMPACT MODEL C20
4	72	SD18011D	BUSHING COLUMN SPIDER 7.75" 108B	HYDROAIRE INCORPORATED	1088757	1	F/20X34B VCM PMP S/N 290600/3 MATERIAL: FIBERGLASS G-10 EPOXY SULZER P/N 1768279.
4	72	SD18011D	SPRING SET MONEL	C & S VALVE CO	D06-Z028X-34	2	F/24" CHECK VLV
4	72	SD18011D	FLANGET 1" 1500# RF (1/4") SCH 80	ASME	SA 105	2	ASME SECT III SUB SECT NC 1/4" RAISED FACE HEIGHT OF FLANGET IS 4-1/16" TO FACE OF RF FLANGE. 36" - 3-1/2" PIPE SIZE.
4	72	SD18011B	SWITCH LIMIT CCW LONG MTG	NAMCO CONTROLS	EA170-35302	1	2NO & 2NC CONT SHORT TRAVEL
4	72	SD18011D	STATION MANUAL LOADING SGL POINTER	MOORE PROD CO	514	1	0-100% LINEAR SCALE GAUGE 3-15 PSIG ACCURACY +/- 4% OF FULL SCALE
4	72	SD18011C	RELAY TIME DELAY 0.55-15 SEC	TYCO ELECTRONICS CORP	ETR-14I3B-004	19	120VAC COIL VOLTAGE = 120 VAC +/- 10%. 10A Contact Rating Contacts: 4 Form C, 4PDT, 4 C/O
4	72	SD18011B	SWITCH LIMIT CW SHORT TRAVEL	NAMCO CONTROLS	EA170-34100	1	LONG MOUNTING
4	72	SD18011B	TUBE ASSY W/TUBE CUBE	MATHESON INSTRUMENTS	FM-10515	4	RANGE 5-50 SCFH CECELEC STOCK # 2-MTC-03-16 FOR FLOWMETER FM-10515-NV FOR MATHESON # E1-4Y401-E820
4	72	SD18011A	STUD 1/2"-13x4" HASTELLOY C276 (115F)	AMERICAN SOCIETY FOR TESTING & MATS	HASTELLOY C276	24	Material shall meet requirements of ASTM B574 UNS Alloy# N10276
4	72	SD18011B	RELAY 120VAC 60HZ	GENERAL ELECTRIC COMPANY	CR2810-A14AJ2	1	F/CONTMT HYDROGEN MONITORS
4	72	SD18011B	NUT 1/2"-13 HASTELLOY C276 (121E)	AMERICAN SOCIETY FOR TESTING & MATS	HASTELLOY C276	24	Material shall meet requirements of ASTM B574 UNS Alloy# N10276
4	72	SD18011B	METER DUAL	FISHER CONTROLS CO INC	40A-289-012	5	F/TL-123 AUTO/MANUAL STATION
4	72	SD18011B	FLINGER BUNA-N	FLOWSERVE CORP.	300307GITEM15 BUNA-N	1	F/SZ 10X11SC PMP S/N 0968-8 S/N 0968-8
4	72	SD18011B	RELAY AUX 115VAC 3PDT	POTTER & BRUMFIELD	KRP-14AG	6	-
4	72	SD18011B	SEAL PISTON	HARNISCHFEGER CORP.	18Z1497D6	1	-
4	72	SD18011B	KNOB & POT ASSY R70	FISHER CONTROLS CO INC	89200291X32	3	F/TL-123 AUTO/MANUAL STATION

San Luis Obispo, CA.
IRP-19-007

I&E, Motor Parts, Pump Parts, Valves, Valve Parts, Misc. Warehouse Materials, Spools of Cable, Band Saw, & Radiation Equipment.

Lots	MMR #	Source Bin	Material Description	MFG	MFG Part No	Qty	Additional Information
4	72	SD18011B	SWITCH TOGGLE 3PDT 5A 120VAC	C & K COMPONENTS INC.	7301SYZQE	2	SOLDER TERMS
4	72	SD18011B	SPRING RETAINER	GENERAL ELECTRIC COMPANY	962C0778P007	24	F/12KV SWITCHGEAR BUS
4	72	SD18011B	NUT 3/8" SS 316 GYROLOK	HOKE INC	6N-316	99	F/CONTAINMENT HYDROGEN MONITOR
4	72	SD18011B	O-RING ROD SEAL	HARNISCHFEGER CORP.	45Z347D220	2	-
4	72	SD18011B	O-RING ROD SEAL	HARNISCHFEGER CORP.	45Z347D220	5	-
4	72	SD18011B	O-RING LIMIT	KONECRANES AMERICA	52527158	10	-
4	72	SD18011B	NUT 1/4" SS 316 GYROLOK	HOKE INC	4N-316	80	F/CONTAINMENT HYDROGEN MONITOR
4	72	SD18011C	SCREW 5/16"-18X3/4" HEX HD SIL BRZ	AMERICAN NATIONAL STANDARDS INSTIT	B18.2.1	2	BRZ B 98 ANY GRADE
4	72	SD18011C	SCREW 5/16"-18X1/2" HEX HD SIL BRZ	AMERICAN NATIONAL STANDARDS INSTIT	B18.2.1	141	BRZ B 98 ANY GRADE
4	72	SD18011D	PACKING 1/2"X1/2"	GARLOCK INC	STYLE 8913	528	GARLOCK SYNTHETAK STYLE 8913 TWO 44-1/2" PIECES REQUIRED
4	72	SD18011B	WASHER	HARNISCHFEGER CORP.	102022384	2	F/HYD BRAKE KIT CB231 REF: CRANE S/N C23388&9
4	72	SD18011C	SCREW 1/4"-20X1-3/4" HEX HD SIL BRZ	AMERICAN NATIONAL STANDARDS INSTIT	B18.2.1	171	SIL BRZ B 98 ANY GRD FULL THRD
4	73	SD18102	HOSE 1-1/2"X50" 500# CO2 (USED)	AEROQUIP CORP	1503-24 (USED)	19	HOSE RE PIPE VLV
4	74	SD19012	ABRASIVE 16 GRIT ALUMINUM OXIDE	SPONGE JET INC.	-	100	SILVER SPONGE MEDIA 40LB/BAG
4	76	SF06011	SPACER COUPLING 7.88" ROUGH MACH	WESTINGHOUSE ELEC CORP	4436D51001	1	F/LP-C TURB TO TURN GEAR GEN BOLT HOLES TO BE .125" UNDERSIZED
4	-	GA23062	OPERATOR ASSY W/CHAIN OP HANDWHEEL	DYNA TORQUE	BG44-GT	2	F/18" MDL 5247PSB-WE VLV SPECIFICATIONS: RATIO: 16:1 THRUST: 80,000 LBS TORQUE: 2300 FT-LBS TEMPERATURE: -20 TO 150 DEGREES F WEIGHT: 115 LBS ASSEMBLY INCLUDES: DYNATORQUE BG44-GT OPERATOR WITH BG4 LUG DRIVER (P/N: 24-007). ALSO INCLUDE BOTH TH
4	-	GA23062	OPERATOR ASSY W/CHAIN OP HANDWHEEL	DYNA TORQUE	BG44-GT	10	F/18" MDL 5247PSB-WE VLV SPECIFICATIONS: RATIO: 16:1 THRUST: 80,000 LBS TORQUE: 2300 FT-LBS TEMPERATURE: -20 TO 150 DEGREES F WEIGHT: 115 LBS ASSEMBLY INCLUDES: DYNATORQUE BG44-GT OPERATOR WITH BG4 LUG DRIVER (P/N: 24-007). ALSO INCLUDE BOTH TH
4	-	SD03012	HOUSING CONTROL 29"X42"X58"	GENERAL ELECTRIC COMPANY	4062X223XCG01	-	SUPPLY ONE HOUSING AS IDENTIFIED ON GENERAL ELECTRIC "CUSTOMER INSTALLATION KIT," FOR GE GENERATOR STEP-UP (GSU) TRANSFORMERS M101116, M101117, M101118 AND M101119. BUSHING INCLUDES THE ASSOCIATED CURRENT TRANSFORMER (CT).
4	-	SD11011	HOUSING CONTROL 29"X42"X58"	GENERAL ELECTRIC COMPANY	4062X223XCG01	-	SUPPLY ONE HOUSING AS IDENTIFIED ON GENERAL ELECTRIC "CUSTOMER INSTALLATION KIT," FOR GE GENERATOR STEP-UP (GSU) TRANSFORMERS M101116, M101117, M101118 AND M101119. BUSHING INCLUDES THE ASSOCIATED CURRENT TRANSFORMER (CT).
4	-	RTSPALLET	VALVE FOR CARDOX HOSE REEL	KIDDE-FENWAL, INC	10610312	1	F/FIRE EXT SYSTEM HOSE REEL BODY WITH HOLE.
4	-	AF77081	TRANSMITTER VIDEO & 2-WAY MPD DATA	GENERAL ELECTRIC COMPANY	S730DVT-EST1	12	STANDALONE
4	-	AF77081	TRANSMITTER VIDEO & 2-WAY MPD DATA	GENERAL ELECTRIC COMPANY	S730DVT-EST1	24	STANDALONE
4	-	RTSPALLET	FLANGE 1-1/2" SS CL 150 FFSW	ASME	SB 462 UNS N08367	8	ASME SECT III SUB SECT NC ANSI B16.5 CLASS 150 ANSI B16.11 3000# SW FITTING
4	-	RTSPALLET	FLANGE 1-1/2" SS CL 150 FFSW	ASME	SB 462 UNS N08367	8	ASME SECT III SUB SECT NC ANSI B16.5 CLASS 150 ANSI B16.11 3000# SW FITTING
4	-	RTS AG	BOX 12"X12"X08" NEMA-4X 316SS	NEMA ENCLOSURES	N121208NFSS	1	316SS NEMA 4X
4	-	RTS EVIR	NIPPLE MOTOR CND	LIMITORQUE CORP	60-567-0003-1	1	F/SMB-3
4	-	RTS AB	RELAY TIME DELAY 0.1 SEC-9990 HR	POTTER & BRUMFIELD	CNT-35-96	6	24-240 VAC/VDC EXT CONTACT
4	-	RTSPALLET	RELAY TIME DELAY 0.1 SEC-9990 HR	POTTER & BRUMFIELD	CNT-35-96	6	24-240 VAC/VDC EXT CONTACT
4	-	LRTSPALLET	ADAPTER 6" 150# F KAMLOCK X FLANGE	DIXON VALVE AND COUPLING CO	600-DL-AL	1	-
4	-	RTS AG	ILLUMINATOR ASSY F/MDL SA-58	PENBERTHY DIV / HOUDAILLE	86329-000	1	LESS REFLECTOR WEDGE
4	-	RTS AG	TRAY FAN 19" RACK MOUNT 115VAC 40W	HAMMOND MFG	FT300HA1BK	1	CONTAINS 3 FANS @ 100CFM EA WITH ON/OFF SWITCH, CIRCUIT BREAKER & 6' 14/3 SJTW CORD.
4	-	RTS AG	TRAY FAN 19" RACK MOUNT 115VAC 40W	HAMMOND MFG	FT300HA1BK	3	CONTAINS 3 FANS @ 100CFM EA WITH ON/OFF SWITCH, CIRCUIT BREAKER & 6' 14/3 SJTW CORD.

San Luis Obispo, CA.
IRP-19-007

I&E, Motor Parts, Pump Parts, Valves, Valve Parts, Misc. Warehouse Materials, Spools of Cable, Band Saw, & Radiation Equipment.

Lots	MMR #	Source Bin	Material Description	MFG	MFG Part No	Qty	Additional Information
4	-	RTSPALLET	RELAY TIME DELAY 0.1SEC - 600HRS	EATON CORP	TRNP240AC	5	Time Delay Relay 0.1SEC-600 hrs. Solid-State relay technology. 100-240VAC Coil. 2 Form "C" DPDT output contacts rated for 10A, 240VAC/30VDC. Power Triggered.
4	-	LRTSPALLET	HOUSING FAN 24" SUPER VAC	SUPER VACUUM MFG	XGR-724	1	F/VENTILATION FANS MDL 724G4-H, SERIAL# 05905
4	-	60107349	COUPLING V-RETAINER F/ CFRF FILTERS	PARKER HANNIFIN CORP	909876	1	Coupling V-Retainer f/ CF/RF Filters Used with 71/72 Series Cover Assembly
4	-	LRTSPALLET	ADAPTER 6" 150# M KAMLOCK X FLANGE	DIXON VALVE AND COUPLING CO	600-AL-AL	2	-
4	-	60082980	GASKET SET SPRING CARTRIDGE CAP	LIMITORQUE CORP	60-651-1003-2	2	F/SMB-3 2/ST 2 GASKETS PER SET: 1 EA .030" 1EA .015"
4	-	RTS AD	GASKET SET SPRING CARTRIDGE CAP	LIMITORQUE CORP	60-651-1003-2	2	F/SMB-3 2/ST 2 GASKETS PER SET: 1 EA .030" 1EA .015"
4	-	60008980	LINK DECLUTCH	LIMITORQUE CORP	60-503-0002-1	1	F/SMB3
4	-	60111035	SWIVEL 1-1/2" INTERNAL PIPE	AEROQUIP CORP	2046-24-24S	2	F/CARDOX HOSE REELS
4	-	60111035	SWIVEL 1-1/2" INTERNAL PIPE	AEROQUIP CORP	2046-24-24S	4	F/CARDOX HOSE REELS
4	-	60111101	SWIVEL 1-1/2" INTERNAL PIPE	AEROQUIP CORP	2046-24-24S	2	F/CARDOX HOSE REELS
4	-	60111101	SWIVEL 1-1/2" INTERNAL PIPE	AEROQUIP CORP	2046-24-24S	4	F/CARDOX HOSE REELS
4	-	60109945	FITTING 2" PVC BULKHEAD	POLY PROCESSING CO	7118	1	F/POLY PRODUCTS (ORIGINALLY POLY-CAL) TANK, 10300 GAL, IMFO (INTEGRALLY MOLDED FLANGED OUTLET), HDXLPE WITH "OR-1000" LINER, SP GR 1.9, BLACK COLOR, 12' DIA X 14'4" HIGH WITH 24" MANWAY.
4	-	RTS EVIR	UNION 3/8" CS 3000# THD	ASME	SA 105	1	-
4	-	AB85204B	ELBOW 1/4"x3/8" SS MALE GYROLOK	HOKE INC	4LM6-316	48	F/CONTAINMENT HYDROGEN MONITOR
4	-	AB85183B	TEE 1/4" SS GYROLOK	HOKE INC	4TMT4-316	35	F/CONTAINMENT HYDROGEN MONITOR
4	-	RTSPALLET	FILTER AIR 12"x24" 5700 SERIES	AMERICAN AIR FILTER CO INC	205-01-12A24A	4	5700 BOTTLE CAP CONSTRUCTION HEAVY DUTY 1" FILTER DEPTH
4	-	AB89201E	ELBOW 1/4" SS FEMALE GYROLOK	HOKE INC	4LF4-316	44	F/CONTAINMENT HYDROGEN MONITOR
4	-	RTS AF	COUPLING 2" CS HALF 3000# THD	AMERICAN SOCIETY FOR TESTING & MATS	A 105	1	-
4	-	AB85132D	ELBOW 1/4" SS MALE GYROLOK	HOKE INC	4LM4-316	48	F/CONTAINMENT HYDROGEN MONITOR
4	-	AB89061B	CONNECTOR 1/4" SS FEMALE GYROLOK	HOKE INC	4CF4-316	44	F/CONTAINMENT HYDROGEN MONITOR
4	-	64183146	LAMP FLUOR 32W MED BIPIN T-8 5100K	DEPENDABLE PRODUCTS	00871	10	F32T8 PLUS LONG LIFE 30/CTN
4	-	AB83053B	CONNECTOR 1/4"x3/8" SS M GYROLOK	HOKE INC	4CM6-316	48	F/CONTAINMENT HYDROGEN MONITOR
4	-	RTS AE	EYEWASH EMERGENCY SIGNAGE	Sperian Protection	32-000113-0000	1	-
4	-	RTS AB	HELICOIL 5/8"-11	HELI-COIL PRODUCTS	R1185-10	1	6/PK
4	-	RTS AB	RING RETAINING	LIMITORQUE CORP	CG1-5100-75	1	F/SMB-3
4	-	BB12042B	PLUG 1/4" SS 316 GYROLOCK	HOKE INC	4P-316	173	F/CONTAINMENT HYDROGEN MONITOR
4	-	AB87083F	CONNECTOR 1/4" SS MALE GYROLOK	HOKE INC	4CM4-316	21	F/CONTAINMENT HYDROGEN MONITOR
4	-	RTS AB	RING RETAINING	LIMITORQUE CORP	CG1-RS-225	1	F/SMB-3
4	-	RTSPALLET	SOCKET 11 PIN OCTAL F/TR TIMER	CUTLER - HAMMER INC (EATON CO)	D3PA3	9	-
4	-	RTSPALLET	LAMP 12V 075W ROUGH SERVICE	QSR INDUSTRIAL SUPPLY	191	30	F/TEMP POWER USE 12EA/CS
4	-	RTS AD	SOCKET RELAY 8 PIN OCTAL 10A	POTTER & BRUMFIELD	27E122	25	300VAC W/SCREW TERMINALS
4	-	RTSPALLET	SOCKET RELAY 8 PIN OCTAL 10A	POTTER & BRUMFIELD	27E122	25	300VAC W/SCREW TERMINALS
4	-	LRTS AB	BUSHING 2"x1-1/2" MI THD GALV 150#	AMERICAN SOCIETY FOR TESTING & MATS	A 197 GALV/A 153	1	-
4	-	AB87333C	FERRULE 3/8" SS 316 FRONT GYROLOK	HOKE INC	6FF-316	98	F/CONTAINMENT HYDROGEN MONITOR
4	-	AB89202C	FERRULE 3/8" SS 316 REAR GYROLOK	HOKE INC	6FR-316	100	F/CONTAINMENT HYDROGEN MONITOR
4	-	AB87343A	FERRULE 1/4" SS 316 REAR GYROLOK	HOKE INC	4FR-316	81	F/CONTAINMENT HYDROGEN MONITOR
4	-	AB87343B	FERRULE 1/4" SS 316 FRONT GYROLOK	HOKE INC	4FF-316	83	F/CONTAINMENT HYDROGEN MONITOR
4	-	GB35131	BREAKER CIRCUIT 20A 125VDC 2P **USED**	SIEMENS - ALLIS, INC.	HE2B020	10	-
4	-	GB35131	BREAKER CIRCUIT 50A 125VDC 2P **USED**	SIEMENS - ALLIS, INC.	HE2B050	3	-
4	-	GB35212	BREAKER CIRCUIT 70A 125VDC 2P **USED**	SIEMENS - ALLIS, INC.	HE2B070	17	-
4	-	RTSPALLET	SOCKET 8 PIN OCTAL F/TR TIMER	EATON CORP	D3PA2	7	D3 SERIES GENERAL PURPOSE PLUG-IN RELAY SOCKET 300/600V MAX SCREW CLAMP

San Luis Obispo, CA.
IRP-19-007

I&E, Motor Parts, Pump Parts, Valves, Valve Parts, Misc. Warehouse Materials, Spools of Cable, Band Saw, & Radiation Equipment.

Lots	MMR #	Source Bin	Material Description	MFG	MFG Part No	Qty	Additional Information
5	38	SC10012	CABLE 5/C 12 XLPE/XLPE PRP CU	ROCKBESTOS CO	-	4988	600V FIREWALL 111 CTRL CABLE ROCKBESTOS SPEC RSS-3-021 OUTER JACKET AND CONDUCTOR INSULATION SHALL BE PURPLE. INDIVIDUAL CONDUCTORS NUMBERED IN SEQUENCE BY SURFACE PRINTING BEGINNING WITH NUMBER 1.
5	38	SC10012	CABLE 5/C 12 XLPE/XLPE PRP CU	ROCKBESTOS CO	-	29928	600V FIREWALL 111 CTRL CABLE ROCKBESTOS SPEC RSS-3-021 OUTER JACKET AND CONDUCTOR INSULATION SHALL BE PURPLE. INDIVIDUAL CONDUCTORS NUMBERED IN SEQUENCE BY SURFACE PRINTING BEGINNING WITH NUMBER 1.
5	40	SC11011	CABLE 1/C 4/0 EPR/LLDPE 5KV BLACK	OKONITE CO , THE	1/C 4/0	3840	SHLD REFER TO ATTACHED CABLE SPEC 1950 REV 3N CABLE OUTER JACKET COLOR TO BE BLACK CABLE SHALL BE SUPPLIED AS ONE CONTINUOUS LENGTH. MINIMUM CONTINUOUS LENGTH ACCEPTABLE IS 2000 FT.
5	48	-	D781646	-	-	-	-
5	49	-	D757926	-	-	-	-
5	69	SD16011C	CABLE PRINthead	THERMO ELECTRON CORP	PA100061-01	2	F/DDR10 RECORDER PRINthead
5	69	SD16011C	CABLE ASSY W/20 PIN CONNECTOR	TRACOR WESTRONICS INC	HN101079-01	3	F/DDR10 RECORDER
6	84	-	-	MGP	-	-	WRM2
7	85	-	Barnstein T11 - RO Purifier	Thermo Scientific	-	-	D14031
7	86	-	Gamma Spec Lead Shield	Nuclear Data Inc	-	-	-
7	87	-	-	Taylor-Wharton	541-001-G3	-	-
7	88	-	Bundle Assembly Tube	APT	580-168	-	SPG-16
7	89	-	BAND SAW	Marvel MFG. Co. Inc.	830698	1	8-MAKR-II
7	-	-	Ion Chamber	Ludlum	218805	-	9
7	-	-	Ion Chamber	Ludlum	218838	-	9
7	-	-	Scaler/Ratemeter	Ludlum	254761	-	2221
7	-	-	Scaler/Ratemeter	Ludlum	254758	-	2221
7	-	-	Scaler/Ratemeter	Ludlum	254787	-	2221
7	-	-	Scaler/Ratemeter	Ludlum	235016	-	2221
7	-	-	Scaler/Ratemeter	Ludlum	228836	-	2221
7	-	-	Scaler/Ratemeter	Ludlum	254794	-	2221
7	-	-	Scaler/Ratemeter	Ludlum	235015	-	2221
7	-	-	Scaler/Ratemeter	Ludlum	254777	-	2221
7	-	-	Scaler/Ratemeter	Ludlum	254760	-	2221
7	-	-	large dewar	Canberra	C-12736	-	AL-30-C
7	-	-	large dewar	Canberra	-	-	-
7	-	-	large dewar	Canberra	-	-	-
7	-	-	large dewar	Canberra	-	-	-
7	-	-	Germanium detector	Ortec	33-P10962C	-	GEM 15190
7	-	-	Germanium detector	Ortec	43-TN21791A	-	GMX30P-S
7	-	-	Germanium detector	Canberra	189595	-	2002C
7	-	-	Germanium detector	Canberra	9987008	-	GC2820
7	-	-	Germanium detector	Canberra	12037719	-	GC1018
7	-	-	Multi-Channel Analyzer	Canberra	4060941	-	DSA-1000
7	-	-	Multi-Channel Analyzer	Canberra	-	-	DSA-1000
7	-	-	Gamma Spec Lead Shield	Nuclear Data Inc	-	-	-
7	-	-	Lead Pig Table	Gamma Spec	-	-	-
7	-	-	Lead Pig Table	Gamma Spec	-	-	-
7	-	-	Well sampling instrument	Sonde	-	-	6820
7	-	-	Well sampling instrument	Sonde	-	-	6820
7	-	-	100ml Reservoir	Thermo Scientific	-	-	D2622

**San Luis Obispo, CA.
IRP-19-007**

I&E, Motor Parts, Pump Parts, Valves, Valve Parts, Misc. Warehouse Materials, Spools of Cable, Band Saw, & Radiation Equipment.

Lots	MMR #	Source Bin	Material Description	MFG	MFG Part No	Qty	Additional Information
7	-	-	-	-	-	-	-
7	-	-	Area Monitoring System	MGP	3 units	-	DRM-1
7	-	-	WRM-2 External Transceiver	MGP	4 units	-	EXT
7	-	-	WRM-2 Remote	MGP	1 unit	-	-
7	-	-	WRM-2 Personal Alarms	MGP	6 units	-	PAM-TRX
7	-	-	-	-	-	-	-
7	-	-	X-Ray Machine	Heimann	21291	-	HS6040i
7	-	-	X-Ray Machine	Heimann	21292	-	HS6040i
7	-	-	Water Level Meter	Water Level Meter	-	-	-
7	-	-	Water Level Meter	Water Level Meter	-	-	-
7	-	-	module rack	Gamma Spec	-	-	-
7	-	-	WRM-2 Relay	MGP	3 units	-	EXT